

# Urea, N,N-dimethyl-

Other names:	(CH3)2NCONH2 1,1-dimethylurea Asym-Dimethylurea N,N-dimethylcarbamide N,N-dimethylurea Urea, 1,1-dimethyl-
Inchi:	InChI=1S/C3H8N2O/c1-5(2)3(4)6/h1-2H3,(H2,4,6)
InchiKey:	YBBLOADPFWKNGS-UHFFFAOYSA-N
Formula:	C3H8N2O
SMILES:	CN(C)C(N)=O
Mol. weight [g/mol]:	88.11
CAS:	598-94-7

## Physical Properties

Property code	Value	Unit	Source
chs	-2004.80 ± 0.53	kJ/mol	NIST Webbook
gf	22.69	kJ/mol	Joback Method
hf	-220.00 ± 1.10	kJ/mol	NIST Webbook
hfs	-319.06 ± 0.68	kJ/mol	NIST Webbook
hfus	13.34	kJ/mol	Joback Method
hsub	93.50 ± 0.30	kJ/mol	NIST Webbook
hvap	41.70	kJ/mol	Joback Method
ie	9.10 ± 0.05	eV	NIST Webbook
ie	8.96	eV	NIST Webbook
log10ws	0.16		Crippen Method
logp	-0.373		Crippen Method
mcvol	74.660	ml/mol	McGowan Method
pc	5190.64	kPa	Joback Method
tb	406.88	K	Joback Method
tc	601.80	K	Joback Method
tf	455.20 ± 0.10	K	NIST Webbook
tf	454.00 ± 0.50	K	NIST Webbook
vc	0.257	m3/kmol	Joback Method

# Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	185.82	J/molxK	601.80	Joback Method
cpg	143.54	J/molxK	406.88	Joback Method
cpg	179.70	J/molxK	569.31	Joback Method
cpg	173.23	J/molxK	536.83	Joback Method
cpg	166.39	J/molxK	504.34	Joback Method
cpg	159.17	J/molxK	471.85	Joback Method
cpg	151.56	J/molxK	439.37	Joback Method
hfust	29.11	kJ/mol	454.00	NIST Webbook
hfust	29.61	kJ/mol	454.00	NIST Webbook
hsubt	94.70 ± 1.40	kJ/mol	347.50	NIST Webbook
hsubt	94.70 ± 1.40	kJ/mol	347.50	NIST Webbook
hsubt	93.30 ± 0.50	kJ/mol	350.00	NIST Webbook
hsubt	99.10 ± 0.90	kJ/mol	353.00	NIST Webbook
hsubt	92.50 ± 1.30	kJ/mol	347.50	NIST Webbook
psub	0.01	kPa	362.20	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea
psub	7.53e-03	kPa	356.10	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea

psub	0.07	kPa	383.30	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea
psub	0.09	kPa	386.30	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea
psub	0.11	kPa	389.30	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea
psub	0.13	kPa	392.20	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea

psub	0.16	kPa	395.20	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea
psub	0.20	kPa	398.30	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea
psub	0.04	kPa	377.20	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea
psub	3.14e-03	kPa	346.30	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea

psub	0.03	kPa	374.20	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea
psub	0.03	kPa	371.20	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea
psub	0.02	kPa	368.10	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea
psub	0.02	kPa	365.20	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea

psub	0.05	kPa	380.20	Measurement and Prediction of Thermochemical Properties: Improved Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea
sfust	65.20	J/molxK	454.00	NIST Webbook

## Sources

Measurement and Prediction of Thermochemical Properties: Improved Joback Method: Increments for the Estimation of Enthalpies of Sublimation and Standard Enthalpies of Formation of Alkyl Derivatives of Urea: NIST Webbook:

<https://www.doi.org/10.1021/je050230z>

[https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)

<http://link.springer.com/article/10.1007/BF02311772>

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C598947&Units=SI>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method:

[https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)

Apparent molar volumes and apparent molar heat capacities of aqueous urea, hydration of urea and its derivatives - Molar enthalpy and compressibilities from 273.15 to 348.15) K and at the pressure 0.35 MPa:

<https://www.doi.org/10.1016/j.jct.2005.10.017>

<https://www.doi.org/10.1016/j.jct.2014.07.012>

## Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hsub:	Enthalpy of sublimation at standard conditions
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume

<b>pc:</b>	Critical Pressure
<b>psub:</b>	Sublimation pressure
<b>sfust:</b>	Entropy of fusion at a given temperature
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/21-145-7/Urea-N-N-dimethyl.pdf>

Generated by Cheméo on 2024-04-10 11:19:19.625622339 +0000 UTC m=+15037208.546199655.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.