

Stibine, triethyl-

Other names:	(C ₂ H ₅) ₃ Sb triethylantimony triethylstibine
Inchi:	InChI=1S/3C2H5.Sb/c3*1-2;/h3*1H2,2H3;
InchiKey:	KKOFCVMVBXDFP-UHFFFAOYSA-N
Formula:	C ₆ H ₁₅ Sb
SMILES:	CC[Sb](CC)CC
Mol. weight [g/mol]:	208.94
CAS:	617-85-6

Physical Properties

Property code	Value	Unit	Source
chl	-4864.00 ± 11.00	kJ/mol	NIST Webbook
hf	49.00 ± 12.00	kJ/mol	NIST Webbook
hfl	5.00 ± 11.00	kJ/mol	NIST Webbook
hvap	45.60	kJ/mol	NIST Webbook
hvap	43.50 ± 4.20	kJ/mol	NIST Webbook
ie	13.00 ± 0.30	eV	NIST Webbook
ie	9.20 ± 0.30	eV	NIST Webbook
tt	153.90 ± 0.20	K	NIST Webbook

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpl	242.25	J/mol×K	298.15	NIST Webbook
hfust	9.45	kJ/mol	153.90	NIST Webbook
hfust	9.45	kJ/mol	153.90	NIST Webbook
hfust	9.45	kJ/mol	153.90	NIST Webbook
hvapt	41.80	kJ/mol	333.00	NIST Webbook
hvapt	47.60	kJ/mol	273.50	NIST Webbook
hvapt	44.20	kJ/mol	273.50	NIST Webbook
hvapt	41.40	kJ/mol	273.50	NIST Webbook
hvapt	38.30	kJ/mol	273.50	NIST Webbook
hvapt	39.90 ± 1.30	kJ/mol	263.00	NIST Webbook

pvap	0.08	kPa	273.68	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	3.70e-03	kPa	238.42	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	3.70e-03	kPa	238.42	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	3.70e-03	kPa	238.42	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	6.11e-03	kPa	243.46	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	6.11e-03	kPa	243.46	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	6.10e-03	kPa	243.46	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	6.10e-03	kPa	243.46	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	9.90e-03	kPa	248.47	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	9.90e-03	kPa	248.47	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	9.91e-03	kPa	248.47	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	9.89e-03	kPa	248.47	Vapour pressure measurement of metal organic precursors used for MOVPE

pvap	0.02	kPa	253.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.02	kPa	253.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.02	kPa	253.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.02	kPa	253.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.02	kPa	258.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.02	kPa	258.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.02	kPa	258.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.02	kPa	258.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.04	kPa	263.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.04	kPa	263.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.04	kPa	263.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.04	kPa	263.48	Vapour pressure measurement of metal organic precursors used for MOVPE

pvap	0.06	kPa	268.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.06	kPa	268.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.06	kPa	268.48	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	3.70e-03	kPa	238.42	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.08	kPa	273.68	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.08	kPa	273.68	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.08	kPa	273.68	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.12	kPa	278.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.12	kPa	278.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.12	kPa	278.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.12	kPa	278.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.17	kPa	283.49	Vapour pressure measurement of metal organic precursors used for MOVPE

pvap	0.17	kPa	283.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.17	kPa	283.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.17	kPa	283.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.20	kPa	285.99	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.20	kPa	285.99	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.20	kPa	285.99	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.20	kPa	285.99	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.24	kPa	288.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.24	kPa	288.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.52	kPa	301.00	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.28	kPa	290.99	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.28	kPa	290.99	Vapour pressure measurement of metal organic precursors used for MOVPE

pvap	0.28	kPa	290.99	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.28	kPa	290.99	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.33	kPa	293.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.33	kPa	293.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.33	kPa	293.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.33	kPa	293.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.38	kPa	295.99	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.38	kPa	295.99	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.38	kPa	295.99	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.38	kPa	295.99	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.45	kPa	298.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.45	kPa	298.49	Vapour pressure measurement of metal organic precursors used for MOVPE

pvap	0.45	kPa	298.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.45	kPa	298.49	Vapour pressure measurement of metal organic precursors used for MOVPE
pvap	0.24	kPa	288.49	Vapour pressure measurement of metal organic precursors used for MOVPE
sfust	61.42	J/mol×K	153.90	NIST Webbook

Sources

Vapour pressure measurement of metal organic precursors used for MOVPE: <https://www.doi.org/10.1016/j.jct.2005.05.018>
 NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=C617856&Units=SI>

Legend

chl:	Standard liquid enthalpy of combustion
cpl:	Liquid phase heat capacity
hf:	Enthalpy of formation at standard conditions
hfl:	Liquid phase enthalpy of formation at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
ie:	Ionization energy
pvap:	Vapor pressure
sfust:	Entropy of fusion at a given temperature
tt:	Triple Point Temperature

Latest version available from:

<https://www.chemeo.com/cid/28-838-1/Stibine-triethyl.pdf>

Generated by Cheméo on 2024-04-09 13:03:54.989032418 +0000 UTC m=+14957083.909609729.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.