

Benzene, 1-methoxy-2-methyl-

Other names:	1-methoxy-2-methylbenzene 2-Methylmethoxybenzene 2-methoxymethylbenzene 2-methoxytoluene 2-methyl-1-methoxybenzene 2-methylanisole Methyl-o-cresol NSC 6253 anisole, o-methyl- methyl 2-tolyl ether methyl o-cresyl ether methyl o-methylphenyl ether methyl o-tolyl ether o-Methylanisol o-cresol methyl ether o-cresyl methyl ether o-methoxytoluene o-methylanisole toluene, o-methoxy-
Inchi:	InChI=1S/C8H10O/c1-7-5-3-4-6-8(7)9-2/h3-6H,1-2H3
InchiKey:	DTFKRVXLBCAIOZ-UHFFFAOYSA-N
Formula:	C8H10O
SMILES:	COc1ccccc1C
Mol. weight [g/mol]:	122.16
CAS:	578-58-5

Physical Properties

Property code	Value	Unit	Source
affp	850.00 ± 8.00	kJ/mol	NIST Webbook
basg	818.00 ± 8.00	kJ/mol	NIST Webbook
gf	14.26	kJ/mol	Joback Method
hf	-115.61	kJ/mol	Joback Method
hfus	11.32	kJ/mol	Joback Method
hvap	38.75	kJ/mol	Joback Method
ie	7.90	eV	NIST Webbook
ie	8.10 ± 0.15	eV	NIST Webbook
ie	8.24	eV	NIST Webbook

ie	8.24	eV	NIST Webbook
ie	8.03 ± 0.02	eV	NIST Webbook
log10ws	-2.07		Crippen Method
logp	2.004		Crippen Method
mcvol	105.690	ml/mol	McGowan Method
pc	3513.74	kPa	Joback Method
ripol	1007.00		NIST Webbook
ripol	1021.00		NIST Webbook
ripol	1013.00		NIST Webbook
ripol	1032.00		NIST Webbook
ripol	1009.00		NIST Webbook
ripol	1001.00		NIST Webbook
ripol	983.00		NIST Webbook
ripol	986.00		NIST Webbook
ripol	1005.00		NIST Webbook
ripol	1013.50		NIST Webbook
ripol	1005.00		NIST Webbook
ripol	1000.00		NIST Webbook
ripol	1005.00		NIST Webbook
ripol	1005.00		NIST Webbook
ripol	1009.00		NIST Webbook
ripol	1013.00		NIST Webbook
ripol	1013.50		NIST Webbook
ripol	1013.00		NIST Webbook
ripol	1009.00		NIST Webbook
ripol	1005.00		NIST Webbook
ripol	1409.00		NIST Webbook
ripol	1424.00		NIST Webbook
ripol	1409.00		NIST Webbook
ripol	1432.00		NIST Webbook
ripol	1390.00		NIST Webbook
ripol	1432.00		NIST Webbook
tb	444.20	K	NIST Webbook
tb	557.35 ± 1.00	K	NIST Webbook
tb	444.88 ± 0.30	K	NIST Webbook
tb	445.00 ± 0.50	K	NIST Webbook
tc	662.00 ± 0.60	K	NIST Webbook
tf	239.05 ± 0.50	K	NIST Webbook
tf	238.97 ± 0.30	K	NIST Webbook
vc	0.394	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	199.01	J/molxK	436.52	Joback Method
cpg	210.91	J/molxK	471.49	Joback Method
cpg	222.27	J/molxK	506.47	Joback Method
cpg	233.10	J/molxK	541.44	Joback Method
cpg	243.40	J/molxK	576.41	Joback Method
cpg	253.17	J/molxK	611.38	Joback Method
cpg	262.44	J/molxK	646.36	Joback Method
dvisc	0.0017292	Paxs	241.09	Joback Method
dvisc	0.0009715	Paxs	273.66	Joback Method
dvisc	0.0006170	Paxs	306.23	Joback Method
dvisc	0.0004276	Paxs	338.81	Joback Method
dvisc	0.0003160	Paxs	371.38	Joback Method
dvisc	0.0002453	Paxs	403.95	Joback Method
dvisc	0.0001977	Paxs	436.52	Joback Method
pvap	0.04	kPa	277.70	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study
pvap	0.04	kPa	275.80	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study
pvap	0.04	kPa	278.70	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study
pvap	0.05	kPa	280.60	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study
pvap	0.06	kPa	282.60	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study

pvap	0.07	kPa	285.70	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study
pvap	0.08	kPa	286.80	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study
pvap	0.10	kPa	290.20	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study
pvap	0.13	kPa	293.40	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study
pvap	0.16	kPa	296.20	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study
pvap	0.18	kPa	298.20	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study
pvap	0.21	kPa	300.20	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study
pvap	0.21	kPa	300.20	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study
pvap	0.26	kPa	303.30	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study
pvap	0.29	kPa	305.10	Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study

pvap

0.35

kPa

308.00

Benchmark
thermodynamic
properties of
methylanisoles:
Experimental and
theoretical study

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Benchmark thermodynamic properties of methylanisoles: Experimental and theoretical study:	https://www.doi.org/10.1016/j.jct.2015.02.001
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C578585&Units=SI

Legend

affp:	Proton affinity
basg:	Gas basicity
cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/37-857-0/Benzene-1-methoxy-2-methyl.pdf>

Generated by Cheméo on 2024-04-29 00:29:42.081723715 +0000 UTC m=+16639831.002301031.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.