

Guaia-6,9-diene

Inchi:	InChI=1S/C15H24/c1-10(2)13-6-5-12(4)15-8-11(3)7-14(15)9-13/h6-7,10-12,15H,5,8-9H2
InchiKey:	UDQMCXTWTNKMJG-UHFFFAOYSA-N
Formula:	C15H24
SMILES:	CC1C=C2CC(C(C)C)=CCC(C)C2C1
Mol. weight [g/mol]:	204.35

Physical Properties

Property code	Value	Unit	Source
gf	179.03	kJ/mol	Joback Method
hf	-164.97	kJ/mol	Joback Method
hfus	21.69	kJ/mol	Joback Method
hvap	50.71	kJ/mol	Joback Method
log10ws	-4.63		Crippen Method
logp	4.581		Crippen Method
mcvol	191.890	ml/mol	McGowan Method
pc	1921.98	kPa	Joback Method
rinpol	1443.00		NIST Webbook
rinpol	1443.00		NIST Webbook
rinpol	1442.00		NIST Webbook
rinpol	1432.00		NIST Webbook
rinpol	1447.00		NIST Webbook
rinpol	1432.00		NIST Webbook
rinpol	1459.00		NIST Webbook
rinpol	1459.00		NIST Webbook
rinpol	1442.00		NIST Webbook
ripol	1630.00		NIST Webbook
ripol	1600.00		NIST Webbook
tb	576.33	K	Joback Method
tc	791.72	K	Joback Method
tf	287.93	K	Joback Method
vc	0.723	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	503.29	J/mol×K	576.33	Joback Method
cpg	526.08	J/mol×K	612.23	Joback Method
cpg	547.54	J/mol×K	648.13	Joback Method
cpg	567.74	J/mol×K	684.03	Joback Method
cpg	586.71	J/mol×K	719.93	Joback Method
cpg	604.51	J/mol×K	755.83	Joback Method
cpg	621.19	J/mol×K	791.72	Joback Method
dvisc	0.0020754	Paxs	287.93	Joback Method
dvisc	0.0012375	Paxs	336.00	Joback Method
dvisc	0.0008398	Paxs	384.06	Joback Method
dvisc	0.0006213	Paxs	432.13	Joback Method
dvisc	0.0004882	Paxs	480.20	Joback Method
dvisc	0.0004008	Paxs	528.26	Joback Method
dvisc	0.0003401	Paxs	576.33	Joback Method

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=R72628&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mccvol:	McGowan's characteristic volume
pc:	Critical Pressure
ripol:	Non-polar retention indices
ripol:	Polar retention indices

tb: Normal Boiling Point Temperature
tc: Critical Temperature
tf: Normal melting (fusion) point
vc: Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/79-093-2/Guaia-6-9-diene.pdf>

Generated by Cheméo on 2024-04-27 18:42:55.203644366 +0000 UTC m=+16532624.124221678.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.