Trichloromethane

Other names:	CHCl3
	Chloroform
	Chloroforme
	Cloroformio
	F 20
	Formyl trichloride
	Freon 20
	Methane trichloride
	Methane, trichloro-
	Methenyl trichloride
	Methyl trichloride
	NCI-C02686
	NSC 77361
	R 20
	R 20 (refrigerant)
	R-20
	Rcra waste number U044
	Trichloormethaan
	Trichlormethan
	Trichloroform
	Triclorometano
	UN 1888
Inchi:	InChI=1S/CHCl3/c2-1(3)4/h1H
InchiKey:	HEDRZPFGACZZDS-UHFFFAOYSA-N
Formula:	CHCl3
SMILES:	ClC(Cl)Cl
Mol. weight [g/mol]:	119.38
CAS:	67-66-3

Physical Properties

Property code	Value	Unit	Source
af	0.2180		KDB
chl	-473.21	kJ/mol	NIST Webbook
chl	-474.00 ± 8.40	kJ/mol	NIST Webbook
dm	1.10	debye	KDB
ea	1.76 ± 0.05	eV	NIST Webbook

ea	0.62 ± 0.16	eV	NIST Webbook
gf	-68.58	kJ/mol	KDB
gyrad	3.1780		KDB
hf	-101.30	kJ/mol	KDB
hf	-102.90 ± 2.50	kJ/mol	NIST Webbook
hfl	-134.10 ± 2.50	kJ/mol	NIST Webbook
hfl	-134.30	kJ/mol	NIST Webbook
hfus	7.41	kJ/mol	Joback Method
hvap	31.40	kJ/mol	NIST Webbook
hvap	31.32 ± 0.08	kJ/mol	NIST Webbook
hvap	30.50 ± 0.42	kJ/mol	NIST Webbook
hvap	31.10	kJ/mol	NIST Webbook
ie	11.40	eV	NIST Webbook
ie	11.37 ± 0.02	eV	NIST Webbook
ie	11.41 ± 0.02	eV	NIST Webbook
ie	11.30	eV	NIST Webbook
ie	11.48	eV	NIST Webbook
ie	11.37 ± 0.02	eV	NIST Webbook
ie	11.48	eV	NIST Webbook
ie	11.50	eV	NIST Webbook
ie	11.42 ± 0.03	eV	NIST Webbook
ie	11.50	eV	NIST Webbook
log10ws	-1.17		Estimated Solubility Method
log10ws	-1.17		Aqueous Solubility Prediction Method
logp	1.986		Crippen Method
mcvol	61.670	ml/mol	McGowan Method
nfpah	%!d(float64=2)		KDB
pc	5328.68 ± 6.07	kPa	NIST Webbook
pc	5328.68 ± 10.13	kPa	NIST Webbook
pc	5470.00	kPa	KDB
rhoc	495.42 ± 2.39	kg/m3	NIST Webbook
rhoc	490.64 ± 3.58	kg/m3	NIST Webbook
rhoc	458.41 ± 2.39	kg/m3	NIST Webbook
rinpol	621.70		NIST Webbook
rinpol	616.00		NIST Webbook
rinpol	615.00		NIST Webbook
rinpol	601.00		NIST Webbook
rinpol	601.00		NIST Webbook
rinpol	601.00		NIST Webbook
rinpol	590.00		NIST Webbook
rinpol	618.00		NIST Webbook
rinpol	600.00		NIST Webbook
rinpol	561.00		NIST Webbook

rinpol	569.00	NIST Webbook
rinpol	630.00	NIST Webbook
rinpol	605.00	NIST Webbook
rinpol	615.00	NIST Webbook
rinpol	601.00	NIST Webbook
rinpol	615.00	NIST Webbook
rinpol	618.00	NIST Webbook
rinpol	618.00	NIST Webbook
rinpol	598.00	NIST Webbook
rinpol	588.00	NIST Webbook
rinpol	601.00	NIST Webbook
rinpol	616.00	NIST Webbook
rinpol	609.00	NIST Webbook
rinpol	617.00	NIST Webbook
rinpol	609.00	NIST Webbook
rinpol	609.00	NIST Webbook
rinpol	611.00	NIST Webbook
rinpol	629.00	NIST Webbook
rinpol	609.00	NIST Webbook
rinpol	603.00	NIST Webbook
rinpol	620.00	NIST Webbook
rinpol	618.00	NIST Webbook
rinpol	609.00	NIST Webbook
rinpol	601.00	NIST Webbook
rinpol	601.00	NIST Webbook
rinpol	603.00	NIST Webbook
rinpol	605.00	NIST Webbook
rinpol	620.00	NIST Webbook
rinpol	609.00	NIST Webbook
rinpol	611.00	NIST Webbook
rinpol	601.00	NIST Webbook
rinpol	606.00	NIST Webbook
rinpol	603.00	NIST Webbook
rinpol	609.00	NIST Webbook
rinpol	616.00	NIST Webbook
rinpol	595.00	NIST Webbook
rinpol	605.00	NIST Webbook
rinpol	605.00	NIST Webbook
rinpol	598.00	NIST Webbook
rinpol	613.00	NIST Webbook
rinpol	622.00	NIST Webbook
rinpol	622.00	NIST Webbook
rinpol	587.00	NIST Webbook
rinpol	610.00	NIST Webbook

rinpol	616.00	NIST Webbook
rinpol	595.20	NIST Webbook
rinpol	568.00	NIST Webbook
rinpol	609.00	NIST Webbook
rinpol	582.00	NIST Webbook
rinpol	602.00	NIST Webbook
rinpol	608.00	NIST Webbook
rinpol	604.00	NIST Webbook
rinpol	610.00	NIST Webbook
rinpol	606.80	NIST Webbook
rinpol	604.00	NIST Webbook
rinpol	604.00	NIST Webbook
rinpol	607.90	NIST Webbook
rinpol	614.80	NIST Webbook
rinpol	618.20	NIST Webbook
rinpol	621.10	NIST Webbook
rinpol	625.80	NIST Webbook
rinpol	628.40	NIST Webbook
rinpol	619.00	NIST Webbook
rinpol	617.20	NIST Webbook
rinpol	600.00	NIST Webbook
rinpol	606.00	NIST Webbook
ripol	1013.00	NIST Webbook
ripol	1010.00	NIST Webbook
ripol	1020.00	NIST Webbook
ripol	1021.00	NIST Webbook
ripol	1022.00	NIST Webbook
ripol	1022.00	NIST Webbook
ripol	1018.00	NIST Webbook
ripol	1020.00	NIST Webbook
ripol	1023.00	NIST Webbook
ripol	1022.00	NIST Webbook
ripol	999.00	NIST Webbook
ripol	1038.00	NIST Webbook
ripol	1010.00	NIST Webbook
ripol	1045.00	NIST Webbook
ripol	1007.00	NIST Webbook
ripol	1037.00	NIST Webbook
ripol	1037.00	NIST Webbook
ripol	1017.00	NIST Webbook
ripol	1025.00	NIST Webbook
ripol	1015.00	NIST Webbook
ripol	1016.00	NIST Webbook
ripol	1037.00	NIST Webbook

ripol	1037.00		NIST Webbook
ripol	1018.00		NIST Webbook
ripol	1020.00		NIST Webbook
ripol	992.00		NIST Webbook
ripol	1014.00		NIST Webbook
ripol	1014.00		NIST Webbook
ripol	1026.00		NIST Webbook
ripol	1000.00		NIST Webbook
ripol	1024.00		NIST Webbook
ripol	1037.00		NIST Webbook
ripol	1027.69		NIST Webbook
ripol	1010.00		NIST Webbook
ripol	1024.00		NIST Webbook
ripol	1026.00		NIST Webbook
ripol	1022.00		NIST Webbook
ripol	1020.00		NIST Webbook
ripol	1021.00		NIST Webbook
ripol	1024.00		NIST Webbook
ripol	1026.00		NIST Webbook
ripol	1026.00		NIST Webbook
ripol	1027.69		NIST Webbook
ripol	1028.95		NIST Webbook
ripol	1030.11		NIST Webbook
ripol	1034.00		NIST Webbook
ripol	1037.00		NIST Webbook
ripol	1037.00		NIST Webbook
ripol	1000.00		NIST Webbook
ripol	1028.00		NIST Webbook
tb	334.39 ± 0.30	K	NIST Webbook
tb	334.24 ± 0.15	K	NIST Webbook
tb	333.95 ± 0.40	K	NIST Webbook
tb	334.42 ± 0.35	K	NIST Webbook
tb	334.42 ± 0.30	K	NIST Webbook
tb	334.35 ± 0.30	K	NIST Webbook
tb	334.35 ± 0.30	K	NIST Webbook
tb	334.32	K	KDB
tb	334.30 ± 0.20	K	NIST Webbook
tb	334.30 ± 0.50	K	NIST Webbook
tb	334.45 ± 0.50	K	NIST Webbook
tb	334.20 ± 1.00	K	NIST Webbook
tb	334.50 ± 0.20	K	NIST Webbook
tb	334.22 ± 0.50	K	NIST Webbook
tb	334.27 ± 0.30	K	NIST Webbook
tb	334.30 ± 0.25	K	NIST Webbook

tb	334.30 ± 0.50	K	NIST Webbook
tb	334.23 ± 0.06	K	NIST Webbook
tb	334.30 ± 0.30	K	NIST Webbook
tb	334.40 ± 0.50	K	NIST Webbook
tb	334.37 ± 0.20	K	NIST Webbook
tb	334.20 ± 0.30	K	NIST Webbook
tb	334.22 ± 0.20	K	NIST Webbook
tb	334.35 ± 0.30	K	NIST Webbook
tb	334.30 ± 0.50	K	NIST Webbook
tb	334.15 ± 0.50	K	NIST Webbook
tb	334.40 ± 0.30	K	NIST Webbook
tb	334.35 ± 0.20	K	NIST Webbook
tb	334.45 ± 0.60	K	NIST Webbook
tb	335.00	K	The role of organic diluents in the aspects of equilibrium, kinetics and thermodynamic model for silver ion extraction using an extractant D2EHPA
tb	334.10	K	Phase diagrams of (vapour + liquid) equilibrium for binary mixtures of a,a,a-trifluorotoluene with ethanol, or benzene, or chloroform at pressure 101.4 kPa
tb	334.35	K	Separation of azeotrope (2,2,3,3-tetrafluoro-1-propanol + water): Isobaric vapour-liquid phase equilibrium measurements and azeotropic distillation
tb	334.35 ± 0.10	K	NIST Webbook
tb	334.12	K	Isobaric Vapor-Liquid Phase Equilibrium Measurements for Allyl Alcohol with Chloroform, Ethyl Acetate, and Methyl Propionate at 101.3 kPa
tb	334.30	K	NIST Webbook
tb	334.30 ± 0.20	K	NIST Webbook
tb	334.37 ± 0.15	K	NIST Webbook
tb	334.45 ± 0.50	K	NIST Webbook
tb	334.10 ± 0.30	K	NIST Webbook
tb	334.35 ± 0.06	K	NIST Webbook
tb	334.34 ± 0.25	K	NIST Webbook
tb	334.35 ± 0.30	K	NIST Webbook
tc	536.40	K	KDB
tf	209.65 ± 0.20	K	NIST Webbook
tf	210.00 ± 2.00	K	NIST Webbook
tf	209.90 ± 0.30	K	NIST Webbook

tf	211.59 ± 0.50	K	NIST Webbook
tf	209.65 ± 0.20	K	NIST Webbook
tf	210.00 ± 2.00	K	NIST Webbook
tf	209.50 ± 0.70	K	NIST Webbook
tf	211.05 ± 0.30	K	NIST Webbook
tf	209.61 ± 0.08	K	NIST Webbook
tf	210.15 ± 1.00	K	NIST Webbook
tf	209.73 ± 0.01	K	NIST Webbook
tf	210.46 ± 0.20	K	NIST Webbook
tf	209.95	K	Aqueous Solubility Prediction Method
tf	209.50	K	KDB
tf	212.15 ± 1.00	K	NIST Webbook
tf	209.64 ± 0.10	K	NIST Webbook
tt	209.61 ± 0.20	K	NIST Webbook
vc	0.239	m3/kmol	KDB
volm	8.07e-05	m3/mol	Excess Gibbs energies and volumes of the ternary system chloroform + tetrahydrofuran + cyclohexane at 298.15 K
zc	0.2931300		KDB
zra	0.28		KDB

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	71.18	J/mol×K	334.13	Joback Method
cpg	75.56	J/mol×K	400.12	Joback Method
cpg	73.44	J/mol×K	367.13	Joback Method
cpg	82.74	J/mol×K	532.11	Joback Method
cpg	81.13	J/mol×K	499.12	Joback Method
cpg	79.40	J/mol×K	466.12	Joback Method
cpg	77.54	J/mol×K	433.12	Joback Method
cpl	114.25	J/mol×K	298.15	NIST Webbook
cpl	114.26	J/mol×K	298.15	NIST Webbook
cpl	116.20	J/mol×K	293.00	NIST Webbook
cpl	113.73	J/mol×K	298.15	NIST Webbook
cpl	114.18	J/mol×K	298.00	NIST Webbook
cpl	115.50	J/mol×K	298.15	NIST Webbook
cpl	113.85	J/mol×K	298.15	NIST Webbook
cpl	115.50	J/mol×K	298.15	NIST Webbook
cpl	114.35	J/mol×K	298.15	NIST Webbook

cpl	113.20	J/mol×K	298.15	NIST Webbook
cpl	113.40	J/mol×K	300.00	NIST Webbook
cpl	114.00	J/mol×K	303.20	NIST Webbook
cpl	117.10	J/mol×K	298.00	NIST Webbook
cpl	139.70	J/mol×K	303.60	NIST Webbook
cpl	113.00	J/mol×K	298.10	NIST Webbook
cpl	116.70	J/mol×K	303.00	NIST Webbook
cpl	115.50	J/mol×K	293.20	NIST Webbook
cpl	114.32	J/mol×K	298.15	NIST Webbook
dvisc	0.0005340	Pa×s	303.15	Densities, Viscosities, and Ultrasonic Velocity Studies of Binary Mixtures of Chloroform with Octan-1-ol and Decan-1-ol at (303.15 and 313.15) K
dvisc	0.0005520	Pa×s	303.15	Density, Viscosity, Vapor-Liquid Equilibrium, and Excess Molar Enthalpy of [Chloroform + Methyl tert-Butyl Ether]
dvisc	0.0005760	Pa×s	298.15	Density, Viscosity, Vapor-Liquid Equilibrium, and Excess Molar Enthalpy of [Chloroform + Methyl tert-Butyl Ether]
dvisc	0.0006000	Pa×s	293.15	Density, Viscosity, Vapor-Liquid Equilibrium, and Excess Molar Enthalpy of [Chloroform + Methyl tert-Butyl Ether]
dvisc	0.0006510	Pa×s	283.15	Density, Viscosity, Vapor-Liquid Equilibrium, and Excess Molar Enthalpy of [Chloroform + Methyl tert-Butyl Ether]

dvisc	0.0007130	Pa×s	273.15	Density, Viscosity, Vapor-Liquid Equilibrium, and Excess Molar Enthalpy of [Chloroform + Methyl tert-Butyl Ether]	
dvisc	0.0005090	Pa×s	313.15	Density, Viscosity, Vapor-Liquid Equilibrium, and Excess Molar Enthalpy of [Chloroform + Methyl tert-Butyl Ether]	
dvisc	0.0004910	Pa×s	313.15	Densities, Viscosities, and Ultrasonic Velocity Studies of Binary Mixtures of Chloroform with Propan-1-ol and Butan-1-ol at (303.15 and 313.15) K	
dvisc	0.0005340	Pa×s	303.15	Densities, Viscosities, and Ultrasonic Velocity Studies of Binary Mixtures of Chloroform with Propan-1-ol and Butan-1-ol at (303.15 and 313.15) K	
dvisc	0.0004710	Pa×s	313.15	Studies of viscosities of dilute solutions of alkylamine in non-electrolyte solvents. II. Haloalkanes and other polar solvents	
dvisc	0.0005200	Pa×s	303.15	Studies of viscosities of dilute solutions of alkylamine in non-electrolyte solvents. II. Haloalkanes and other polar solvents	

dvisc	0.0005130	Pa×s	308.15	Densities, viscosities, and ultrasonic velocity studies of binary mixtures of trichloromethane with methanol, ethanol, propan-1-ol, and butan-1-ol at T=(298.15 and 308.15) K
dvisc	0.0005560	Pa×s	298.15	Densities, viscosities, and ultrasonic velocity studies of binary mixtures of trichloromethane with methanol, ethanol, propan-1-ol, and butan-1-ol at T=(298.15 and 308.15) K
dvisc	0.0004910	Pa×s	318.15	Density, Viscosity, Vapor-Liquid Equilibrium, and Excess Molar Enthalpy of [Chloroform + Methyl tert-Butyl Ether]
dvisc	0.0004910	Pa×s	313.15	Densities, Viscosities, and Ultrasonic Velocity Studies of Binary Mixtures of Chloroform with Octan-1-ol and Decan-1-ol at (303.15 and 313.15) K
hfust	8.80	kJ/mol	209.60	NIST Webbook
hfust	8.80	kJ/mol	209.60	NIST Webbook
hvapt	32.50	kJ/mol	296.50	NIST Webbook
hvapt	35.00	kJ/mol	274.50	NIST Webbook
hvapt	30.90	kJ/mol	320.50	NIST Webbook
hvapt	30.10	kJ/mol	501.00	NIST Webbook
hvapt	30.80	kJ/mol	366.50	NIST Webbook
hvapt	31.80	kJ/mol	248.00	NIST Webbook
hvapt	29.24	kJ/mol	334.30	NIST Webbook
hvapt	29.71	kJ/mol	334.30	KDB
hvapt	30.40	kJ/mol	374.50	NIST Webbook
hvapt	28.90	kJ/mol	445.50	NIST Webbook

kvisc	0.0000004	m2/s	303.15	Densities, Viscosities, and Ultrasonic Velocity Studies of Binary Mixtures of Chloroform with Pentan-1-ol, Hexan-1-ol, and Heptan-1-ol at (303.15 and 313.15) K
kvisc	0.0000003	m2/s	313.15	Densities, Viscosities, and Ultrasonic Velocity Studies of Binary Mixtures of Chloroform with Pentan-1-ol, Hexan-1-ol, and Heptan-1-ol at (303.15 and 313.15) K
pvap	32.41	kPa	303.15	Total Vapor Pressure Measurements for 2-Ethoxyethanol with Carbon Tetrachloride, Chloroform, and Dichloromethane at 303.15 K
pvap	73.88	kPa	325.00	Isobaric Vapor-Liquid and Liquid-Liquid Equilibria for Chloroform + Ethanol + 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate at 100 kPa
pvap	61.85	kPa	320.00	Isobaric Vapor-Liquid and Liquid-Liquid Equilibria for Chloroform + Ethanol + 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate at 100 kPa
pvap	101.30	kPa	334.35	Separation of azeotrope (2,2,3,3-tetrafluoro-1-propanol + water): Isobaric vapour-liquid phase equilibrium measurements and azeotropic distillation

pvap	87.71	kPa	330.00	Isobaric Vapor-Liquid and Liquid-Liquid Equilibria for Chloroform + Ethanol + 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate at 100 kPa
pvap	42.47	kPa	310.00	Isobaric Vapor-Liquid and Liquid-Liquid Equilibria for Chloroform + Ethanol + 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate at 100 kPa
pvap	34.81	kPa	305.00	Isobaric Vapor-Liquid and Liquid-Liquid Equilibria for Chloroform + Ethanol + 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate at 100 kPa
pvap	32.19	kPa	303.15	Density, viscosity, isothermal (vapour + liquid) equilibrium, excess molar volume, viscosity deviation, and their correlations for chloroform + methyl isobutyl ketone binary system
pvap	121.45	kPa	340.00	Isobaric Vapor-Liquid and Liquid-Liquid Equilibria for Chloroform + Ethanol + 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate at 100 kPa
pvap	103.50	kPa	335.00	Isobaric Vapor-Liquid and Liquid-Liquid Equilibria for Chloroform + Ethanol + 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate at 100 kPa

pvap	129.28	kPa	342.00	Isobaric Vapor-Liquid and Liquid-Liquid Equilibria for Chloroform + Ethanol + 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate at 100 kPa
pvap	101.30	kPa	334.12	Isobaric Vapor-Liquid Phase Equilibrium Measurements for Allyl Alcohol with Chloroform, Ethyl Acetate, and Methyl Propionate at 101.3 kPa
pvap	32.19	kPa	303.15	Density, Viscosity, Vapor-Liquid Equilibrium, Excess Molar Volume, Viscosity Deviation, and Their Correlations for the Chloroform + 2-Butanone Binary System
pvap	51.43	kPa	315.00	Isobaric Vapor-Liquid and Liquid-Liquid Equilibria for Chloroform + Ethanol + 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate at 100 kPa
rfi	1.44280		298.15	Vapour pressure and excess Gibbs energy of binary 1,2-dichloroethane + cyclohexanone, chloroform + cyclopentanone and chloroform + cyclohexanone mixtures at temperatures from 298.15 to 318.15 K

rfi	1.44100	303.15	Densities, speeds of sound, isentropic compressibilities, refractive indexes, and viscosities of tetrahydrofuran with haloalkane or alkyl ethanoate at T = 303.15 K
rfi	1.45000	283.15	Partial Molar Volumes of N,N'-1,2-Ethyl-bis(salicyladimine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K
rfi	1.44390	293.15	Partial Molar Volumes of N,N'-1,2-Ethyl-bis(salicyladimine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K
rfi	1.44200	298.15	Partial Molar Volumes of N,N'-1,2-Ethyl-bis(salicyladimine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K
rfi	1.44300	298.15	Liquid-Liquid Equilibrium, Solid-Liquid Equilibrium, Densities, and Refractivity of a Water, Chloroform, and Acetylacetone Mixture
rfi	1.44760	293.15	Solubilities of Phosphorus-Containing Compounds in Selected Solvents
rfi	1.44710	288.15	Partial Molar Volumes of N,N'-1,2-Ethyl-bis(salicyladimine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K

rfi	1.44290		298.15	Study of Vapor-Liquid Equilibrium for Binary Mixtures (Chloroform + 2,2,2-Trifluoroethanol) and (r,r,r-Trifluorotoluene + 2,2,2-Trifluoroethanol) at Pressure 102 kPa
rhol	1470.50	kg/m3	303.15	Viscosity and Density for Binary Mixtures of Carbon Tetrachloride + Chloroform, Carbon Tetrachloride + Dichloromethane, and Chloroform + Dichloromethane and One Ternary Mixture of Chloroform + 1:1 (Carbon Tetrachloride + Dichloromethane) at 303.15 K
rhol	1498.08	kg/m3	288.15	Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene Mixtures at (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K
rhol	1488.64	kg/m3	293.15	Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene Mixtures at (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K

rhol	1479.15	kg/m3	298.15	Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene Mixtures at (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K	
rhol	1469.61	kg/m3	303.15	Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene Mixtures at (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K	
rhol	1460.03	kg/m3	308.15	Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene Mixtures at (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K	
rhol	1450.41	kg/m3	313.15	Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene Mixtures at (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K	
rhol	1473.42	kg/m3	298.15	Volumetric Study for the Binary Nitromethane with Chloroalkane Mixtures at Temperatures in the Range (298.15 to 318.15) K	

rhol	1454.33	kg/m3	308.15	Volumetric Study for the Binary Nitromethane with Chloroalkane Mixtures at Temperatures in the Range (298.15 to 318.15) K	
rhol	1434.98	kg/m3	318.15	Volumetric Study for the Binary Nitromethane with Chloroalkane Mixtures at Temperatures in the Range (298.15 to 318.15) K	
rhol	1487.63	kg/m3	293.15	Speed of sound, density and related thermodynamic excess properties of binary mixtures of butan-2-one with C1-C4 nalkanols and chloroform	
rhol	1478.16	kg/m3	298.15	Speed of sound, density and related thermodynamic excess properties of binary mixtures of butan-2-one with C1-C4 nalkanols and chloroform	
rhol	1468.61	kg/m3	303.15	Speed of sound, density and related thermodynamic excess properties of binary mixtures of butan-2-one with C1-C4 nalkanols and chloroform	
rhol	1459.00	kg/m3	308.15	Speed of sound, density and related thermodynamic excess properties of binary mixtures of butan-2-one with C1-C4 nalkanols and chloroform	

rhol	1498.08	kg/m3	288.15	Densities and Excess Molar Volumes of the Ternary Mixture 2-Butanol + Chloroform + Benzene and Binary Mixtures 2-Butanol + Chloroform, or + Benzene over the Temperature Range (288.15 to 313.15) K
rhol	1488.64	kg/m3	293.15	Densities and Excess Molar Volumes of the Ternary Mixture 2-Butanol + Chloroform + Benzene and Binary Mixtures 2-Butanol + Chloroform, or + Benzene over the Temperature Range (288.15 to 313.15) K
rhol	1479.15	kg/m3	298.15	Densities and Excess Molar Volumes of the Ternary Mixture 2-Butanol + Chloroform + Benzene and Binary Mixtures 2-Butanol + Chloroform, or + Benzene over the Temperature Range (288.15 to 313.15) K
rhol	1469.61	kg/m3	303.15	Densities and Excess Molar Volumes of the Ternary Mixture 2-Butanol + Chloroform + Benzene and Binary Mixtures 2-Butanol + Chloroform, or + Benzene over the Temperature Range (288.15 to 313.15) K

rhol	1460.03	kg/m3	308.15	Densities and Excess Molar Volumes of the Ternary Mixture 2-Butanol + Chloroform + Benzene and Binary Mixtures 2-Butanol + Chloroform, or + Benzene over the Temperature Range (288.15 to 313.15) K	
rhol	1450.41	kg/m3	313.15	Densities and Excess Molar Volumes of the Ternary Mixture 2-Butanol + Chloroform + Benzene and Binary Mixtures 2-Butanol + Chloroform, or + Benzene over the Temperature Range (288.15 to 313.15) K	
rhol	1491.86	kg/m3	288.15	Densities and Excess Molar Volumes of the Binary Mixtures of Cyclohexanone with Chloroalkanes at Temperatures between (288.15 and 318.15) K	
rhol	1473.16	kg/m3	298.15	Densities and Excess Molar Volumes of the Binary Mixtures of Cyclohexanone with Chloroalkanes at Temperatures between (288.15 and 318.15) K	
rhol	1454.07	kg/m3	308.15	Densities and Excess Molar Volumes of the Binary Mixtures of Cyclohexanone with Chloroalkanes at Temperatures between (288.15 and 318.15) K	

rhol	1434.72	kg/m3	318.15	Densities and Excess Molar Volumes of the Binary Mixtures of Cyclohexanone with Chloroalkanes at Temperatures between (288.15 and 318.15) K
rhol	1492.31	kg/m3	288.15	Densities and Excess Molar Volumes of the Binary Mixtures of Cyclopentanone with Chloroalkanes at T = (288.15, 298.15, 308.15, and 318.15) K
rhol	1473.43	kg/m3	298.15	Densities and Excess Molar Volumes of the Binary Mixtures of Cyclopentanone with Chloroalkanes at T = (288.15, 298.15, 308.15, and 318.15) K
rhol	1454.33	kg/m3	308.15	Densities and Excess Molar Volumes of the Binary Mixtures of Cyclopentanone with Chloroalkanes at T = (288.15, 298.15, 308.15, and 318.15) K
rhol	1434.97	kg/m3	318.15	Densities and Excess Molar Volumes of the Binary Mixtures of Cyclopentanone with Chloroalkanes at T = (288.15, 298.15, 308.15, and 318.15) K
rhol	1489.00	kg/m3	293.00	KDB

rhol	1498.08	kg/m3	288.15	Temperature Dependence of Densities and Excess Molar Volumes of the Ternary Mixture (1-Butanol + Chloroform + Benzene) and its Binary Constituents (1-Butanol + Chloroform and 1-Butanol + Benzene)
rhol	1488.64	kg/m3	293.15	Temperature Dependence of Densities and Excess Molar Volumes of the Ternary Mixture (1-Butanol + Chloroform + Benzene) and its Binary Constituents (1-Butanol + Chloroform and 1-Butanol + Benzene)
rhol	1479.15	kg/m3	298.15	Temperature Dependence of Densities and Excess Molar Volumes of the Ternary Mixture (1-Butanol + Chloroform + Benzene) and its Binary Constituents (1-Butanol + Chloroform and 1-Butanol + Benzene)
rhol	1469.61	kg/m3	303.15	Temperature Dependence of Densities and Excess Molar Volumes of the Ternary Mixture (1-Butanol + Chloroform + Benzene) and its Binary Constituents (1-Butanol + Chloroform and 1-Butanol + Benzene)

rhol	1450.41	kg/m3	313.15	Temperature Dependence of Densities and Excess Molar Volumes of the Ternary Mixture (1-Butanol + Chloroform + Benzene) and its Binary Constituents (1-Butanol + Chloroform and 1-Butanol + Benzene)	
rhol	1450.39	kg/m3	313.15	Excess volumes, Viscosities, and Excess Gibbs Energy of Activation for Viscous Flow, for binary and ternary mixtures 1- propanol + N-N dimethylformamid + chloroform at different temperatures	
rhol	1469.69	kg/m3	303.15	Excess volumes, Viscosities, and Excess Gibbs Energy of Activation for Viscous Flow, for binary and ternary mixtures 1- propanol + N-N dimethylformamid + chloroform at different temperatures	
rhol	1488.70	kg/m3	293.15	Excess volumes, Viscosities, and Excess Gibbs Energy of Activation for Viscous Flow, for binary and ternary mixtures 1- propanol + N-N dimethylformamid + chloroform at different temperatures	
rhol	1470.80	kg/m3	308.00	Thermo-acoustical studies of 1,3,4-oxadiazole as binary mixture at three different temperatures	

rhol	1475.30	kg/m3	303.00	Thermo-acoustical studies of 1,3,4-oxadiazole as binary mixture at three different temperatures
rhol	1465.80	kg/m3	313.00	Thermo-physical properties of 1,3,4-oxadiazole derivatives in pure solvents
rhol	1470.80	kg/m3	308.00	Thermo-physical properties of 1,3,4-oxadiazole derivatives in pure solvents
rhol	1475.30	kg/m3	303.00	Thermo-physical properties of 1,3,4-oxadiazole derivatives in pure solvents
rhol	1469.63	kg/m3	303.15	Volumetric behaviour of binary mixtures of (trichloromethane + amines) at temperatures between T = (288.15 and 303.15) K at p = 0.1 MPa
rhol	1479.21	kg/m3	298.15	Volumetric behaviour of binary mixtures of (trichloromethane + amines) at temperatures between T = (288.15 and 303.15) K at p = 0.1 MPa
rhol	1488.70	kg/m3	293.15	Volumetric behaviour of binary mixtures of (trichloromethane + amines) at temperatures between T = (288.15 and 303.15) K at p = 0.1 MPa

rhol	1498.14	kg/m3	288.15	Volumetric behaviour of binary mixtures of (trichloromethane + amines) at temperatures between T = (288.15 and 303.15) K at p = 0.1 MPa	
rhol	1440.03	kg/m3	318.15	Densities, viscosities, and refractive indices of binary and ternary mixtures of methanol, acetone, and chloroform at temperatures from (298.15-318.15) K and ambient pressure	
rhol	1450.39	kg/m3	313.15	Densities, viscosities, and refractive indices of binary and ternary mixtures of methanol, acetone, and chloroform at temperatures from (298.15-318.15) K and ambient pressure	
rhol	1460.01	kg/m3	308.15	Densities, viscosities, and refractive indices of binary and ternary mixtures of methanol, acetone, and chloroform at temperatures from (298.15-318.15) K and ambient pressure	
rhol	1469.16	kg/m3	303.15	Densities, viscosities, and refractive indices of binary and ternary mixtures of methanol, acetone, and chloroform at temperatures from (298.15-318.15) K and ambient pressure	

rhol	1478.75	kg/m3	298.15	Densities, viscosities, and refractive indices of binary and ternary mixtures of methanol, acetone, and chloroform at temperatures from (298.15-318.15) K and ambient pressure	
rhol	1480.34	kg/m3	298.20	The choice of solvent and liquid liquid equilibrium for ternary water + 2-methylaziridine + chloroform system: Experimental data and modeling	
rhol	1450.41	kg/m3	313.15	Volumetric properties of the ternary system ethanol + chloroform + benzene at temperature range (288.15 313.15) K: Experimental data, correlation and prediction by cubic EOS	
rhol	1460.03	kg/m3	308.15	Volumetric properties of the ternary system ethanol + chloroform + benzene at temperature range (288.15 313.15) K: Experimental data, correlation and prediction by cubic EOS	
rhol	1469.61	kg/m3	303.15	Volumetric properties of the ternary system ethanol + chloroform + benzene at temperature range (288.15 313.15) K: Experimental data, correlation and prediction by cubic EOS	

rhol	1479.15	kg/m3	298.15	Volumetric properties of the ternary system ethanol + chloroform + benzene at temperature range (288.15 313.15) K: Experimental data, correlation and prediction by cubic EOS
rhol	1488.64	kg/m3	293.15	Volumetric properties of the ternary system ethanol + chloroform + benzene at temperature range (288.15 313.15) K: Experimental data, correlation and prediction by cubic EOS
rhol	1498.08	kg/m3	288.15	Volumetric properties of the ternary system ethanol + chloroform + benzene at temperature range (288.15 313.15) K: Experimental data, correlation and prediction by cubic EOS
rhol	1483.02	kg/m3	293.20	Isobaric vapour liquid equilibria for binary mixtures of 1,2-dibromoethane with 1,2-dichloroethane, trichloromethane, and 1,1,2,2-tetrachloroethane at atmospheric pressure
rhol	1429.89	kg/m3	323.15	Excess volumes, Viscosities, and Excess Gibbs Energy of Activation for Viscous Flow, for binary and ternary mixtures 1- propanol + N-N dimethylformamid + chloroform at different temperatures

rhol	1460.03	kg/m3	308.15	Temperature Dependence of Densities and Excess Molar Volumes of the Ternary Mixture (1-Butanol + Chloroform + Benzene) and its Binary Constituents (1-Butanol + Chloroform and 1-Butanol + Benzene)	
rhol	1465.80	kg/m3	313.00	Thermo-acoustical studies of 1,3,4-oxadiazole as binary mixture at three different temperatures	
speedsl	950.45	m/s	308.15	Speeds of sound, isentropic compressibilities and refractive indices for some binary mixtures of nitromethane with chloroalkane at temperatures from 298.15 to 318.15 K. Comparison with theories	
speedsl	984.42	m/s	298.15	Speeds of sound, isentropic compressibilities and refractive indices for some binary mixtures of nitromethane with chloroalkane at temperatures from 298.15 to 318.15 K. Comparison with theories	
speedsl	916.63	m/s	318.15	Speeds of sound, isentropic compressibilities and refractive indices for some binary mixtures of nitromethane with chloroalkane at temperatures from 298.15 to 318.15 K. Comparison with theories	

srf	0.03	N/m	293.15	Investigation of Surface Properties and Solubility of 1-Vinyl-3-alkyl/Esterimidazolium Halide Ionic Liquids by Density Functional Methods
srf	0.03	N/m	298.20	KDB

Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbp	334.25	K	96.60	Low cost apparatus for rapid boiling point determination of small air sensitive samples under inert atmosphere

Correlations

Information	Value
Property code	pvap
Equation	ln(Pvp) = A + B/(T + C)
Coeff. A	1.43630e+01
Coeff. B	-2.83926e+03
Coeff. C	-4.29370e+01
Temperature range (K), min.	244.65
Temperature range (K), max.	536.40

Information	Value
Property code	pvap
Equation	ln(Pvp) = A + B/T + C*ln(T) + D*T^2
Coeff. A	8.11439e+01
Coeff. B	-6.35114e+03
Coeff. C	-1.00709e+01
Coeff. D	9.12761e-06

Temperature range (K), min.	209.63
Temperature range (K), max.	536.40

Datasets

Viscosity, Pa*s

Temperature, K - Liquid	Pressure, kPa - Liquid	Viscosity, Pa*s - Liquid
303.15	101.30	0.0005120
Reference		*https://www.doi.org/10.1016/j.tca.2004.07.014*

Temperature, K	Pressure, kPa	Viscosity, Pa*s
303.15	101.30	0.0005033
Reference		*https://www.doi.org/10.1021/je034204h*

Sources

Densities, viscosities, and refractive indices of binary and ternary mixtures of methanol, acetone, and chloroform at temperatures from (298.15 to 318.15) K and ambient pressure.	https://www.doi.org/10.1016/j.fluid.2018.10.024
Study of Vapor−Liquid Equilibrium for Binary Mixtures (Chloroform + 1,2,4-trimethylbenzene and Chloroform + 1,3,5-trimethylbenzene) at 101.3 kPa	https://www.doi.org/10.1021/je700103k
Thermophysical properties of 1,3,4-oxadiazole derivatives in pure 2,2,2-Trifluoroethanol at Pressure 102 kPa	https://www.doi.org/10.1016/j.jct.2012.09.013
Determination of Activity Coefficients at Infinite Dilution of Organic Solutes in the Ionic Liquid 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide	https://www.doi.org/10.1021/acs.jced.8b00080
Determination of Henry's Law Constants Using Internal Standards with Dual-Column Gas Chromatography	https://www.doi.org/10.1021/je3010535
1-(2-Hydroxyethyl)-3-methylimidazolium Monoalkyl Sulfate Ionic Liquids: Thermodynamic Studies of Solubility for Naphthalene in 12 Solvents from 279 to 390 K.	https://www.doi.org/10.1021/je7007457
Solid−Liquid Equilibria for Benzoic Acid + p-Toluic Acid + Chloroform, Benzoic Acid + p-Toluic Acid + Acetic Acid, and Terephthalic Acid + Isophthalic Acid + N,N-Dimethylformamide.	https://www.doi.org/10.1021/acs.jced.9b00064
Measurement and Correlation of the Solubility of Prednisone Acetate in Different Pure Solvents at Infinite Dilution	https://www.doi.org/10.1021/je049801y
Thermodynamics of the solubility of 1-(2-Hydroxyethyl)-3-methylimidazolium ethylsulfate in methanol, ethanol, 1-propanol, and 1-butanol from 283.15 to 323.15 K	https://www.doi.org/10.1021/je101201w
Measurement and correlation of the solubility of 2,5-dinitroaniline in nine organic solvents from T = (272.15 to 308.15) K and mixing properties of solutions:	https://www.doi.org/10.1021/je900704b
	https://www.doi.org/10.1016/j.fluid.2012.02.011
	https://www.doi.org/10.1016/j.jct.2015.05.019
	https://en.wikipedia.org/wiki/Joback_method
Solubility of Physalin D in Ethanol, Methanol, Propanone, Dichloromethane, Ethyl Ethanoate, and Water at Temperatures from (283.2 to 313.2) K	https://www.doi.org/10.1021/je100227k
Diffusion Coefficients of Organic Compounds at Infinite Dilution in Ionic Liquids Involving Associating Compounds: Experimental Measurement and Modeling by Group Contribution Methods.	https://www.doi.org/10.1021/je700539w
	https://www.doi.org/10.1016/j.jct.2015.07.010

Solubility Measurement and Thermodynamic Modeling of 4-Nitrophthalimide in Twelve Pure Solvents at Elevated Temperatures Ranging from (273.15 to 323.15) K:	https://www.doi.org/10.1021/acs.jced.6b00230
Activity coefficients at infinite dilution of organic solutes in [illegible]-based ionic liquids using gas-liquid chromatography:	https://www.doi.org/10.1016/j.jct.2015.02.023
Dissociation Constants and Solubilities of Dalbergin and Nordalbergin in Different Solvents:	https://www.doi.org/10.1021/acs.jced.5b00098
Measurement of activity coefficients at infinite dilution in 1-hexadecyl-3-methylimidazolium tetrafluoroborate ionic liquid:	https://www.doi.org/10.1016/j.jct.2007.01.004
Solubility of Valsartan in Different Organic Solvents and Ethanol + Water Binary Mixtures from (278.15 to 313.15) K:	https://www.doi.org/10.1021/je8007815
Activity Coefficients at Infinite Dilution for Organic Compounds Dissolved in 1-Alkyl-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide Ionic Liquids Having Six-, Eight-, and Ten-Carbon Alkyl Chains:	https://www.doi.org/10.1021/je300692s
Thermo acoustical studies of 1,3,4 oxadiazole as binary mixture at three different temperatures:	https://www.doi.org/10.1016/j.jct.2013.10.008
Activity Coefficients at Infinite Dilution of Organic Solutes in 1-Butyl-3-methylimidazolium Nitrate Using Gas-Liquid Chromatography:	https://www.doi.org/10.1021/je200050q
Solubilities of 1,3,2-Dioxaphosphorinane-2-methanol-a,a-5,5-tetramethyl 2-oxide in Selected Solvents at 273.15 K to 343.15 K:	https://www.doi.org/10.1021/je4003114
Dissociation Constants and Solubilities of Daidzein and Genistein in Different Solvents:	https://www.doi.org/10.1021/je4010905
Measurement and Correlation of the Solubility for 4,4'-Diaminodiphenylmethane in Different Solvents:	https://www.doi.org/10.1021/je501111d
Infinite Dilution Activity Coefficients of Solutes Dissolved in Two Trihexyl(tetradecyl)phosphonium Ionic Liquids:	https://www.doi.org/10.1021/je500050p
Solubility of Irbesartan (Form A) in Different Solvents between 278 K and 323 K:	https://www.doi.org/10.1021/je700296x
Solubility of Fluorene in Benzene, Chloroform, Acetone, 1-Propanol, Isobutanol, and Methylbenzene from (283 to 323) K:	https://www.doi.org/10.1021/je800676s
Interactions of volatile organic compounds with the ionic liquid 1-ethyl-3-methylimidazolium tetracyanoborate:	https://www.doi.org/10.1016/j.jct.2011.09.028
Phase Separation in Binary Mixtures Containing Linear Perfluoroalkanes:	https://www.doi.org/10.1021/je049620w
Liquid-liquid equilibrium study for ternary systems of water + propargyl alcohol + solvents at 308.2 K: Measurement and thermodynamic modelling:	https://www.doi.org/10.1016/j.jct.2019.03.033
Solubility Measurement and Thermodynamic Modeling of Benzoic Acid in Monosolvents and Binary Mixtures:	https://www.doi.org/10.1021/acs.jced.8b00025
Thermodynamics and activity coefficients at infinite dilution for organic compounds and water in the ionic liquid 1-butyl-3-methylimidazolium tetracyanoborate:	https://www.doi.org/10.1016/j.jct.2017.07.012
Partition Coefficients of Organic Compounds in New Imidazolium and Tetralkylammonium Based Ionic Liquids Using Inverse Gas Chromatography:	https://www.doi.org/10.1021/je9003178
Isobaric Vapor-Liquid and Liquid-Liquid Equilibria for Chloroform + Ethanol + 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate at 100 kPa:	https://www.doi.org/10.1021/je800548t
Determination of Infinite Dilution Activity Coefficients of Several Organic Solutes in [illegible] Nitrate/N-Octylpyridinium Nitrate by Blend Inverse Gas Chromatography:	https://www.doi.org/10.1021/acs.jced.7b00244
Solubilities of evodiamine in twelve organic solvents from T = (283.2 to 323.2) K:	https://www.doi.org/10.1016/j.jct.2012.11.021
Activity Coefficients at Infinite Dilution of Polar Solutes in 1-Butyl-3-methylimidazolium Trifluoromethanesulfonate Using Gas-Liquid Chromatography:	https://www.doi.org/10.1021/je700560s
Isobaric vapour liquid equilibria for binary mixtures of 1,2-dibromoethane with 1,2-dichloroethane, trichloromethane and 1,1,2,2-tetrachloroethane at atmospheric pressure:	https://www.doi.org/10.1016/j.fluid.2005.10.020
Low cost apparatus for rapid boiling point determination of small air sensitive samples under inert atmosphere:	https://www.doi.org/10.1016/j.tca.2017.05.005
Thermodynamics and activity coefficients at infinite dilution for organic solutes in the ionic liquid 1-hexyl-2,3-dimethylimidazolium bis(trifluoromethylsulfonyl)imide:	https://www.doi.org/10.1016/j.jct.2016.07.021
Solubility of 1,3-2-dioxaphosphorinane-5,5-dimethyl -2-(2,4,6-tribromophenoxy)-2-oxide in Selected solvents:	https://www.doi.org/10.1016/j.fluid.2013.09.023
Investigation of Surface Properties and Solubility of 1-Vinyl-3-alkyl/Esterimidazolium Halide Ionic Liquids by Density Functional Methods:	https://www.doi.org/10.1021/je500205z
Solubilities of 4,4'-Dichlorodiphenyl Disulfide in Six Organic Solvents between (303.15 and 333.15) K:	https://www.doi.org/10.1021/je301243f
Determination of vapour-liquid and vapour-liquid-liquid equilibrium of the chloroform-water and trichloroethylene-water binary mixtures:	https://www.doi.org/10.1016/j.fluid.2009.11.006
Solubilities of N-[(4-Bromo-3,5-difluorine)-phenyl]maleimide in [illegible], Acetone, Tetrahydrofuran, Ethanol, Trichloromethane, and Acetonitrile at Temperature between (285.00 and 350.15) K:	https://www.doi.org/10.1021/je100819f
Solubility of Adipic Acid in Acetone, Chloroform, and Toluene:	https://www.doi.org/10.1021/je8006887
Activity coefficients at infinite dilution of organic solutes in 1-octyl-3-methylimidazolium nitrate using gas-liquid chromatography:	https://www.doi.org/10.1016/j.fluid.2012.05.006
Speed of sound, density and related thermodynamic excess properties of binary mixtures of butan-2-one with C1-C4 n-alkanols and chloroform:	https://www.doi.org/10.1021/je5007604
Determination, Correlation, and Application of Sodium L-Ascorbate Solubility in Nine Pure Solvents and Two Binary Solvents at Temperatures from 278.15 to 323.15 K:	https://www.doi.org/10.1021/acs.jced.7b00846
Measurements and Thermodynamic Models for the Separation of 2-Methoxyethanol and Water Azeotropic Mixtures via Different Solvents:	https://www.doi.org/10.1021/acs.jced.7b00160
Activity coefficients at infinite dilution of organic solutes in 1-hexyl-3-methylimidazolium trifluoroacetate and influence of interfacial adsorption using gas-liquid chromatography:	https://www.doi.org/10.1016/j.jct.2013.10.038
Solubilities of 4-Amino-4'-nitrodiphenyl Sulfide in Six Organic Solvents from 277.45 K to 305.55 K:	https://www.doi.org/10.1021/je4000982
Phase diagrams of (vapour + liquid) equilibrium for binary mixtures of a,a,a-trifluorotoluene with ethanol, or benzene, or chloroform at pressure 101.4 kPa:	https://www.doi.org/10.1016/j.jct.2007.09.002
Isobaric Vapor-Liquid and Liquid-Liquid Equilibria for Chloroform + Methanol + 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate at 100 kPa:	https://www.doi.org/10.1021/je900594h
Solubilities of Phosphonic Acid, P,P'-(1,4-Piperazinediyl)bis-,P,P,P',P'-tetraphenyl Ester in Selected Solvents:	https://www.doi.org/10.1021/je400412z
Study of Ether-, Alcohol-, or Cyano-Functionalized Ionic Liquids Using Inverse Gas Chromatography:	https://www.doi.org/10.1021/je900838a

Solubilities of betulin in chloroform + methanol mixed solvents at T = (278.2, 288.2, 293.2, 298.2, 308.2 and 313.2) K:	https://www.doi.org/10.1016/j.fluid.2008.02.013
Measurement and Correlation of Solubility of Resorcinol Bis(cyclic 2,2-dimethyl-1,3-propanediol phosphate) in Selected Solvents from T = 293.15 to 338.15 K:	https://www.doi.org/10.1021/acs.jced.7b00695
Separation of azeotrope (2,2,3,3-tetrafluoro-1-propanol + water): Isobaric vapour-liquid phase equilibrium measurements and azeotropic distillation:	https://www.doi.org/10.1016/j.jct.2017.07.019
Study of interaction between organic compounds and mono or dicationic oxygenated ionic liquids using gas chromatography:	https://www.doi.org/10.1016/j.fluid.2014.11.020
Activity coefficient at infinite dilution measurements for organic solutes (polar and non-polar) in fatty compounds – Part II: C18 fatty acids:	https://www.doi.org/10.1016/j.jct.2012.12.009
Aqueous Solubility Prediction Method:	http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDa
Activity Coefficients at Infinite Dilution in 1-Alkyl-3-methylimidazolium Tetrafluoroborate Ionic Liquids:	https://www.doi.org/10.1021/je050544m
Isobaric Vapor-Liquid Phase Equilibrium Measurements for Allyl Alcohol with Chloroform, Ethyl Acetate, and Methyl Propionate at 101.3 kPa:	https://www.doi.org/10.1021/acs.jced.8b00908
Vapour pressure and excess Gibbs energy of binary 1,2-dichloroethane + cyclohexanone, chloroform + cyclopentanone and chloroform + cyclohexanone mixtures at temperatures from 298.15 to 318.15 K:	https://www.doi.org/10.1016/j.fluid.2008.02.018
Thermodynamic Properties of Mixtures Containing Ionic Liquids: Activity Coefficients at Infinite Dilution of Organic Compounds in 1-Propyl Boronic Acid-3-Alkylimidazolium Bromide and 1-Propenyl-3-alkylimidazolium Bromide Using Inverse Gas Chromatography:	https://www.doi.org/10.1021/je060033f
Liquid–Liquid Equilibrium for the Ternary System of 3-Mercaptopropionic Acid + Water + Dichloromethane:	https://www.doi.org/10.1021/acs.jced.8b01187
Measurement and correlation of solid-liquid equilibria for three binaries, ethanol-antipyrine, chloroform-antipyrine and dimethyl ether-antipyrine	https://www.doi.org/10.1016/j.fluid.2015.11.035
Solubility of Benzoic Acid in Pure Solvents and Binary Mixtures:	https://www.doi.org/10.1021/je100675r
Measurement and Correlation of the Solubility of e-CL-20 in 12 Organic Solvents at Temperatures Ranging from 278.15 to 318.15 K:	https://www.doi.org/10.1021/acs.jced.6b00761
Phase Equilibria of Acrylonitrile and p-Bromobenzaldehyde in Carbon Dioxide:	https://www.doi.org/10.1021/je700448v
Solubility of 3,4-Bis(3-nitrofurazan-4-yl)furoxan in Common Solvents at Temperatures between 293.15 K and 313.15 K:	https://www.doi.org/10.1021/je4005992
Excess volumes, Viscosities, and Excess Gibbs Energy of Activation for Viscous Flow, for binary and ternary mixtures 1-propanol + N,N-dimethylformamide + chloroform at different temperatures:	https://www.doi.org/10.1016/j.tca.2014.05.004
Determination and Thermodynamic Analysis of the Solubility of Limonin in Four Organic Solvents and Ethyl Acetate + 2-Propanol Binary Solvents from 283.2 to 323.2 K:	https://www.doi.org/10.1021/acs.jced.7b00851
Measurement and correlation of the solubility of 2,3,4,5-tetrabromothiophene in different solvents:	https://www.doi.org/10.1016/j.jct.2012.06.005
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-butyl-3-methylimidazolium methyl sulfate:	https://www.doi.org/10.1016/j.jct.2014.04.020
Densities, Viscosities, and Ultrasonic Velocity Studies of Binary Mixtures of Chloroform with Propan-1-ol and Butan-1-ol at (303.15 and 313.15) K:	https://www.doi.org/10.1021/je050169y
Activity Coefficients at Infinite Dilution of Organic Compounds in 1-Butyl-3-methylimidazolium Tetrafluoroborate Using Inverse Gas Chromatography:	https://www.doi.org/10.1021/je800658v
Solubilities of Phosphorus-Containing Compounds in Selected Solvents:	https://www.doi.org/10.1021/je100341q
Solubilities of Phosphoramidic Acid, N-(phenylmethyl)-, Diphenyl Ester in Selected Solvents:	https://www.doi.org/10.1021/acs.jced.5b00007
Equilibrium Solubility, Model Correlation, and Solvent Effect of Indole-3-acetic Acid in Twelve Pure Solvents:	https://www.doi.org/10.1021/acs.jced.8b01265
The role of organic diluents in the aspects of equilibrium, kinetics and thermodynamic model for silver ion extraction using an extractant D2EHPA:	https://www.doi.org/10.1016/j.fluid.2014.12.033
Studies of viscosities of dilute solutions of alkylamine in non-electrolyte solvents. II. Haloalkanes and other polar solvents:	https://www.doi.org/10.1016/j.tca.2004.08.013
Investigation of Surface and Solubility Properties of N-Vinylimidazolium Tetrahalogenidoferrate(III) Magnetic Ionic Liquids Using Density Functional Theory:	https://www.doi.org/10.1021/acs.jced.5b00395
Partial Molar Volumes of N,N'-1,2-Ethylbis(salicyladimine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K:	https://www.doi.org/10.1021/je100369a
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Density, viscosity, isothermal (vapour + liquid) equilibrium, excess molar volume, viscosity deviation, and their correlations for chloroform + methyl isobutyl ketone binary system:	https://www.doi.org/10.1016/j.jct.2006.07.004
Solubilities of Rutaecarpine in Twelve Organic Solvents from (283.2 to 323.2) K:	https://www.doi.org/10.1021/je4001334
Solubilities of 1,3,2-Dioxaphosphorinane-2-methanol-a,5,5-trimethyl-a-phenyl-2-oxide in Selected Solvents between 278.15 K and 343.15 K:	https://www.doi.org/10.1021/je500806u
Comparing Composition- and Temperature-Dependent Viscosities of Binary Systems Involving Ionic Liquids:	https://www.doi.org/10.1021/acs.jced.5b00503
KDB:	https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=1518
Isobaric vapor-liquid equilibrium for chloroform + isopropanol + 1,3-dimethylimidazolium dimethylphosphate at 101.3 kPa:	https://www.doi.org/10.1016/j.fluid.2018.03.011
Henry's constants and activity coefficients of some organic solutes in 1-butyl-3-methylimidazolium hydrogen sulfate and in 1-methyl-3-trimethylsilylmethylimidazolium chloride:	https://www.doi.org/10.1016/j.jct.2012.08.022
Solid-liquid equilibrium of diphenyl anilinephosphonate in the different organic solvents:	https://www.doi.org/10.1016/j.fluid.2015.03.036
Solubility and Thermodynamic Modeling of Dimethyl Terephthalate in Pure Solvents and the Evaluation of the Mixing Properties of the Solutions:	https://www.doi.org/10.1021/acs.jced.9b00658
Synthesis and Solubility of 5,5-Dimethyl-2-(phenyl(phenylamino)methyl)-1,3,2-dioxaphosphinane 2-oxide in Selected Solvents between 278.15 K and 347.15 K:	https://www.doi.org/10.1021/acs.jced.7b00585
Measurement, correlation and dissolution thermodynamics of biological active chalcone in organic solvents at different temperatures:	https://www.doi.org/10.1016/j.jct.2014.03.026
Solubilities of Betulin in Fourteen Organic Solvents at Different Temperatures:	https://www.doi.org/10.1021/je700069g
Solubilities of 3-Methoxy-N-phenylaniline and 3-(Methylthio)-N-phenylaniline in Five Organic Solvents (285 K to 333.75 K):	https://www.doi.org/10.1021/je3001816

Activity Coefficients at Infinite Dilution of Organic Compounds in Four New Imidazolium-Based Ionic Liquids:	https://www.doi.org/10.1021/je200195q
Separation of binary mixtures based on gamma infinity data using [OMMIM][BF4] ionic liquid and modelling of thermodynamic functions:	https://www.doi.org/10.1016/j.jct.2018.09.003
Dortmund Data Bank Vapor-Liquid Equilibrium Data:	http://www.ddbst.com/en/EED/VLE/VLE%20Acetonitrile%3BChloroform.php
Solid Liquid Phase Equilibria of N,N'-[1,3-Phenylenebis(methylene)]bis(phosphoramidic acid) P,P,P',P'-Tetraphenyl Ester in 10 Pure Solvents:	https://www.doi.org/10.1021/je4010917
Crystal Structures, Reaction Rates, and Selected Physical Properties of Halo-Boronsubphthalocyanines (Halo = Fluoride, Chloride, and Bromide):	https://www.doi.org/10.1021/je3005112
Thermodynamic modelling for solubility of 3-chloro-1-methyl-4-nitroimidazole in eleven organic solvents from T = (283.15 to 318.15) K:	https://www.doi.org/10.1016/j.jct.2016.10.006
Infinite dilution activity coefficients of volatile organic compounds in two ionic liquids composed of the tris(pentafluoroethyl)trifluorophosphate ([FAP]) anion and a functionalized cation:	https://www.doi.org/10.1016/j.jct.2013.05.035
Solubility of Erythromycin A Dihydrate in Different Pure Solvents and Acetone + Water Binary Mixtures between 293 K and 323 K:	https://www.doi.org/10.1021/je0505265
Densities, viscosities, and ultrasonic velocity studies of binary mixtures of trichloromethane with methanol, ethanol, propan-1-ol, and butan-1-ol at T = (298.15 and 308.15) K:	https://www.doi.org/10.1016/j.jct.2006.03.010
Density, Viscosity, Vapor-Liquid Equilibrium, Excess Molar Volume, Viscosity Deviation, and Their Correlations for the Chloroform + 2-Butanone Binary System:	https://www.doi.org/10.1021/je060150a
Solubilities of Tris(o-phenylenedioxy)cyclotriphosphazene in Selected Solvents:	https://www.doi.org/10.1021/je200252c
Thermodynamics of Fluconazole Solubility in Various Solvents at Different Temperatures:	https://www.doi.org/10.1021/je4010257
Viscosity and Density for Binary Mixtures of Carbon Tetrachloride + Chloroform, Carbon Tetrachloride + Dichloromethane, and Chloroform + Dichloromethane and One Ternary Mixture of Chloroform + (1:1)(Carbon Tetrachloride + Dichloromethane) at 298.15 K:	https://www.doi.org/10.1021/je020067x
Densities and Excess Molar Volumes of the Binary Mixtures of Cyclohexanone with Chloroalkanes at Temperatures between (288.15 and 318.15) K:	https://www.doi.org/10.1021/je900404r
Measurement of activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-hexyl-1,4-diaza[2.2.2]bicyclooctanium bis(trifluoromethylsulfonyl)imide using gas-liquid chromatography:	https://www.doi.org/10.1016/j.jct.2013.10.026
Solubility of Ofloxacin in 1,2-Dichloromethane, Chloroform, Carbon Tetrachloride, and Water from 293.15 to 323.15 K:	https://www.doi.org/10.1021/je900540d
Solubility of daidzin in different organic solvents and (ethyl alcohol + water) mixed solvents:	https://www.doi.org/10.1016/j.jct.2015.04.025
Thermal stabilities and solubilities of flame retardant bisphenol S-bis (5,5-dimethyl-1,3-dioxaphosphorinanyl-2-oxy phosphate ester) as a function of temperature:	https://www.doi.org/10.1016/j.fluid.2014.04.006
Activity Coefficients at Infinite Dilution in Methylimidazolium Nitrate Ionic Liquids:	https://www.doi.org/10.1021/je100998r
Separation of binary mixtures based on gamma infinity data using [OMMIM][NTf2] ionic liquid and modelling of thermodynamic functions:	https://www.doi.org/10.1016/j.jct.2017.12.012
Measurements of activity coefficients at infinite dilution for organic solutes in two quaternary ammonium-based ionic liquids [DDA][ClO4] and [DDA][BF4]:	https://www.doi.org/10.1016/j.fluid.2018.11.011
Activity Coefficients at Infinite Dilution of Polar Solutes in 1-Propyl-2,3-dimethylimidazolium Tetrafluoroborate Using Gas-Liquid Chromatography:	https://www.doi.org/10.1021/je700640r
Speeds of sound, isentropic compressibilities, viscosities and excess molar volumes of binary mixtures of alkanoates with tetra- and trichloromethanes at 303.15 K:	https://www.doi.org/10.1016/j.tca.2004.07.014
Topological and thermodynamic investigations of molecular interactions in binary mixtures of [illegible] with chloroform:	https://www.doi.org/10.1016/j.tca.2008.02.022
KDB Vapor Pressure Data:	https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=1518
Measurement and Correlation of the Dissolution Equilibria of o-Iodoaniline and p-Iodoaniline in Pure Solvents:	https://www.doi.org/10.1021/acs.jced.7b00840
Measurement and Correlation of the Solubility for Camptothecine in Different Organic Solvents:	https://www.doi.org/10.1021/acs.jced.5b00994
Solubility of the Antimicrobial Agent Triclosan in Organic Solvents of Different Hydrogen Bonding Capabilities at Several Temperatures:	https://www.doi.org/10.1021/je800426w
Abraham model correlations for describing the thermodynamic properties of solute transfer into pentyl acetate based on headspace chromatographic and solubility measurements:	https://www.doi.org/10.1016/j.jct.2018.05.003
Solid-Liquid Phase Equilibrium of N,N'-Piperazinebis(neopentylglycol)phosphoramidate in Selected Solvents from (293.15 to 333.15) K:	https://www.doi.org/10.1021/acs.jced.7b00206
KDB Pure (Korean Thermophysical Properties Databank):	https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=1518
Activity Coefficients at Infinite Dilution of Organic Compounds in Trihexyl(tetradecyl)phosphonium Bis(trifluoromethylsulfonyl)imide Using Inverse Gas Chromatography:	https://www.doi.org/10.1021/je800754w
Interactions of volatile organic compounds with the ionic liquids 1-butyl-1-methylpyrrolidinium tetracyanoborate and 1-butyl-1-methylpyrrolidinium bis(oxalato)borate:	https://www.doi.org/10.1016/j.jct.2012.09.017
Solubilities of Organic Semiconductors and Nonsteroidal Anti-inflammatory Drugs in Pure and Mixed Organic Solvents: Measurement and Modeling with Hansen Solubility Parameter:	https://www.doi.org/10.1021/acs.jced.8b00536
Solubility of Canthaxanthin in Pure Solvents from (293.15 to 343.15) K:	https://www.doi.org/10.1021/je800801x
Volumetric Study for the Binary Nitromethane with Chloroalkane Mixtures at Temperatures in the Range (298.15 to 318.15) K:	https://www.doi.org/10.1021/je3013342
Solubility of naproxen in several organic solvents at different temperatures:	https://www.doi.org/10.1016/j.fluid.2007.03.029
Density, Viscosity, Vapor-Liquid Equilibrium, and Excess Molar Enthalpy of [Chloroform + Methyl tert-Butyl Ether]:	https://www.doi.org/10.1021/je100821g
Determination and correlation of solubility of 11alpha,17alpha-dihydroxy-4-pregnene-3,20-dione in different solvents:	https://www.doi.org/10.1016/j.jct.2016.10.046
Densities and Excess Molar Volumes of the Ternary Mixture 2-Butanol + Chloroform + Benzene and Binary Mixtures 2-Butanol + Chloroform, or + Benzene over the Temperature Range (288.15 to 308.15) K:	https://www.doi.org/10.1021/je800157v
Total Vapor Pressure Measurements for 2-Ethoxyethanol with Carbon Tetrachloride, Chloroform, and Benzene at 303.15 K:	https://www.doi.org/10.1021/je034153o
Interactions of Volatile Organic Compounds with the Ionic Liquid 1-Butyl-1-methylpyrrolidinium Dicyanamide:	https://www.doi.org/10.1021/je200822w
Isobaric Vapor-Liquid Equilibrium for Chloroform + Methanol + 1,3-Dimethylimidazolium Dimethylphosphate at 101.3 kPa:	https://www.doi.org/10.1021/je400324w

Solubility of 2-Aminopyridine in Acetone, Chloroform, and Ethyl Acetate:	https://www.doi.org/10.1021/je800768x
Speeds of sound, isentropic compressibilities and refractive indices for some binary mixtures of nitromethane with chloroalkane at temperatures from 298.15 to 318.15 K. Comparison with theories:	https://www.doi.org/10.1016/j.fluid.2014.10.004
Solubility of Benzyl Disulfide in Five Organic Solvents between (283.45 and [illegible]) K:	https://www.doi.org/10.1021/je400326r
Solubility of Imidacloprid in Different Solvents:	https://www.doi.org/10.1021/je7004038
Thermodynamic study of solubility for 2-amino-4-chloro-6-methoxypyrimidine in twelve organic solvents at temperatures from 273.15 K to 323.15 K:	https://www.doi.org/10.1016/j.jct.2016.10.020
Solubilities of 4-(Hydroxymethyl)-1-oxido-2,6,7-trioxa-1-phosphabicyclo[2.2.2]octane in Organic Solvents:	https://www.doi.org/10.1021/je4009816
Thermodynamics and selectivity of separation based on activity coefficients at infinite dilution of various solutes in ionic liquid [HMMIM][BF4]:	https://www.doi.org/10.1016/j.jct.2018.05.017
Solubility and Crystal Size of Sirolimus in Different Organic Solvents:	https://www.doi.org/10.1021/je100626x
Experimental and theoretical study of interaction between organic compounds and 1-(4-sulfobutyl)-3-methylimidazolium based ionic liquids:	https://www.doi.org/10.1016/j.fluid.2014.06.021
Volumetric properties of the ternary system ethanol + chloroform + benzene at temperature range (288.15–313.15) K: Experimental data, correlation and prediction by cubic EOS:	https://www.doi.org/10.1016/j.fluid.2006.11.005
Liquid-Liquid Equilibrium, Solid-Liquid Equilibrium, Densities, and Refractivity of Water, Chloroform, and Acetylacetone Mixture	https://www.doi.org/10.1021/je100747y
Liquid-liquid equilibria and COSMO-SAC modeling of organic solvent/ionic liquid - hydroxyacetone - water mixtures:	https://www.doi.org/10.1016/j.fluid.2018.01.026
Liquid-liquid equilibria for the system (water + carboxylic acid + chloroform): Thermodynamic modeling:	https://www.doi.org/10.1016/j.fluid.2006.02.017
Temperature Dependence of Densities and Excess Molar Volumes of the Ternary Mixture (1-Butanol + Chloroform + Benzene) and its Binary Constituents (1-Butanol + Chloroform and 1-Butanol + Benzene)	https://www.doi.org/10.1007/s10765-008-0390-4
Solubility of 1-Fluoro-4-(methylsulfonyl)benzene in Five Pure Organic Solvents at Temperatures from (288.40 to 331.50) K:	https://www.doi.org/10.1021/je400965y
Thermodynamics and activity coefficients at infinite dilution for organic compounds in the ionic liquid 1-hexyl-3-methylimidazolium chloride:	https://www.doi.org/10.1016/j.jct.2018.08.028
Solubility Measurement and Correlation for e-2,4,6,8,10,12-Hexanitro-2,4,6,8,10,12-hexaazaisowurtzitane in Five Organic Solvents at Temperatures between 283.15 and 328.15 K and Different Chloroalkane + Ethyl Acetate Binary Solvents at Temperatures between 283.15 and 323.15 K:	https://www.doi.org/10.1021/acs.jced.6b00664
Densities, speeds of sound, isentropic compressibilities, refractive indexes, and viscosities of tetrahydrofuran with haloalkane or alkyl ethanoate at T = 298.15 K:	https://www.doi.org/10.1016/j.tca.2004.08.001
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-ethyl-3-methylimidazolium methanesulfonate:	https://www.doi.org/10.1016/j.fluid.2010.10.008
Activity Coefficients of Organic Compounds in Four New Tetraalkylammonium Bis(trifluoromethylsulfonyl)imide Ionic Liquids Using Inverse Gas Chromatography:	https://www.doi.org/10.1021/je200637v
Hydrogen substitution effect on the solubility of perhalogenated compounds in [bmim][PF6]:	https://www.doi.org/10.1016/j.fluid.2007.07.035
Thermodynamic Properties of Mixtures Containing Ionic Liquids. 9. Activity Coefficients at Infinite Dilution of Hydrocarbons, Alcohols, Esters, and Aldehydes in Trimethyl-butylammonium Bis(trifluoromethylsulfonyl) imide Using Gas-Liquid Chromatography and Static Method:	https://www.doi.org/10.1021/je050440b
Density, Viscosity, and Excess Properties of Binary Liquid Mixtures of Propylene Carbonate with Polar and Nonpolar Solvents:	https://www.doi.org/10.1021/je034204h
Solubility of Pyoluteorin in Water, Dichloromethane, Chloroform, and Carbon Tetrachloride from (278.2 to 313.2) K:	https://www.doi.org/10.1021/je800369k
Activity Coefficients at Infinite Dilution of Polar Solutes in 1-Butyl-3-methylimidazolium Tetrafluoroborate Using Gas-Liquid Chromatography:	https://www.doi.org/10.1021/je060305e
Experimental measurements and correlations of vapor liquid equilibrium data for the binary system of chloroform + N,N-dimethylformamide at 101.3 kPa:	https://www.doi.org/10.1016/j.fluid.2009.01.006
Activity Coefficients at Infinite Dilution for Hydrocarbons in Fatty Alcohols Determined by Gas-Liquid Chromatography:	https://www.doi.org/10.1021/je1005517
Volumetric behaviour of binary mixtures of (trichloromethane + amines) at temperatures between T = (288.15 and 303.15) K at p = 0.1 MPa:	https://www.doi.org/10.1016/j.jct.2008.05.003
Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene Mixtures at (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K:	https://www.doi.org/10.1021/je060441j
Isobaric vapor-liquid equilibrium for chloroform + ethanol + 1,3-dimethylimidazolium dimethylphosphate at 101.3 kPa:	https://www.doi.org/10.1016/j.fluid.2018.03.015
Measurement of Activity Coefficients of Solutes at Infinite Dilution in (Dimethyl Sulfoxide + Acetamide, or Formamide, or Urea) Using Gas-Liquid Chromatography at the Temperature 298.15 K:	https://www.doi.org/10.1021/je030122h
Measurement and Thermodynamic Modeling of Ternary (Liquid + Liquid) Equilibrium for Extraction of N,N-Dimethylacetamide from Aqueous Solution with Different Solvents:	https://www.doi.org/10.1021/acs.jced.7b00194
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
Activity coefficient at infinite dilution measurements for organic solutes (polar and non-polar) in fatty compounds: Saturated fatty acids:	https://www.doi.org/10.1016/j.jct.2012.06.009
Determination of Activity Coefficients at Infinite Dilution of Solutes in N,N-Di(2-ethylhexyl)isobutyramide Using Inverse Gas-Liquid Chromatography:	https://www.doi.org/10.1021/acs.jced.8b00635
Measurement and Correlation of the Solubility of 2-Cyanoacetamide in 14 Pure Solvents and the Mixing Properties of Solutions:	https://www.doi.org/10.1021/acs.jced.8b01205
Activity Coefficients at Infinite Dilution for Organic Solutes Dissolved in Three 1-Alkyl-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide Ionic Liquids Bearing Short Linear Alkyl Side Chains of Three to Five Carbons:	https://www.doi.org/10.1021/je4001894
Evaluation of the Performance of Trigeminal Tricationic Ionic Liquids for Separation Problems:	https://www.doi.org/10.1021/je201129y
Determination of the thermodynamic parameters of ionic liquid 1-propyl-3-methylimidazolium bromide by gas-liquid chromatography:	https://www.doi.org/10.1016/j.jct.2018.09.023
Densities, Viscosities, and Ultrasonic Velocity Studies of Binary Mixtures of Chloroform with Pentan-1-ol, Hexan-1-ol, and Heptan-1-ol at (303.15 and 313.15) K:	https://www.doi.org/10.1021/je0504459
Estimated Solubility Method:	http://pubs.acs.org/doi/suppl/10.1021/ci034243x/suppl_file/ci034243xsi20040112_053635.txt
Solubilities of Phenylphosphinic Acid, Methylphenylphosphinic Acid, Hexachlorocyclotriphosphazene, and Hexaphenoxycyclotriphosphazene in Selected Solvents:	https://www.doi.org/10.1021/je1009812

Thermodynamic Properties of Mixtures Containing Ionic Liquids. 8. Activity Coefficients at Infinite Dilution of Alkanes, Alkenes, Esters, and Alcohols in 1-Ethyl-3-methylimidazolium Ethyl Sulfate Using Gas-Liquid Chromatography.	https://www.doi.org/10.1021/je0503554
Solubility of Artemisinin in Seven Different Pure Solvents from (283.15 to 323.15) K	https://www.doi.org/10.1021/je800515w
The choice of solvent and liquid liquid equilibrium for ternary water + 1-ethyl-3-methylimidazolium ethylsulfate + ethanol system: Experimental and modeling	https://www.doi.org/10.1016/j.fluid.2012.11.018
Densities, Viscosities, and Excess Properties of Binary Mixtures of Chloroform with Octan-1-ol and Decan-1-ol at (293.15 and 313.15) K: Experimental Data and Application of the ERAS Model	https://www.doi.org/10.1021/je060192z
Densities and Excess Molar Volumes of Binary Mixtures of Cyclopentanone with Chloroalkanes at T = (288.15, 298.15, and 318.15) K: Experimental Data and Application of the ERAS Model	https://www.doi.org/10.1021/je5010565
Phosphoramidic acid N,N′-1,2-Ethanediylbis[N,P,P′,P′-tetraphenyl-	https://www.doi.org/10.1021/je901052w
Activity Coefficients at Infinite Dilution of Organic Solutes in 1-Ethyl-3-methylimidazolium Tetrafluoroborate Using Gas-Liquid Chromatography.	https://www.doi.org/10.1021/je800218g
1-Ethyl-3-methylimidazolium	http://webbook.nist.gov/cgi/cbook.cgi?ID=C67663&Units=SI
Solubilities of Sulfadiazine in Methanol, Ethanol, 1-Propanol, 2-Propanol, Acetone, and Chloroform from (294.15 to 318.15) K	https://www.doi.org/10.1021/je900742p
Solubility and solution thermodynamics of 2,3,4,5-tetrabromothiophene in (ethanol + dimethylsulfoxide) binary solvent mixtures	https://www.doi.org/10.1016/j.fluid.2013.11.023
Thermodynamic functions for solubility of 2-mercaptobenzothiazole in eleven pure organic solvents at temperatures from 273.15 K to 318.15 K and mixing properties of solutions.	https://www.doi.org/10.1016/j.jct.2017.05.013
Densities and Excess Molar Volumes of the Binary 1-Propanol + Chloroform, Excess Enthalpies and Volumes of the Ternary System 1-Propanol + Chloroform + Benzene or + Tetrahydrofuran + Cyclohexane at 298.15 K	https://www.doi.org/10.1021/je700254t
Solubility and Activity Coefficients at Infinite Dilution of Organic Solutes in Mixtures at (288.15, 298.15, 308.15, and 313.15) K:	https://www.doi.org/10.1016/j.fluid.2010.06.007

Legend

af:	Acentric Factor
chl:	Standard liquid enthalpy of combustion
cpg:	Ideal gas heat capacity
cpl:	Liquid phase heat capacity
dm:	Dipole Moment
dvisc:	Dynamic viscosity
ea:	Electron affinity
gf:	Standard Gibbs free energy of formation
gyrad:	Radius of Gyration
hf:	Enthalpy of formation at standard conditions
hfl:	Liquid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
ie:	Ionization energy
kvisc:	Kinematic viscosity
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
nfpah:	NFPA Health Rating
pc:	Critical Pressure
pvap:	Vapor pressure
rfi:	Refractive Index
rhoc:	Critical density

rhol:	Liquid Density
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
speedsl:	Speed of sound in fluid
srf:	Surface Tension
tb:	Normal Boiling Point Temperature
tbp:	Boiling point at given pressure
tc:	Critical Temperature
tf:	Normal melting (fusion) point
tt:	Triple Point Temperature
vc:	Critical Volume
volm:	Molar Volume
zc:	Critical Compressibility
zra:	Rackett Parameter