

Formamide, N,N-dimethyl-

Other names:	DMF
	DMF (amide)
	DMF (dimethylformamide)
	DMFA
	Dimethylamid kyseliny mravenci
	Dimethylforamide
	Dimethylformamid
	Dimethylformamide
	Dimetilformamide
	Dimetylformamidu
	Dwumetyloformamid
	Formyldimethylamine
	HCON(CH3)2
	N,N-Dimethylformaldehyde
	N,N-Dimethylformamide
	N,N-Dimethylmethanamide
	N-FORMYLDIMETHYLAMINE
	NCI-C60913
	NSC-5356
	U-4224
	UN 2265
Inchi:	dimethylformamide (DMF)
InchiKey:	InChI=1S/C3H7NO/c1-4(2)3-5/h3H,1-2H3
Formula:	ZMXDDKWLCZADIW-UHFFFAOYSA-N
SMILES:	C3H7NO
Mol. weight [g/mol]:	CN(C)C=O
CAS:	73.09
	68-12-2

Physical Properties

Property code	Value	Unit	Source
affp	887.50	kJ/mol	NIST Webbook
basg	856.60	kJ/mol	NIST Webbook
chl	-1941.90	kJ/mol	NIST Webbook
chl	-1941.60 ± 1.20	kJ/mol	NIST Webbook

dvisc	0.0008610	Paxs	Thermodynamic properties of ionic liquid, 1-hexyl-3-methylimidazolium bromide, + N-N'bis(2-pyridylmethylidene)-1,2-diiminoethane Schiff base + N,N-dimethylformamide solutions at T = (298.15 to 313.15) K
dvisc	0.0008050	Paxs	Thermodynamic Properties of Salophen Schiff Base + Ionic Liquid ([Cnmlm][Br]) + Dimethylformamide Ternary Mixtures at 298.15 K
ea	0.01	eV	NIST Webbook
gf	-14.36	kJ/mol	Joback Method
hf	-123.30	kJ/mol	Joback Method
hfl	-239.40 ± 1.20	kJ/mol	NIST Webbook
hfl	-239.00	kJ/mol	NIST Webbook
hfus	8.95	kJ/mol	Thermodynamic properties of N,N-dimethylformamide and N,N-dimethylacetamide
hfus	46.65	kJ/mol	Enthalpies of vaporization of N,N-dialkyl monamides at 298.15K
hvap	47.57	kJ/mol	NIST Webbook
hvap	46.70 ± 0.50	kJ/mol	NIST Webbook
hvap	46.90	kJ/mol	NIST Webbook
ie	9.25	eV	NIST Webbook
ie	9.14	eV	NIST Webbook
ie	9.12 ± 0.02	eV	NIST Webbook
ie	9.14	eV	NIST Webbook
ie	9.13	eV	NIST Webbook
ie	9.45 ± 0.05	eV	NIST Webbook
log10ws	0.58		Crippen Method
logp	-0.296		Crippen Method
mccvol	64.680	ml/mol	McGowan Method
nfpaf	%!d(float64=2)		KDB
nfpah	%!d(float64=1)		KDB
pc	4862.97	kPa	Joback Method
rhoc	279.22 ± 5.85	kg/m3	NIST Webbook
rinpol	746.00		NIST Webbook
rinpol	746.00		NIST Webbook
rinpol	738.00		NIST Webbook
rinpol	735.00		NIST Webbook
rinpol	746.00		NIST Webbook
rinpol	751.00		NIST Webbook
rinpol	782.00		NIST Webbook

rinpol	783.00		NIST Webbook
rinpol	772.00		NIST Webbook
rinpol	790.00		NIST Webbook
rinpol	782.00		NIST Webbook
rinpol	742.00		NIST Webbook
rinpol	745.00		NIST Webbook
rinpol	750.00		NIST Webbook
rinpol	747.00		NIST Webbook
rinpol	756.30		NIST Webbook
rinpol	752.00		NIST Webbook
rinpol	752.00		NIST Webbook
rinpol	753.00		NIST Webbook
rinpol	772.00		NIST Webbook
ripol	1276.00		NIST Webbook
ripol	1276.00		NIST Webbook
ripol	1290.00		NIST Webbook
ripol	1344.00		NIST Webbook
ripol	1327.00		NIST Webbook
ripol	1312.00		NIST Webbook
ripol	1325.00		NIST Webbook
ripol	1295.00		NIST Webbook
ripol	1361.00		NIST Webbook
ripol	1361.00		NIST Webbook
ripol	1282.00		NIST Webbook
ripol	1319.00		NIST Webbook
ripol	1328.00		NIST Webbook
ripol	1333.00		NIST Webbook
ripol	1326.00		NIST Webbook
ripol	1304.00		NIST Webbook
ripol	1326.00		NIST Webbook
ripol	1344.00		NIST Webbook
tb	428.15 ± 2.00	K	NIST Webbook
tb	425.70	K	Vapor liquid equilibria for water + acetic acid + (N,N-dimethylformamide or dimethyl sulfoxide) at 13.33 kPa
tb	426.05	K	Separation of azeotropic mixture (2, 2, 3, 3-Tetrafluoro-1-propanol + water) by extractive distillation: Entrainers selection and vapour-liquid equilibrium measurements

tb	425.15	K	Vapor Liquid Equilibrium Data for Methanol + tert-Butylamine + N,N-Dimethylformamide and Constituent Binary Systems at Atmospheric Pressure
tb	426.21	K	Isobaric Vapor Liquid Equilibria for the Binary and Ternary Systems of 2-Methyl-1-butanol, 2-Methyl-butanol Acetate, and Dimethylformamide (DMF) at 101.3 kPa
tb	426.00 ± 1.00	K	NIST Webbook
tb	426.20	K	NIST Webbook
tb	425.95 ± 0.70	K	NIST Webbook
tb	426.05 ± 0.30	K	NIST Webbook
tb	425.95 ± 0.50	K	NIST Webbook
tb	425.85 ± 0.25	K	NIST Webbook
tb	426.00 ± 3.00	K	NIST Webbook
tb	426.00	K	KDB
tc	649.60	K	KDB
tc	649.60 ± 0.60	K	NIST Webbook
tf	212.72	K	KDB
tf	212.70 ± 0.02	K	NIST Webbook
vc	0.262	m3/kmol	KDB

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	110.79	J/molxK	357.75	Joback Method
cpg	103.92	J/molxK	329.14	Joback Method
cpg	140.87	J/molxK	500.82	Joback Method
cpg	135.39	J/molxK	472.20	Joback Method
cpg	129.66	J/molxK	443.59	Joback Method
cpg	123.65	J/molxK	414.98	Joback Method
cpg	117.36	J/molxK	386.37	Joback Method
cpl	150.80	J/molxK	298.15	NIST Webbook
cpl	146.00	J/molxK	298.15	NIST Webbook
cpl	156.69	J/molxK	298.00	NIST Webbook
cpl	152.00	J/molxK	298.15	NIST Webbook
cpl	146.05	J/molxK	298.15	NIST Webbook
cpl	148.16	J/molxK	298.15	NIST Webbook
cpl	149.28	J/molxK	308.00	NIST Webbook

cpl	150.00	J/molxK	298.15	NIST Webbook
cpl	148.36	J/molxK	298.15	NIST Webbook
cpl	150.50	J/molxK	298.15	NIST Webbook
cpl	150.80	J/molxK	298.15	NIST Webbook
cpl	120.50	J/molxK	298.00	NIST Webbook
cpl	148.00	J/molxK	298.15	NIST Webbook
cpl	148.00	J/molxK	298.00	NIST Webbook
dvisc	0.0007600	Paxs	303.15	Volumetric Properties and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Methanol and Ethanol in the Temperature Range (293.15 to 333.15) K
dvisc	0.0008030	Paxs	298.15	Densities, Viscosities, and Thermodynamic Properties of (N,N-Dimethylformamide + Benzene + Chlorobenzene) Ternary Mixtures at (298.15, 303.15, 308.15, and 313.15) K
dvisc	0.0005020	Paxs	343.15	Densities and Viscosities of N,N-Dimethylformamide + Formic Acid, and + Acetic Acid in the Temperature Range from (303.15 to 353.15) K
dvisc	0.0004600	Paxs	353.15	Densities and Viscosities of N,N-Dimethylformamide + Formic Acid, and + Acetic Acid in the Temperature Range from (303.15 to 353.15) K
dvisc	0.0007590	Paxs	303.15	Densities and Viscosities of N,N-Dimethylformamide + N-Methyl-2-pyrrolidinone and + Dimethyl Sulfoxide in the Temperature Range (303.15 to 353.15) K

dvisc	0.0006780	Paxs	313.15	Densities and Viscosities of N,N-Dimethylformamide + N-Methyl-2-pyrrolidinone and + Dimethyl Sulfoxide in the Temperature Range (303.15 to 353.15) K
dvisc	0.0006080	Paxs	323.15	Densities and Viscosities of N,N-Dimethylformamide + N-Methyl-2-pyrrolidinone and + Dimethyl Sulfoxide in the Temperature Range (303.15 to 353.15) K
dvisc	0.0005520	Paxs	333.15	Densities and Viscosities of N,N-Dimethylformamide + N-Methyl-2-pyrrolidinone and + Dimethyl Sulfoxide in the Temperature Range (303.15 to 353.15) K
dvisc	0.0005010	Paxs	343.15	Densities and Viscosities of N,N-Dimethylformamide + N-Methyl-2-pyrrolidinone and + Dimethyl Sulfoxide in the Temperature Range (303.15 to 353.15) K
dvisc	0.0004590	Paxs	353.15	Densities and Viscosities of N,N-Dimethylformamide + N-Methyl-2-pyrrolidinone and + Dimethyl Sulfoxide in the Temperature Range (303.15 to 353.15) K
dvisc	0.0007103	Paxs	308.15	Electrical Conductances of Tetrabutylammonium Bromide, Sodium Tetraphenylborate, and Sodium Bromide in N,N-Dimethylformamide at (308.15, 313.15, 318.15, and 323.15) K

dvisc	0.0005520	Paxs	333.15	Densities and Viscosities of N,N-Dimethylformamide + Formic Acid, and + Acetic Acid in the Temperature Range from (303.15 to 353.15) K
dvisc	0.0006080	Paxs	323.15	Densities and Viscosities of N,N-Dimethylformamide + Formic Acid, and + Acetic Acid in the Temperature Range from (303.15 to 353.15) K
dvisc	0.0006750	Paxs	313.15	Densities and Viscosities of N,N-Dimethylformamide + Formic Acid, and + Acetic Acid in the Temperature Range from (303.15 to 353.15) K
dvisc	0.0007600	Paxs	303.15	Densities and Viscosities of N,N-Dimethylformamide + Formic Acid, and + Acetic Acid in the Temperature Range from (303.15 to 353.15) K
dvisc	0.0004700	Paxs	353.15	Densities and Viscosities of (N,N-Dimethylformamide + Water) at Atmospheric Pressure from (283.15 to 353.15) K
dvisc	0.0005100	Paxs	343.15	Densities and Viscosities of (N,N-Dimethylformamide + Water) at Atmospheric Pressure from (283.15 to 353.15) K
dvisc	0.0005590	Paxs	333.15	Densities and Viscosities of (N,N-Dimethylformamide + Water) at Atmospheric Pressure from (283.15 to 353.15) K

dvisc	0.0006170	Paxs	323.15	Densities and Viscosities of (N,N-Dimethylformamide + Water) at Atmospheric Pressure from (283.15 to 353.15) K
dvisc	0.0006840	Paxs	313.15	Densities and Viscosities of (N,N-Dimethylformamide + Water) at Atmospheric Pressure from (283.15 to 353.15) K
dvisc	0.0007660	Paxs	303.15	Densities and Viscosities of (N,N-Dimethylformamide + Water) at Atmospheric Pressure from (283.15 to 353.15) K
dvisc	0.0008640	Paxs	293.15	Densities and Viscosities of (N,N-Dimethylformamide + Water) at Atmospheric Pressure from (283.15 to 353.15) K
dvisc	0.0005490	Paxs	333.15	Volumetric Properties and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Methanol and Ethanol in the Temperature Range (293.15 to 333.15) K
dvisc	0.0006080	Paxs	323.15	Volumetric Properties and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Methanol and Ethanol in the Temperature Range (293.15 to 333.15) K

dvisc	0.0006750	Paxs	313.15	Volumetric Properties and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Methanol and Ethanol in the Temperature Range (293.15 to 333.15) K
dvisc	0.0006691	Paxs	313.15	Electrical Conductances of Tetrabutylammonium Bromide, Sodium Tetraphenylborate, and Sodium Bromide in N,N-Dimethylformamide at (308.15, 313.15, 318.15, and 323.15) K
dvisc	0.0008080	Paxs	298.15	Volumetric Properties and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Methanol and Ethanol in the Temperature Range (293.15 to 333.15) K
dvisc	0.0008630	Paxs	293.15	Volumetric Properties and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Methanol and Ethanol in the Temperature Range (293.15 to 333.15) K
dvisc	0.0007116	Paxs	308.15	Viscosity of Urea in the Mixture of N,N-Dimethylformamide and Water
dvisc	0.0007547	Paxs	303.15	Viscosity of Urea in the Mixture of N,N-Dimethylformamide and Water
dvisc	0.0008045	Paxs	298.15	Viscosity of Urea in the Mixture of N,N-Dimethylformamide and Water
dvisc	0.0008542	Paxs	293.15	Viscosity of Urea in the Mixture of N,N-Dimethylformamide and Water

dvisc	0.0007763	Paxs	308.15	Densities, Viscosities, and Sound Speeds of Some Acetate Salts in Binary Mixtures of Tetrahydrofuran and Methanol at (303.15, 313.15, and 323.15) K
dvisc	0.0006826	Paxs	318.15	Conductometric Studies of 1-Ethyl-3-methylimidazolium Tetrafluoroborate and 1-Butyl-3-methylimidazolium Tetrafluoroborate in N,N-Dimethylformamide at Temperatures from (283.15 to 318.15) K
dvisc	0.0007172	Paxs	313.15	Conductometric Studies of 1-Ethyl-3-methylimidazolium Tetrafluoroborate and 1-Butyl-3-methylimidazolium Tetrafluoroborate in N,N-Dimethylformamide at Temperatures from (283.15 to 318.15) K
dvisc	0.0010158	Paxs	283.15	Conductometric Studies of 1-Ethyl-3-methylimidazolium Tetrafluoroborate and 1-Butyl-3-methylimidazolium Tetrafluoroborate in N,N-Dimethylformamide at Temperatures from (283.15 to 318.15) K
dvisc	0.0007100	Paxs	308.15	Densities, Viscosities, and Thermodynamic Properties of (N,N-Dimethylformamide + Benzene + Chlorobenzene) Ternary Mixtures at (298.15, 303.15, 308.15, and 313.15) K

dvisc	0.0007990	Paxs	303.15	Conductometric Studies of 1-Ethyl-3-methylimidazolium Tetrafluoroborate and 1-Butyl-3-methylimidazolium Tetrafluoroborate in N,N-Dimethylformamide at Temperatures from (283.15 to 318.15) K
dvisc	0.0008455	Paxs	298.15	Conductometric Studies of 1-Ethyl-3-methylimidazolium Tetrafluoroborate and 1-Butyl-3-methylimidazolium Tetrafluoroborate in N,N-Dimethylformamide at Temperatures from (283.15 to 318.15) K
dvisc	0.0008985	Paxs	293.15	Conductometric Studies of 1-Ethyl-3-methylimidazolium Tetrafluoroborate and 1-Butyl-3-methylimidazolium Tetrafluoroborate in N,N-Dimethylformamide at Temperatures from (283.15 to 318.15) K
dvisc	0.0009545	Paxs	288.15	Conductometric Studies of 1-Ethyl-3-methylimidazolium Tetrafluoroborate and 1-Butyl-3-methylimidazolium Tetrafluoroborate in N,N-Dimethylformamide at Temperatures from (283.15 to 318.15) K

dvisc	0.0005999	Paxs	323.15	Electrical Conductances of Tetrabutylammonium Bromide, Sodium Tetraphenylborate, and Sodium Bromide in N,N-Dimethylformamide (1) + Water (2) Mixtures at (308.15, 313.15, 318.15, and 323.15) K
dvisc	0.0006402	Paxs	318.15	Electrical Conductances of Tetrabutylammonium Bromide, Sodium Tetraphenylborate, and Sodium Bromide in N,N-Dimethylformamide (1) + Water (2) Mixtures at (308.15, 313.15, 318.15, and 323.15) K
dvisc	0.0006691	Paxs	313.15	Electrical Conductances of Tetrabutylammonium Bromide, Sodium Tetraphenylborate, and Sodium Bromide in N,N-Dimethylformamide (1) + Water (2) Mixtures at (308.15, 313.15, 318.15, and 323.15) K
dvisc	0.0007103	Paxs	308.15	Electrical Conductances of Tetrabutylammonium Bromide, Sodium Tetraphenylborate, and Sodium Bromide in N,N-Dimethylformamide (1) + Water (2) Mixtures at (308.15, 313.15, 318.15, and 323.15) K
dvisc	0.0007125	Paxs	318.15	Densities, Viscosities, and Sound Speeds of Some Acetate Salts in Binary Mixtures of Tetrahydrofuran and Methanol at (303.15, 313.15, and 323.15) K

dvisc	0.0008586	Paxs	298.15	Densities, Viscosities, and Sound Speeds of Some Acetate Salts in Binary Mixtures of Tetrahydrofuran and Methanol at (303.15, 313.15, and 323.15) K
dvisc	0.0006730	Paxs	313.15	Density and Viscosity Studies of Binary Mixtures of N,N-Dimethylformamide with Toluene and Methyl Benzoate at (298.15, 303.15, 308.15, and 313.15) K
dvisc	0.0007100	Paxs	308.15	Density and Viscosity Studies of Binary Mixtures of N,N-Dimethylformamide with Toluene and Methyl Benzoate at (298.15, 303.15, 308.15, and 313.15) K
dvisc	0.0007560	Paxs	303.15	Density and Viscosity Studies of Binary Mixtures of N,N-Dimethylformamide with Toluene and Methyl Benzoate at (298.15, 303.15, 308.15, and 313.15) K
dvisc	0.0007560	Paxs	303.15	Densities, Viscosities, and Thermodynamic Properties of (N,N-Dimethylformamide + Benzene + Chlorobenzene) Ternary Mixtures at (298.15, 303.15, 308.15, and 313.15) K
dvisc	0.0008030	Paxs	298.15	Density and Viscosity Studies of Binary Mixtures of N,N-Dimethylformamide with Toluene and Methyl Benzoate at (298.15, 303.15, 308.15, and 313.15) K

dvisc	0.0006730	Paxs	313.15	Densities and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Benzyl Alcohol and Acetophenone at (298.15, 303.15, 308.15, and 313.15) K
dvisc	0.0007100	Paxs	308.15	Densities and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Benzyl Alcohol and Acetophenone at (298.15, 303.15, 308.15, and 313.15) K
dvisc	0.0007560	Paxs	303.15	Densities and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Benzyl Alcohol and Acetophenone at (298.15, 303.15, 308.15, and 313.15) K
dvisc	0.0005999	Paxs	323.15	Electrical Conductances of Tetrabutylammonium Bromide, Sodium Tetraphenylborate, and Sodium Bromide in N,N-Dimethylformamide at (308.15, 313.15, 318.15, and 323.15) K
dvisc	0.0008030	Paxs	298.15	Densities and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Benzyl Alcohol and Acetophenone at (298.15, 303.15, 308.15, and 313.15) K

dvisc	0.0006730	Paxs	313.15	Densities, Viscosities, and Thermodynamic Properties of (N,N-Dimethylformamide + Benzene + Chlorobenzene) Ternary Mixtures at (298.15, 303.15, 308.15, and 313.15) K
dvisc	0.0007553	Paxs	308.15	Conductometric Studies of 1-Ethyl-3-methylimidazolium Tetrafluoroborate and 1-Butyl-3-methylimidazolium Tetrafluoroborate in N,N-Dimethylformamide at Temperatures from (283.15 to 318.15) K
dvisc	0.0008605	Paxs	298.15	Volumetric properties of ionic liquid 1,3-dimethylimidazolium methyl sulfate + molecular solvents at T = (298.15 - 328.15) K
dvisc	0.0007712	Paxs	308.15	Volumetric properties of ionic liquid 1,3-dimethylimidazolium methyl sulfate + molecular solvents at T = (298.15 - 328.15) K
dvisc	0.0006975	Paxs	318.15	Volumetric properties of ionic liquid 1,3-dimethylimidazolium methyl sulfate + molecular solvents at T = (298.15 - 328.15) K
dvisc	0.0006374	Paxs	328.15	Volumetric properties of ionic liquid 1,3-dimethylimidazolium methyl sulfate + molecular solvents at T = (298.15 - 328.15) K

dvisc	0.0007830	Paxs	298.15	Densities, Viscosities, and Conductivities of Phosphonic Acid Solutions in N,N-Dimethylformamide and Water
dvisc	0.0006990	Paxs	308.15	Densities, Viscosities, and Conductivities of Phosphonic Acid Solutions in N,N-Dimethylformamide and Water
dvisc	0.0006230	Paxs	318.15	Densities, Viscosities, and Conductivities of Phosphonic Acid Solutions in N,N-Dimethylformamide and Water
dvisc	0.0005550	Paxs	328.15	Densities, Viscosities, and Conductivities of Phosphonic Acid Solutions in N,N-Dimethylformamide and Water
dvisc	0.0004950	Paxs	338.15	Densities, Viscosities, and Conductivities of Phosphonic Acid Solutions in N,N-Dimethylformamide and Water
dvisc	0.0008030	Paxs	298.15	Excess Molar Volumes and Deviations in Viscosity of Binary Mixtures of N,N-Dimethylformamide with Aniline and Benzonitrile at (298.15, 303.15, 308.15, and 313.15) K
dvisc	0.0007560	Paxs	303.15	Excess Molar Volumes and Deviations in Viscosity of Binary Mixtures of N,N-Dimethylformamide with Aniline and Benzonitrile at (298.15, 303.15, 308.15, and 313.15) K

dvisc	0.0007100	Paxs	308.15	Excess Molar Volumes and Deviations in Viscosity of Binary Mixtures of N,N-Dimethylformamide with Aniline and Benzonitrile at (298.15, 303.15, 308.15, and 313.15) K
dvisc	0.0006730	Paxs	313.15	Excess Molar Volumes and Deviations in Viscosity of Binary Mixtures of N,N-Dimethylformamide with Aniline and Benzonitrile at (298.15, 303.15, 308.15, and 313.15) K
dvisc	0.0006402	Paxs	318.15	Electrical Conductances of Tetrabutylammonium Bromide, Sodium Tetraphenylborate, and Sodium Bromide in N,N-Dimethylformamide at (308.15, 313.15, 318.15, and 323.15) K
econd	0.00	S/m	303.15	Micellar Properties and Related Thermodynamic Parameters of the 14-6-14, 2Br-Gemini Surfactant in Water + Organic Solvent Mixed Media
hfust	8.95	kJ/mol	212.90	NIST Webbook
hfust	8.95	kJ/mol	212.85	NIST Webbook
hfust	8.95	kJ/mol	212.90	NIST Webbook
hfust	8.95	kJ/mol	212.90	NIST Webbook
hvapt	43.10	kJ/mol	385.50	NIST Webbook
hvapt	56.70	kJ/mol	378.00	NIST Webbook
hvapt	46.70	kJ/mol	333.00	NIST Webbook
hvapt	41.80	kJ/mol	401.50	NIST Webbook
hvapt	43.60	kJ/mol	381.50	NIST Webbook
hvapt	49.20	kJ/mol	363.50	NIST Webbook
hvapt	42.50	kJ/mol	370.50	NIST Webbook

pvap	101.00	kPa	425.15	Vapor Liquid Equilibrium Data for Methanol + tert-Butylamine + N,N-Dimethylformamide and Constituent Binary Systems at Atmospheric Pressure
pvap	7.03	kPa	345.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	6.43	kPa	343.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	5.88	kPa	341.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	5.37	kPa	339.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	4.89	kPa	337.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	7.67	kPa	347.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	4.45	kPa	335.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	4.04	kPa	333.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide

pvap	3.67	kPa	331.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	3.32	kPa	329.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	10.76	kPa	355.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	2.43	kPa	323.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	2.18	kPa	321.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	1.74	kPa	317.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	1.53	kPa	315.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	1.36	kPa	313.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	1.20	kPa	311.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	1.06	kPa	309.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide

pvap	0.92	kPa	307.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	96.15	kPa	424.60	Vapor Liquid Equilibrium Data for Binary Mixtures of Acetic Acid + Anisole, Acetone + Anisole, and Isopropanol + Anisole at Pressure 96.15 kPa
pvap	96.15	kPa	424.53	Vapor Liquid Equilibrium Data for Binary Mixtures of Acetic Acid + Anisole, Acetone + Anisole, and Isopropanol + Anisole at Pressure 96.15 kPa
pvap	101.30	kPa	426.05	Separation of azeotropic mixture (2, 2, 3, 3-Tetrafluoro-1-propanol + water) by extractive distillation: Entrainers selection and vapour-liquid equilibrium measurements
pvap	0.85	kPa	305.20	Vapour pressures and enthalpies of vaporisation of alkyl formamides
pvap	0.69	kPa	302.20	Vapour pressures and enthalpies of vaporisation of alkyl formamides
pvap	0.59	kPa	299.50	Vapour pressures and enthalpies of vaporisation of alkyl formamides
pvap	0.48	kPa	296.30	Vapour pressures and enthalpies of vaporisation of alkyl formamides

pvap	0.40	kPa	293.30	Vapour pressures and enthalpies of vaporisation of alkyl formamides
pvap	0.36	kPa	291.30	Vapour pressures and enthalpies of vaporisation of alkyl formamides
pvap	0.31	kPa	289.30	Vapour pressures and enthalpies of vaporisation of alkyl formamides
pvap	0.24	kPa	285.30	Vapour pressures and enthalpies of vaporisation of alkyl formamides
pvap	0.20	kPa	283.10	Vapour pressures and enthalpies of vaporisation of alkyl formamides
pvap	0.18	kPa	281.20	Vapour pressures and enthalpies of vaporisation of alkyl formamides
pvap	0.15	kPa	279.30	Vapour pressures and enthalpies of vaporisation of alkyl formamides
pvap	0.12	kPa	276.30	Vapour pressures and enthalpies of vaporisation of alkyl formamides
pvap	8.36	kPa	349.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	9.10	kPa	351.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	9.90	kPa	353.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide

pvap	11.67	kPa	357.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	12.66	kPa	359.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	13.72	kPa	361.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	14.85	kPa	363.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	17.37	kPa	367.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	18.81	kPa	369.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	16.07	kPa	365.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	3.00	kPa	327.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	1.95	kPa	319.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide
pvap	2.70	kPa	325.15	Experimental Vapor Pressure Data and a Vapor Pressure Equation for N,N-Dimethylformamide

rfi	1.42900	293.15	Effect of temperature and chain length on the viscosity and surface tension of binary systems of N,N-dimethylformamide with 1-octanol, 1-nonanol and 1-decanol
rfi	1.42900	293.10	Viscosity and surface tension of binary systems of N,N-dimethylformamide with alkan-1-ols at different temperatures
rfi	1.42100	313.15	Steric parameters and excess properties of hydroxamic acids
rfi	1.42300	308.15	Steric parameters and excess properties of hydroxamic acids
rfi	1.42530	303.15	Steric parameters and excess properties of hydroxamic acids
rfi	1.42700	298.15	Steric parameters and excess properties of hydroxamic acids
rfi	1.42220	313.15	Comparative study of physico-chemical properties of binary mixtures of N,N-dimethylformamide with 1-alkanols at different temperatures
rfi	1.42520	308.15	Comparative study of physico-chemical properties of binary mixtures of N,N-dimethylformamide with 1-alkanols at different temperatures

rfi	1.42710	303.15	Comparative study of physico-chemical properties of binary mixtures of N,N-dimethylformamide with 1-alkanols at different temperatures
rfi	1.42800	298.15	Comparative study of physico-chemical properties of binary mixtures of N,N-dimethylformamide with 1-alkanols at different temperatures
rfi	1.43070	298.15	Effects of the presence of ethylacetate or benzene on the densities and volumetric properties of mixture (styrene + N,N-dimethylformamide)
rfi	1.43070	298.15	Densities and excess volumes of binary mixtures of N,N-dimethylformamide with aromatic hydrocarbon at different temperature
rfi	1.43070	298.15	Densities and volumetric properties of binary mixtures of xylene with N,N-dimethylformamide at different temperatures
rfi	1.42190	298.15	Activity coefficients and excess Gibbs energy of binary mixtures of N,N-dimethylformamide with selected compounds at 95.5 kPa

rfi	1.43050	293.15	Excess Gibbs' energies of the binary mixtures formed by N,N-dimethylformamide with xylenes and cresols at 95.1 kPa
rfi	1.42820	298.15	(Vapor + liquid) equilibrium of binary mixtures formed by N,N-dimethylformamide with some compounds at 95.1 kPa
rfi	1.43050	293.15	Excess Gibbs energies of binary mixtures formed by nitrobenzene with selected compounds at 94.95 kPa
rfi	1.42820	298.15	Excess Gibbs energies of selected binary mixtures formed by N,N-dimethylformamide at 95.5 kPa
rfi	1.42810	293.10	Phase equilibria for the extraction of sec-butylbenzene from dodecane with N,N-dimethylformamide
rfi	1.42650	298.15	Phase equilibria in the systems isobutyl alcohol +N,N-dimethylformamide, isobutyl acetate +N,N-dimethylformamide and isobutyl alcohol + isobutyl acetate +N,N-dimethylformamide at 101.3 kPa

rfi	1.42880	298.15	Density, Viscosity, Refractive Index, and Speed of Sound for Binary Mixtures of Anisole with 2-Chloroethanol, 1,4-Dioxane, Tetrachloroethylene, Tetrachloroethane, DMF, DMSO, and Diethyl Oxalate at (298.15, 303.15, and 308.15) K
rfi	1.43090	293.15	Solubility Data for Roflumilast and Maraviroc in Various Solvents between T = (278.2-323.2) K
rfi	1.42640	303.15	Density, Viscosity, Refractive Index, and Speed of Sound for Binary Mixtures of Anisole with 2-Chloroethanol, 1,4-Dioxane, Tetrachloroethylene, Tetrachloroethane, DMF, DMSO, and Diethyl Oxalate at (298.15, 303.15, and 308.15) K
rfi	1.42380	308.15	Density, Viscosity, Refractive Index, and Speed of Sound for Binary Mixtures of Anisole with 2-Chloroethanol, 1,4-Dioxane, Tetrachloroethylene, Tetrachloroethane, DMF, DMSO, and Diethyl Oxalate at (298.15, 303.15, and 308.15) K
rfi	1.42650	298.15	Phase Equilibria Involved in Extractive Distillation of Dipropyl Ether + 1-Propyl Alcohol Using N,N-Dimethylformamide as Entrainer

rfi	1.43100	288.15	Partial Molar Volumes of N,N'-1,2-Ethyl-bis(salicyladimine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K
rfi	1.42760	298.15	Partial Molar Volumes of N,N'-1,2-Ethyl-bis(salicyladimine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K
rfi	1.42300	308.15	Partial Molar Volumes of N,N'-1,2-Ethyl-bis(salicyladimine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K
rfi	1.41800	318.15	Partial Molar Volumes of N,N'-1,2-Ethyl-bis(salicyladimine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K
rfi	1.42820	298.15	Vapor-Liquid Equilibrium and Excess Gibbs Energies of Hexane + N,N-Dimethyl Formamide, 2-Methylpropan-2-ol + 2-Aminophenol, N,N-Dimethyl Formamide, and 2-Propanol + Diisopropyl Amine at 94.4 kPa
rfi	1.43070	293.10	Phase Equilibria of Binary Systems Comprising Formic Acid, N,N-Dimethylformamide, 1-Chloro-2-ethylhexane, and 2-Ethyl-1-hexanol
rfi	1.43070	293.10	Vapor-Liquid Equilibria of Binary Systems Comprising 1-Chloro-2-ethylhexane and 2-Ethyl-1-hexanol

rfi	1.43030		293.15	Solid-Liquid Equilibrium Measurements for Posaconazole and Voriconazole in Several Solvents between T = 278.2 and 323.2 K Using Differential Thermal Analysis/Thermal Gravimetric Analysis
rfi	1.42820		298.15	Bubble Temperature Measurements on Binary Mixtures Formed by Cyclohexane at 94.7 kPa
rfi	1.43040		293.15	Experimental solubility for betulin and estrone in various solvents within the temperature range T = (293.2 to 328.2) K
rhoI	944.10	kg/m3	298.15	Solubility for dilute sulfur dioxide in binary mixtures of N,N-dimethylformamide + Ethylene Glycol at T = 308.15 K and p = 122.66 kPa
rhoI	962.90	kg/m3	278.15	Apparent molar volumes and expansibilities of H2O and D2O in N,N-dimethylformamide and N,N-dimethylacetamide in the range of T = (278.15 to 318.15) K at p = 0.1 MPa: A comparative analysis

rhoI	953.40	kg/m3	288.15	Apparent molar volumes and expansibilities of H2O and D2O in N,N-dimethylformamide and N,N-dimethylacetamide in the range of T = (278.15 to 318.15) K at p = 0.1 MPa: A comparative analysis
rhoI	943.87	kg/m3	298.15	Apparent molar volumes and expansibilities of H2O and D2O in N,N-dimethylformamide and N,N-dimethylacetamide in the range of T = (278.15 to 318.15) K at p = 0.1 MPa: A comparative analysis
rhoI	934.30	kg/m3	308.15	Apparent molar volumes and expansibilities of H2O and D2O in N,N-dimethylformamide and N,N-dimethylacetamide in the range of T = (278.15 to 318.15) K at p = 0.1 MPa: A comparative analysis
rhoI	924.68	kg/m3	318.15	Apparent molar volumes and expansibilities of H2O and D2O in N,N-dimethylformamide and N,N-dimethylacetamide in the range of T = (278.15 to 318.15) K at p = 0.1 MPa: A comparative analysis
rhoI	944.50	kg/m3	298.15	Physics and chemistry of an ionic liquid in some industrially important solvent media probed by physicochemical techniques

rhoI	941.70	kg/m3	303.00	Thermo-physical properties of 1,3,4-oxadiazole derivatives in pure solvents
rhoI	937.20	kg/m3	308.00	Thermo-physical properties of 1,3,4-oxadiazole derivatives in pure solvents
rhoI	933.60	kg/m3	313.00	Thermo-physical properties of 1,3,4-oxadiazole derivatives in pure solvents
rhoI	944.60	kg/m3	298.15	Densities and volumetric properties of binary mixtures of N,N-dimethylformamide/N,N-dimethylacetamide with some alkyl acrylates at temperatures from 288.15 K to 318.15 K
rhoI	958.07	kg/m3	283.15	Apparent molar volumes and compressibilities of lanthanum, gadolinium, lutetium and sodium trifluoromethanesulfonates in N,N-dimethylformamide and N,N-dimethylacetamide
rhoI	948.56	kg/m3	293.15	Apparent molar volumes and compressibilities of lanthanum, gadolinium, lutetium and sodium trifluoromethanesulfonates in N,N-dimethylformamide and N,N-dimethylacetamide
rhoI	943.79	kg/m3	298.15	Apparent molar volumes and compressibilities of lanthanum, gadolinium, lutetium and sodium trifluoromethanesulfonates in N,N-dimethylformamide and N,N-dimethylacetamide

rhoI	939.01	kg/m3	303.15	Apparent molar volumes and compressibilities of lanthanum, gadolinium, lutetium and sodium trifluoromethanesulfonates in N,N-dimethylformamide and N,N-dimethylacetamide
rhoI	929.43	kg/m3	313.15	Apparent molar volumes and compressibilities of lanthanum, gadolinium, lutetium and sodium trifluoromethanesulfonates in N,N-dimethylformamide and N,N-dimethylacetamide
rhoI	919.81	kg/m3	323.15	Apparent molar volumes and compressibilities of lanthanum, gadolinium, lutetium and sodium trifluoromethanesulfonates in N,N-dimethylformamide and N,N-dimethylacetamide
rhoI	910.11	kg/m3	333.15	Apparent molar volumes and compressibilities of lanthanum, gadolinium, lutetium and sodium trifluoromethanesulfonates in N,N-dimethylformamide and N,N-dimethylacetamide
rhoI	944.29	kg/m3	298.15	Physico-chemical properties of binary mixtures of N,N-dimethylformamide with 1-octanol, 1-nonanol and 1-decanol at different temperatures

rhoI	953.61	kg/m3	288.15	Densities, ultrasonic speeds, viscosities and excess properties of binary mixtures of methyl methacrylate with N,N-dimethylformamide and N,N-dimethylacetamide at different temperatures
rhoI	949.10	kg/m3	293.15	Densities, ultrasonic speeds, viscosities and excess properties of binary mixtures of methyl methacrylate with N,N-dimethylformamide and N,N-dimethylacetamide at different temperatures
rhoI	944.60	kg/m3	298.15	Densities, ultrasonic speeds, viscosities and excess properties of binary mixtures of methyl methacrylate with N,N-dimethylformamide and N,N-dimethylacetamide at different temperatures
rhoI	940.10	kg/m3	303.15	Densities, ultrasonic speeds, viscosities and excess properties of binary mixtures of methyl methacrylate with N,N-dimethylformamide and N,N-dimethylacetamide at different temperatures

rhoI	935.60	kg/m3	308.15	Densities, ultrasonic speeds, viscosities and excess properties of binary mixtures of methyl methacrylate with N,N-dimethylformamide and N,N-dimethylacetamide at different temperatures
rhoI	931.10	kg/m3	313.15	Densities, ultrasonic speeds, viscosities and excess properties of binary mixtures of methyl methacrylate with N,N-dimethylformamide and N,N-dimethylacetamide at different temperatures
rhoI	926.60	kg/m3	318.15	Densities, ultrasonic speeds, viscosities and excess properties of binary mixtures of methyl methacrylate with N,N-dimethylformamide and N,N-dimethylacetamide at different temperatures
rhoI	944.34	kg/m3	298.15	Excess molar enthalpies of binary systems containing 2-octanone, hexanoic acid, or octanoic acid at T = 298.15 K
rhoI	939.30	kg/m3	303.15	Solubility for dilute sulfur dioxide in binary mixtures of N,N-dimethylformamide + Ethylene Glycol at T = 308.15 K and p = 122.66 kPa

rhoI	934.50	kg/m3	308.15	Solubility for dilute sulfur dioxide in binary mixtures of N,N-dimethylformamide + Ethylene Glycol at T = 308.15 K and p = 122.66 kPa
rhoI	929.50	kg/m3	313.15	Solubility for dilute sulfur dioxide in binary mixtures of N,N-dimethylformamide + Ethylene Glycol at T = 308.15 K and p = 122.66 kPa
rhoI	924.80	kg/m3	318.15	Solubility for dilute sulfur dioxide in binary mixtures of N,N-dimethylformamide + Ethylene Glycol at T = 308.15 K and p = 122.66 kPa
rhoI	941.70	kg/m3	303.00	Thermo-acoustical studies of 1,3,4-oxadiazole as binary mixture at three different temperatures
rhoI	937.20	kg/m3	308.00	Thermo-acoustical studies of 1,3,4-oxadiazole as binary mixture at three different temperatures
rhoI	933.60	kg/m3	313.00	Thermo-acoustical studies of 1,3,4-oxadiazole as binary mixture at three different temperatures
rhoI	944.60	kg/m3	298.15	Topological and thermodynamic investigations of mixtures containing o-chlorotoluene and lower amides
rhoI	939.83	kg/m3	303.15	Topological and thermodynamic investigations of mixtures containing o-chlorotoluene and lower amides

rhoI	935.05	kg/m3	308.15	Topological and thermodynamic investigations of mixtures containing o-chlorotoluene and lower amides
rhoI	943.81	kg/m3	298.15	Excess molar enthalpies and (vapour + liquid) equilibria for mixtures containing N,N-dialkylamides and a,x-dichloroalkanes
rhoI	940.05	kg/m3	303.15	Solution thermodynamics of iron(III)-N,N'-ethylene-bis(salicylideneiminato)-chloride in binary mixtures of N,N-dimethylformamide and acetonitrile at T = (298.15, 303.15, 308.15 and 313.15) K
rhoI	935.71	kg/m3	308.15	Solution thermodynamics of iron(III)-N,N'-ethylene-bis(salicylideneiminato)-chloride in binary mixtures of N,N-dimethylformamide and acetonitrile at T = (298.15, 303.15, 308.15 and 313.15) K
rhoI	929.91	kg/m3	313.15	Solution thermodynamics of iron(III)-N,N'-ethylene-bis(salicylideneiminato)-chloride in binary mixtures of N,N-dimethylformamide and acetonitrile at T = (298.15, 303.15, 308.15 and 313.15) K
rhoI	943.97	kg/m3	298.15	Ionic molar volumes in methanol mixtures with acetonitrile, N,N-dimethylformamide and propylene carbonate at T = 298.15 K

rhoI	953.53	kg/m3	288.15	Solution behavior of {(formamide/N-methylformamide/ N,N-dimethylformamide) + CsCl + water} ternary systems at multiple temperatures
rhoI	943.89	kg/m3	298.15	Solution behavior of {(formamide/N-methylformamide/ N,N-dimethylformamide) + CsCl + water} ternary systems at multiple temperatures
rhoI	934.39	kg/m3	308.15	Solution behavior of {(formamide/N-methylformamide/ N,N-dimethylformamide) + CsCl + water} ternary systems at multiple temperatures
rhoI	944.60	kg/m3	298.15	Excess molar volumes and excess isentropic compressibilities of binary and ternary mixtures of o-chlorotoluene with cyclic ether and amides or cyclohexane at different temperatures
rhoI	939.83	kg/m3	303.15	Excess molar volumes and excess isentropic compressibilities of binary and ternary mixtures of o-chlorotoluene with cyclic ether and amides or cyclohexane at different temperatures
rhoI	935.05	kg/m3	308.15	Excess molar volumes and excess isentropic compressibilities of binary and ternary mixtures of o-chlorotoluene with cyclic ether and amides or cyclohexane at different temperatures

rhoI	943.91	kg/m3	298.15	Solvation of alkaline earth metal ions in N,N-dimethylformamide and N,N-dimethylacetamide - A volumetric and acoustic study
rhoI	939.14	kg/m3	303.15	Solvation of alkaline earth metal ions in N,N-dimethylformamide and N,N-dimethylacetamide - A volumetric and acoustic study
rhoI	934.35	kg/m3	308.15	Solvation of alkaline earth metal ions in N,N-dimethylformamide and N,N-dimethylacetamide - A volumetric and acoustic study
rhoI	929.55	kg/m3	313.15	Solvation of alkaline earth metal ions in N,N-dimethylformamide and N,N-dimethylacetamide - A volumetric and acoustic study
rhoI	924.74	kg/m3	318.15	Solvation of alkaline earth metal ions in N,N-dimethylformamide and N,N-dimethylacetamide - A volumetric and acoustic study
rhoI	948.82	kg/m3	293.15	Thermodynamics of amide + ketone mixtures. 1. Volumetric, speed of sound and refractive index data for N,N-dimethylformamide + 2-alkanone systems at several temperatures

rhoI	944.06	kg/m3	298.15	Thermodynamics of amide + ketone mixtures. 1. Volumetric, speed of sound and refractive index data for N,N-dimethylformamide + 2-alkanone systems at several temperatures
rhoI	939.28	kg/m3	303.15	Thermodynamics of amide + ketone mixtures. 1. Volumetric, speed of sound and refractive index data for N,N-dimethylformamide + 2-alkanone systems at several temperatures
rhoI	944.00	kg/m3	298.00	Densities, ultrasonic speeds and refractive indices of phenetole with N-methyl-2-pyrrolidone, N,N-dimethylformamide and tetrahydrofuran binary mixtures at different temperatures
rhoI	939.00	kg/m3	303.00	Densities, ultrasonic speeds and refractive indices of phenetole with N-methyl-2-pyrrolidone, N,N-dimethylformamide and tetrahydrofuran binary mixtures at different temperatures
rhoI	935.00	kg/m3	308.00	Densities, ultrasonic speeds and refractive indices of phenetole with N-methyl-2-pyrrolidone, N,N-dimethylformamide and tetrahydrofuran binary mixtures at different temperatures

rhoI	943.95	kg/m3	298.15	Solvation of ionic liquids based on N-alkyl-N-methylmorpholinium cations in N,N-dimethylformamide and dimethyl sulfoxide. A volumetric and acoustic study
rhoI	939.19	kg/m3	303.15	Solvation of ionic liquids based on N-alkyl-N-methylmorpholinium cations in N,N-dimethylformamide and dimethyl sulfoxide. A volumetric and acoustic study
rhoI	934.40	kg/m3	308.15	Solvation of ionic liquids based on N-alkyl-N-methylmorpholinium cations in N,N-dimethylformamide and dimethyl sulfoxide. A volumetric and acoustic study
rhoI	929.61	kg/m3	313.15	Solvation of ionic liquids based on N-alkyl-N-methylmorpholinium cations in N,N-dimethylformamide and dimethyl sulfoxide. A volumetric and acoustic study
rhoI	924.80	kg/m3	318.15	Solvation of ionic liquids based on N-alkyl-N-methylmorpholinium cations in N,N-dimethylformamide and dimethyl sulfoxide. A volumetric and acoustic study
rhoI	915.14	kg/m3	328.15	Solvation of ionic liquids based on N-alkyl-N-methylmorpholinium cations in N,N-dimethylformamide and dimethyl sulfoxide. A volumetric and acoustic study
rhoI	939.18	kg/m3	303.15	Effect of organic solvents on lowering the viscosity of 1-hexyl-3-methylimidazolium chloride

rho1	934.41	kg/m3	308.15	Effect of organic solvents on lowering the viscosity of 1-hexyl-3-methylimidazolium chloride
rho1	929.64	kg/m3	313.15	Effect of organic solvents on lowering the viscosity of 1-hexyl-3-methylimidazolium chloride
rho1	924.86	kg/m3	318.15	Effect of organic solvents on lowering the viscosity of 1-hexyl-3-methylimidazolium chloride
rho1	920.07	kg/m3	323.15	Effect of organic solvents on lowering the viscosity of 1-hexyl-3-methylimidazolium chloride
rho1	915.26	kg/m3	328.15	Effect of organic solvents on lowering the viscosity of 1-hexyl-3-methylimidazolium chloride
rho1	910.44	kg/m3	333.15	Effect of organic solvents on lowering the viscosity of 1-hexyl-3-methylimidazolium chloride
rho1	905.60	kg/m3	338.15	Effect of organic solvents on lowering the viscosity of 1-hexyl-3-methylimidazolium chloride
rho1	900.74	kg/m3	343.15	Effect of organic solvents on lowering the viscosity of 1-hexyl-3-methylimidazolium chloride
rho1	895.87	kg/m3	348.15	Effect of organic solvents on lowering the viscosity of 1-hexyl-3-methylimidazolium chloride

rhoI	890.98	kg/m3	353.15	Effect of organic solvents on lowering the viscosity of 1-hexyl-3-methylimidazolium chloride
rhoI	943.90	kg/m3	298.15	Solvation of ionic liquids based on N-methyl-N-alkylmorpholinium cations in N,N-dimethylformamide and N,N-dimethylacetamide - Volumetric and compressibility studies
rhoI	939.12	kg/m3	303.15	Solvation of ionic liquids based on N-methyl-N-alkylmorpholinium cations in N,N-dimethylformamide and N,N-dimethylacetamide - Volumetric and compressibility studies
rhoI	934.34	kg/m3	308.15	Solvation of ionic liquids based on N-methyl-N-alkylmorpholinium cations in N,N-dimethylformamide and N,N-dimethylacetamide - Volumetric and compressibility studies
rhoI	929.54	kg/m3	313.15	Solvation of ionic liquids based on N-methyl-N-alkylmorpholinium cations in N,N-dimethylformamide and N,N-dimethylacetamide - Volumetric and compressibility studies
rhoI	924.73	kg/m3	318.15	Solvation of ionic liquids based on N-methyl-N-alkylmorpholinium cations in N,N-dimethylformamide and N,N-dimethylacetamide - Volumetric and compressibility studies

rhoI	962.91	kg/m3	278.15	Thermodynamic evidence for nano-heterogeneity in solutions of the macrocycle C-butylresorcin[4]arene in non-aqueous solvents
rhoI	958.17	kg/m3	283.15	Thermodynamic evidence for nano-heterogeneity in solutions of the macrocycle C-butylresorcin[4]arene in non-aqueous solvents
rhoI	953.41	kg/m3	288.15	Thermodynamic evidence for nano-heterogeneity in solutions of the macrocycle C-butylresorcin[4]arene in non-aqueous solvents
rhoI	948.66	kg/m3	293.15	Thermodynamic evidence for nano-heterogeneity in solutions of the macrocycle C-butylresorcin[4]arene in non-aqueous solvents
rhoI	943.89	kg/m3	298.15	Thermodynamic evidence for nano-heterogeneity in solutions of the macrocycle C-butylresorcin[4]arene in non-aqueous solvents
rhoI	939.12	kg/m3	303.15	Thermodynamic evidence for nano-heterogeneity in solutions of the macrocycle C-butylresorcin[4]arene in non-aqueous solvents
rhoI	934.34	kg/m3	308.15	Thermodynamic evidence for nano-heterogeneity in solutions of the macrocycle C-butylresorcin[4]arene in non-aqueous solvents

rhoI	948.30	kg/m3	293.15	Excess volumes, Viscosities, and Excess Gibbs Energy of Activation for Viscous Flow, for binary and ternary mixtures 1- propanol + N-N dimethylformamid + chloroform at different temperatures
rhoI	938.70	kg/m3	303.15	Excess volumes, Viscosities, and Excess Gibbs Energy of Activation for Viscous Flow, for binary and ternary mixtures 1- propanol + N-N dimethylformamid + chloroform at different temperatures
rhoI	929.10	kg/m3	313.15	Excess volumes, Viscosities, and Excess Gibbs Energy of Activation for Viscous Flow, for binary and ternary mixtures 1- propanol + N-N dimethylformamid + chloroform at different temperatures
rhoI	919.90	kg/m3	323.15	Excess volumes, Viscosities, and Excess Gibbs Energy of Activation for Viscous Flow, for binary and ternary mixtures 1- propanol + N-N dimethylformamid + chloroform at different temperatures

rhoI	943.70	kg/m3	298.15	Conductometric, refractometric and FT-IR spectroscopic study of [EMIm]NO3, [EMIm]CH3SO3, and [EMIm]OTs in N,N-dimethyl formamide, N,N-dimethyl acetamide and dimethyl sulphoxide
------	--------	-------	--------	--

rhoI	939.23	kg/m3	303.15	Density and Viscosity Measurements for Binary Mixtures of 1-Ethyl-3-methylimidazolium Tetrafluoroborate ([Emim][BF4]) with Dimethylacetamide, Dimethylformamide, and Dimethyl Sulfoxide
------	--------	-------	--------	---

rhoI	929.64	kg/m3	313.15	Density and Viscosity Measurements for Binary Mixtures of 1-Ethyl-3-methylimidazolium Tetrafluoroborate ([Emim][BF4]) with Dimethylacetamide, Dimethylformamide, and Dimethyl Sulfoxide
------	--------	-------	--------	---

rhoI	920.02	kg/m3	323.15	Density and Viscosity Measurements for Binary Mixtures of 1-Ethyl-3-methylimidazolium Tetrafluoroborate ([Emim][BF4]) with Dimethylacetamide, Dimethylformamide, and Dimethyl Sulfoxide
------	--------	-------	--------	---

rhoI	910.33	kg/m3	333.15	Density and Viscosity Measurements for Binary Mixtures of 1-Ethyl-3-methylimidazolium Tetrafluoroborate ([Emim][BF4]) with Dimethylacetamide, Dimethylformamide, and Dimethyl Sulfoxide
rhoI	948.88	kg/m3	293.15	Thermodynamics of amide + amine mixtures. 1. Volumetric, speed of sound, and refractive index data for N,Ndimethylformamide + N-propylpropan-1-amine, + N-butylbutan-1-amine, + butan-1-amine, or + hexan-1-amine systems at several temperatures
rhoI	944.08	kg/m3	298.15	Thermodynamics of amide + amine mixtures. 1. Volumetric, speed of sound, and refractive index data for N,Ndimethylformamide + N-propylpropan-1-amine, + N-butylbutan-1-amine, + butan-1-amine, or + hexan-1-amine systems at several temperatures

rhoI	939.36	kg/m3	303.15	Thermodynamics of amide + amine mixtures. 1. Volumetric, speed of sound, and refractive index data for N,Ndimethylformamide + N-propylpropan-1-amine, + N-butylbutan-1-amine, + butan-1-amine, or + hexan-1-amine systems at several temperatures
rhoI	948.74	kg/m3	293.15	Density and Speed of Sound of Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Tetrafluoroborate, N,N-Dimethylformamide, and N,N-Dimethylacetamide at Temperature Range of 293.15 343.15 K: Measurement and PC-SAFT Modeling
rhoI	943.98	kg/m3	298.15	Density and Speed of Sound of Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Tetrafluoroborate, N,N-Dimethylformamide, and N,N-Dimethylacetamide at Temperature Range of 293.15 343.15 K: Measurement and PC-SAFT Modeling

rhoI	939.20	kg/m3	303.15	Density and Speed of Sound of Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Tetrafluoroborate, N,N-Dimethylformamide, and N,N-Dimethylacetamide at Temperature Range of 293.15 343.15 K: Measurement and PC-SAFT Modeling
rhoI	934.42	kg/m3	308.15	Density and Speed of Sound of Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Tetrafluoroborate, N,N-Dimethylformamide, and N,N-Dimethylacetamide at Temperature Range of 293.15 343.15 K: Measurement and PC-SAFT Modeling
rhoI	929.62	kg/m3	313.15	Density and Speed of Sound of Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Tetrafluoroborate, N,N-Dimethylformamide, and N,N-Dimethylacetamide at Temperature Range of 293.15 343.15 K: Measurement and PC-SAFT Modeling
rhoI	924.81	kg/m3	318.15	Density and Speed of Sound of Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Tetrafluoroborate, N,N-Dimethylformamide, and N,N-Dimethylacetamide at Temperature Range of 293.15 343.15 K: Measurement and PC-SAFT Modeling

rhoI	919.99	kg/m3	323.15	Density and Speed of Sound of Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Tetrafluoroborate, N,N-Dimethylformamide, and N,N-Dimethylacetamide at Temperature Range of 293.15 343.15 K: Measurement and PC-SAFT Modeling
rhoI	915.16	kg/m3	328.15	Density and Speed of Sound of Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Tetrafluoroborate, N,N-Dimethylformamide, and N,N-Dimethylacetamide at Temperature Range of 293.15 343.15 K: Measurement and PC-SAFT Modeling
rhoI	910.31	kg/m3	333.15	Density and Speed of Sound of Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Tetrafluoroborate, N,N-Dimethylformamide, and N,N-Dimethylacetamide at Temperature Range of 293.15 343.15 K: Measurement and PC-SAFT Modeling
rhoI	905.45	kg/m3	338.15	Density and Speed of Sound of Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Tetrafluoroborate, N,N-Dimethylformamide, and N,N-Dimethylacetamide at Temperature Range of 293.15 343.15 K: Measurement and PC-SAFT Modeling

rhoI	900.57	kg/m3	343.15	Density and Speed of Sound of Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Tetrafluoroborate, N,N-Dimethylformamide, and N,N-Dimethylacetamide at Temperature Range of 293.15 343.15 K: Measurement and PC-SAFT Modeling	
rhoI	967.56	kg/m3	273.15	Density, Viscosity, and Electrical Conductivity of Protic Amidium Bis(trifluoromethanesulfonyl)amide Ionic Liquids	
rhoI	962.83	kg/m3	278.15	Density, Viscosity, and Electrical Conductivity of Protic Amidium Bis(trifluoromethanesulfonyl)amide Ionic Liquids	
rhoI	958.10	kg/m3	283.15	Density, Viscosity, and Electrical Conductivity of Protic Amidium Bis(trifluoromethanesulfonyl)amide Ionic Liquids	
rhoI	953.37	kg/m3	288.15	Density, Viscosity, and Electrical Conductivity of Protic Amidium Bis(trifluoromethanesulfonyl)amide Ionic Liquids	
rhoI	948.61	kg/m3	293.15	Density, Viscosity, and Electrical Conductivity of Protic Amidium Bis(trifluoromethanesulfonyl)amide Ionic Liquids	
rhoI	943.85	kg/m3	298.15	Density, Viscosity, and Electrical Conductivity of Protic Amidium Bis(trifluoromethanesulfonyl)amide Ionic Liquids	

rhoI	939.07	kg/m3	303.15	Density, Viscosity, and Electrical Conductivity of Protic Amidium Bis(trifluoromethanesulfonyl)amide Ionic Liquids	
rhoI	929.50	kg/m3	313.15	Density, Viscosity, and Electrical Conductivity of Protic Amidium Bis(trifluoromethanesulfonyl)amide Ionic Liquids	
rhoI	919.86	kg/m3	323.15	Density, Viscosity, and Electrical Conductivity of Protic Amidium Bis(trifluoromethanesulfonyl)amide Ionic Liquids	
rhoI	910.17	kg/m3	333.15	Density, Viscosity, and Electrical Conductivity of Protic Amidium Bis(trifluoromethanesulfonyl)amide Ionic Liquids	
rhoI	900.41	kg/m3	343.15	Density, Viscosity, and Electrical Conductivity of Protic Amidium Bis(trifluoromethanesulfonyl)amide Ionic Liquids	
rhoI	890.57	kg/m3	353.15	Density, Viscosity, and Electrical Conductivity of Protic Amidium Bis(trifluoromethanesulfonyl)amide Ionic Liquids	
rhoI	880.65	kg/m3	363.15	Density, Viscosity, and Electrical Conductivity of Protic Amidium Bis(trifluoromethanesulfonyl)amide Ionic Liquids	
rhoI	943.89	kg/m3	298.15	Isobaric Vapor Liquid Equilibria for Two Binary Systems {Propylene Glycol Methyl Ether Acetate + Methanol} and {Propylene Glycol Methyl Ether Acetate + N,N-Dimethylformamide} at p = 30.0, 50.0, and 70.0 kPa	

rhoI	939.18	kg/m3	303.15	Influence of Aprotic Cosolvents on the Thermophysical Properties of Imidazolium-Based Ionic Liquid
rhoI	934.41	kg/m3	308.15	Influence of Aprotic Cosolvents on the Thermophysical Properties of Imidazolium-Based Ionic Liquid
rhoI	929.64	kg/m3	313.15	Influence of Aprotic Cosolvents on the Thermophysical Properties of Imidazolium-Based Ionic Liquid
rhoI	924.86	kg/m3	318.15	Influence of Aprotic Cosolvents on the Thermophysical Properties of Imidazolium-Based Ionic Liquid
rhoI	920.07	kg/m3	323.15	Influence of Aprotic Cosolvents on the Thermophysical Properties of Imidazolium-Based Ionic Liquid
rhoI	915.26	kg/m3	328.15	Influence of Aprotic Cosolvents on the Thermophysical Properties of Imidazolium-Based Ionic Liquid
rhoI	910.44	kg/m3	333.15	Influence of Aprotic Cosolvents on the Thermophysical Properties of Imidazolium-Based Ionic Liquid

rhoI	905.60	kg/m3	338.15	Influence of Aprotic Cosolvents on the Thermophysical Properties of Imidazolium-Based Ionic Liquid	
rhoI	900.74	kg/m3	343.15	Influence of Aprotic Cosolvents on the Thermophysical Properties of Imidazolium-Based Ionic Liquid	
rhoI	895.87	kg/m3	348.15	Influence of Aprotic Cosolvents on the Thermophysical Properties of Imidazolium-Based Ionic Liquid	
rhoI	890.98	kg/m3	353.15	Influence of Aprotic Cosolvents on the Thermophysical Properties of Imidazolium-Based Ionic Liquid	
rhoI	944.69	kg/m3	298.15	Liquid-Liquid Equilibrium for Ternary Systems, Water + 5-Hydroxymethylfurfural + (1-Butanol, Isobutanol, Methyl Isobutyl Ketone), at 313.15, 323.15, and 333.15 K	
rhoI	943.93	kg/m3	298.15	Effect of Solvents and Temperature on Interactions in Binary and Ternary Mixtures of 1-Butyl-3-methylimidazolium Trifluoromethanesulfonate with Acetonitrile or/and N,N-Dimethylformamide	

rhoI	939.16	kg/m3	303.15	Effect of Solvents and Temperature on Interactions in Binary and Ternary Mixtures of 1-Butyl-3-methylimidazolium Trifluoromethanesulfonate with Acetonitrile or/and N,N-Dimethylformamide
rhoI	934.37	kg/m3	308.15	Effect of Solvents and Temperature on Interactions in Binary and Ternary Mixtures of 1-Butyl-3-methylimidazolium Trifluoromethanesulfonate with Acetonitrile or/and N,N-Dimethylformamide
rhoI	929.58	kg/m3	313.15	Effect of Solvents and Temperature on Interactions in Binary and Ternary Mixtures of 1-Butyl-3-methylimidazolium Trifluoromethanesulfonate with Acetonitrile or/and N,N-Dimethylformamide
rhoI	924.76	kg/m3	318.15	Effect of Solvents and Temperature on Interactions in Binary and Ternary Mixtures of 1-Butyl-3-methylimidazolium Trifluoromethanesulfonate with Acetonitrile or/and N,N-Dimethylformamide
rhoI	919.95	kg/m3	323.15	Effect of Solvents and Temperature on Interactions in Binary and Ternary Mixtures of 1-Butyl-3-methylimidazolium Trifluoromethanesulfonate with Acetonitrile or/and N,N-Dimethylformamide

rhoI	953.29	kg/m3	288.15	Density, Speed of Sound, and Viscosity of Diethylene Glycol Monoethyl Ether + N,N-Dimethylformamide (Ethanol, Water) at T = 288.15-318.15 K
rhoI	943.77	kg/m3	298.15	Density, Speed of Sound, and Viscosity of Diethylene Glycol Monoethyl Ether + N,N-Dimethylformamide (Ethanol, Water) at T = 288.15-318.15 K
rhoI	934.21	kg/m3	308.15	Density, Speed of Sound, and Viscosity of Diethylene Glycol Monoethyl Ether + N,N-Dimethylformamide (Ethanol, Water) at T = 288.15-318.15 K
rhoI	924.59	kg/m3	318.15	Density, Speed of Sound, and Viscosity of Diethylene Glycol Monoethyl Ether + N,N-Dimethylformamide (Ethanol, Water) at T = 288.15-318.15 K
rhoI	943.81	kg/m3	298.15	Liquid-Liquid Equilibrium and Excess Enthalpies in Binary Systems Methylcyclohexane + Methanol and Methylcyclohexane + N,N-Dimethylformamide

rhoI	943.65	kg/m3	298.15	Excess Molar Volumes and Kinematic Viscosities for Binary Mixtures of Dipropylene Glycol Monobutyl Ether and Dipropylene Glycol tert-Butyl Ether with 2-Pyrrolidinone, N-Methyl-2-pyrrolidinone, N,N-Dimethylformamide, and N,N-Dimethylacetamide at 298.15 K
rhoI	958.08	kg/m3	283.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide
rhoI	958.16	kg/m3	283.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide
rhoI	943.81	kg/m3	298.15	(Vapour + liquid) equilibria and excess molar enthalpies for binary mixtures containing N,N-dialkylamides and 1-chloroalkanes
rhoI	948.57	kg/m3	293.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide

rhoI	948.65	kg/m3	293.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide
rhoI	943.80	kg/m3	298.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide
rhoI	943.88	kg/m3	298.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide
rhoI	939.02	kg/m3	303.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide
rhoI	939.11	kg/m3	303.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide

rhoI	929.44	kg/m3	313.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide
rhoI	929.53	kg/m3	313.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide
rhoI	919.81	kg/m3	323.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide
rhoI	919.90	kg/m3	323.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide
rhoI	910.12	kg/m3	333.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide

rhoI	910.20	kg/m3	333.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide
rhoI	943.81	kg/m3	298.15	Liquid-Liquid Equilibrium and Excess Enthalpies in the Binary System 2-Methylpentane + N,N-Dimethylformamide
rhoI	944.20	kg/m3	298.15	Excess Molar Volumes and Viscosity Deviations for the Ternary System N,N-Dimethylformamide + N-Methylformamide + Water and the Binary Subsystems at 298.15 K
rhoI	943.88	kg/m3	298.15	Thermodynamics of Mixtures Containing a Strongly Polar Compound. 8. Liquid-Liquid Equilibria for N,N-Dialkylamide + Selected N-Alkanes
rhoI	943.88	kg/m3	298.15	Effect of N,N'-Bis(2-pyridylmethylidene)-1,2-diiminoethane (BPIE) Schiff Base on the Thermophysical Properties of Ionic Liquids in N,N-Dimethylformamide Solutions at 298.15 K
rhoI	948.74	kg/m3	293.15	Volumetric Properties of Urea in the Mixture of N,N-Dimethylformamide with Water
rhoI	943.98	kg/m3	298.15	Volumetric Properties of Urea in the Mixture of N,N-Dimethylformamide with Water

rhoI	939.20	kg/m3	303.15	Volumetric Properties of Urea in the Mixture of N,N-Dimethylformamide with Water
rhoI	934.42	kg/m3	308.15	Volumetric Properties of Urea in the Mixture of N,N-Dimethylformamide with Water
rhoI	948.79	kg/m3	293.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide with N-Methylformamide and N,N-Dimethylformamide from (293.15 to 323.15) K
rhoI	943.87	kg/m3	298.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide with N-Methylformamide and N,N-Dimethylformamide from (293.15 to 323.15) K
rhoI	938.98	kg/m3	303.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide with N-Methylformamide and N,N-Dimethylformamide from (293.15 to 323.15) K
rhoI	934.07	kg/m3	308.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide with N-Methylformamide and N,N-Dimethylformamide from (293.15 to 323.15) K

rhoI	929.11	kg/m3	313.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide with N-Methylformamide and N,N-Dimethylformamide from (293.15 to 323.15) K
rhoI	924.04	kg/m3	318.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide with N-Methylformamide and N,N-Dimethylformamide from (293.15 to 323.15) K
rhoI	918.91	kg/m3	323.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide with N-Methylformamide and N,N-Dimethylformamide from (293.15 to 323.15) K
rhoI	948.72	kg/m3	293.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-Methylpyrrolidinium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K

rhoI	943.86	kg/m3	298.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-Methylpyrrolidinium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K
rhoI	939.00	kg/m3	303.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-Methylpyrrolidinium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K
rhoI	934.08	kg/m3	308.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-Methylpyrrolidinium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K
rhoI	929.13	kg/m3	313.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-Methylpyrrolidinium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K

rhoI	924.06	kg/m3	318.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-Methylpyrrolidinium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K
rhoI	918.96	kg/m3	323.15	Volumetric Properties of Binary Mixtures of 1-Butyl-1-Methylpyrrolidinium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K
rhoI	953.79	kg/m3	288.15	Physicochemical Properties for the Binary Systems of Ionic Liquids [Cnmim]Cl + N,N-Dimethylformamide
rhoI	944.26	kg/m3	298.15	Physicochemical Properties for the Binary Systems of Ionic Liquids [Cnmim]Cl + N,N-Dimethylformamide
rhoI	935.55	kg/m3	308.15	Structural and interactional studies of homologous series of α,ω -alkanediols in N,N-dimethylformamide
rhoI	925.16	kg/m3	318.15	Physicochemical Properties for the Binary Systems of Ionic Liquids [Cnmim]Cl + N,N-Dimethylformamide

rhoI	948.72	kg/m3	293.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-Methylimidazolium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K
rhoI	943.86	kg/m3	298.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-Methylimidazolium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K
rhoI	939.00	kg/m3	303.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-Methylimidazolium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K
rhoI	934.08	kg/m3	308.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-Methylimidazolium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K

rhoI	929.13	kg/m3	313.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-Methylimidazolium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K
rhoI	924.06	kg/m3	318.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-Methylimidazolium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K
rhoI	918.96	kg/m3	323.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-Methylimidazolium Tris(pentafluoroethyl)trifluorophosphate with N-Methylformamide, N-Ethylformamide, N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K
rhoI	943.82	kg/m3	298.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. III. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Chlorides in N,N-Dimethylformamide

rhoI	943.80	kg/m3	298.15	Densities and Isothermal Compressibilities at Pressures up to 20 MPa of the Systems N,N-Dimethylformamide or N,N-Dimethylacetamide + r,o-Dichloroalkane
rhoI	934.20	kg/m3	308.15	Densities and Isothermal Compressibilities at Pressures up to 20 MPa of the Systems N,N-Dimethylformamide or N,N-Dimethylacetamide + r,o-Dichloroalkane
rhoI	943.81	kg/m3	298.15	Surface Tension and Surface Properties of Binary Mixtures of 1,4-Dioxane or N,N-Dimethyl Formamide with n-Alkyl Acetates
rhoI	944.21	kg/m3	298.15	(Liquid + Liquid) Equilibrium for (N,N-Dimethylformamide (DMF) + Hexadecane) at Temperatures between (293.15 and 313.15) K and Ternary Mixtures of (DMF + Hexadecane) with Either Quinoline, or Pyridine, or Pyrrole, or Aniline, or Indole at T = 298.15 K
rhoI	948.63	kg/m3	293.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures

rhoI	943.86	kg/m3	298.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures
rhoI	939.08	kg/m3	303.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures
rhoI	934.29	kg/m3	308.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures
rhoI	929.48	kg/m3	313.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures
rhoI	924.68	kg/m3	318.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures
rhoI	926.70	kg/m3	318.15	Densities and volumetric properties of (acetonitrile + an amide) binary mixtures at temperatures between 293.15 K and 318.15 K

rhoI	931.20	kg/m3	313.15	Densities and volumetric properties of (acetonitrile + an amide) binary mixtures at temperatures between 293.15 K and 318.15 K
rhoI	935.70	kg/m3	308.15	Densities and volumetric properties of (acetonitrile + an amide) binary mixtures at temperatures between 293.15 K and 318.15 K
rhoI	940.10	kg/m3	303.15	Densities and volumetric properties of (acetonitrile + an amide) binary mixtures at temperatures between 293.15 K and 318.15 K
rhoI	944.60	kg/m3	298.15	Densities and volumetric properties of (acetonitrile + an amide) binary mixtures at temperatures between 293.15 K and 318.15 K
rhoI	949.10	kg/m3	293.15	Densities and volumetric properties of (acetonitrile + an amide) binary mixtures at temperatures between 293.15 K and 318.15 K
rhoI	935.55	kg/m3	308.15	A comparative study of thermophysical and spectroscopic properties in mixtures of isomeric butanediol and N,N-dimethylformamide

rhoI	949.17	kg/m3	293.15	Volumetric properties of binary mixtures of (water + organic solvents) at temperatures between T = 288.15 K and T = 303.15 K at p = 0.1 MPa
rhoI	943.79	kg/m3	298.15	Limiting partial molar volumes and expansibilities of ammonium perchlorate, tetraalkylammonium perchlorates, and tetrabutylammonium tetraphenylborate in N,N-dimethylformamide
rhoI	885.68	kg/m3	358.15	Volumetric properties of (N,N-dimethylformamide + aliphatic diethers) at Temperatures ranging from (298.15 to 358.15) K
rhoI	900.41	kg/m3	343.15	Volumetric properties of (N,N-dimethylformamide + aliphatic diethers) at Temperatures ranging from (298.15 to 358.15) K
rhoI	915.07	kg/m3	328.15	Volumetric properties of (N,N-dimethylformamide + aliphatic diethers) at Temperatures ranging from (298.15 to 358.15) K
rhoI	930.98	kg/m3	313.15	Volumetric properties of (N,N-dimethylformamide + aliphatic diethers) at Temperatures ranging from (298.15 to 358.15) K

rhoI	943.85	kg/m3	298.15	Volumetric properties of (N,N-dimethylformamide + aliphatic diethers) at Temperatures ranging from (298.15 to 358.15) K
rhoI	943.78	kg/m3	298.15	Thermodynamics of amide + amine mixtures. 5. Excess molar enthalpies of N,N-dimethylformamide or N,N-dimethylacetamide + N-propylpropan-1-amine, + N-butylbutan-1-amine, + butan-1-amine, or + hexan-1-amine systems at 298.15 K. Application of the ERAS model
rhoI	943.98	kg/m3	298.15	PrhoT measurement and PC-SAFT modeling of N,N-dimethyl formamide, N-methyl formamide, N,N-dimethyl acetamide, and ethylenediamine from T = (293.15-423.15) K and pressures up to 35 MPa
rhoI	924.70	kg/m3	318.15	Solubility for dilute sulfur dioxide, viscosities, excess properties, and viscous flow thermodynamics of binary system N, N-dimethylformamide + diethylene glycol

rhoI	929.90	kg/m3	313.15	Solubility for dilute sulfur dioxide, viscosities, excess properties, and viscous flow thermodynamics of binary system N, N-dimethylformamide + diethylene glycol
rhoI	934.20	kg/m3	308.15	Solubility for dilute sulfur dioxide, viscosities, excess properties, and viscous flow thermodynamics of binary system N, N-dimethylformamide + diethylene glycol
rhoI	939.60	kg/m3	303.15	Solubility for dilute sulfur dioxide, viscosities, excess properties, and viscous flow thermodynamics of binary system N, N-dimethylformamide + diethylene glycol
rhoI	943.90	kg/m3	298.15	Solubility for dilute sulfur dioxide, viscosities, excess properties, and viscous flow thermodynamics of binary system N, N-dimethylformamide + diethylene glycol
rhoI	943.83	kg/m3	298.15	Volumetric investigation of the ternary system ethanol + dimethylformamide + cyclohexane at 298.15 K

rhoI	948.70	kg/m3	293.15	Bubble point measurements of binary mixtures formed by 1-hexanol with selected nitro-compounds and substituted benzenes at 95.6 kPa	
rhoI	916.40	kg/m3	313.15	Effect of temperature on ultrasonic velocity and thermodynamic parameters of bisphenol-C-formaldehyde-acrylate resin solutions	
rhoI	919.70	kg/m3	308.15	Effect of temperature on ultrasonic velocity and thermodynamic parameters of bisphenol-C-formaldehyde-acrylate resin solutions	
rhoI	927.20	kg/m3	303.15	Effect of temperature on ultrasonic velocity and thermodynamic parameters of bisphenol-C-formaldehyde-acrylate resin solutions	
rhoI	943.81	kg/m3	298.15	Liquid liquid equilibrium in ternary systems N,N-dimethylformamide + 2-methylpentane + methanol and N,N-dimethylformamide + methylcyclohexane + methanol	
rhoI	943.81	kg/m3	298.15	Revision of the volumetric method for measurements of liquid liquid equilibria in binary systems	
rhoI	932.50	kg/m3	313.15	Interpretation of Association Behavior and Molecular Interactions in Binary Mixtures from Thermoacoustics and Molecular Compression Data	

rhoI	935.70	kg/m3	308.15	Interpretation of Association Behavior and Molecular Interactions in Binary Mixtures from Thermoacoustics and Molecular Compression Data
rhoI	941.90	kg/m3	303.15	Interpretation of Association Behavior and Molecular Interactions in Binary Mixtures from Thermoacoustics and Molecular Compression Data
rhoI	950.10	kg/m3	298.15	Interpretation of Association Behavior and Molecular Interactions in Binary Mixtures from Thermoacoustics and Molecular Compression Data
rhoI	955.10	kg/m3	293.15	Interpretation of Association Behavior and Molecular Interactions in Binary Mixtures from Thermoacoustics and Molecular Compression Data
rhoI	934.69	kg/m3	308.15	Physicochemical Properties for the Binary Systems of Ionic Liquids [Cnmim]Cl + N,N-Dimethylformamide
rhoI	944.65	kg/m3	298.15	Solution thermodynamics of iron(III)-N,N'-ethylene-bis(salicylideneiminato)-chloride in binary mixtures of N,N-dimethylformamide and acetonitrile at T = (298.15, 303.15, 308.15 and 313.15) K

rhoI	958.08	kg/m3	283.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. I. Apparent Molar Volumes and Compressibilities of Divalent Transition-Metal Perchlorates in N,N-Dimethylformamide
sfust	41.80	J/molxK	212.85	NIST Webbook
speedsl	1457.13	m/s	298.15	Apparent Molar Compressibilities and Volumes of Some 1,1-Electrolytes in N,N-Dimethylacetamide and N,N-Dimethylformamide
speedsl	1460.20	m/s	298.15	Compressibility Studies of Binary Solutions Involving Water as a Solute in Nonaqueous Solvents at T) 298.15 K
speedsl	1457.49	m/s	298.15	Isentropic compressibilities of (amide + water) mixtures: A comparative study
speedsl	1419.04	m/s	308.15	Volumetric and Isentropic Compressibility Behavior of Ionic Liquid, 1-Propyl-3-Methylimidazolium Bromide in Acetonitrile, Dimethylformamide, and Dimethylsulfoxide at T = (288.15 to 308.15) K
speedsl	1438.38	m/s	303.15	Volumetric and Isentropic Compressibility Behavior of Ionic Liquid, 1-Propyl-3-Methylimidazolium Bromide in Acetonitrile, Dimethylformamide, and Dimethylsulfoxide at T = (288.15 to 308.15) K

speedsl	1457.81	m/s	298.15	Volumetric and Isentropic Compressibility Behavior of Ionic Liquid, 1-Propyl-3-Methylimidazolium Bromide in Acetonitrile, Dimethylformamide, and Dimethylsulfoxide at T = (288.15 to 308.15) K
speedsl	1477.27	m/s	293.15	Volumetric and Isentropic Compressibility Behavior of Ionic Liquid, 1-Propyl-3-Methylimidazolium Bromide in Acetonitrile, Dimethylformamide, and Dimethylsulfoxide at T = (288.15 to 308.15) K
speedsl	1496.60	m/s	288.15	Volumetric and Isentropic Compressibility Behavior of Ionic Liquid, 1-Propyl-3-Methylimidazolium Bromide in Acetonitrile, Dimethylformamide, and Dimethylsulfoxide at T = (288.15 to 308.15) K
speedsl	1457.13	m/s	298.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. V. Apparent Molar Volumes and Compressibilities of Divalent Transition Metal Bromides in N,N-Dimethylformamide
srf	0.04	N/m	283.15	Thermodynamic investigation of N,N-dimethylformamide/toluene binary mixtures in the temperature range from 278.15 to 293.15 K

srf	0.04	N/m	293.15	Thermodynamic investigation of N,N-dimethylformamide/toluene binary mixtures in the temperature range from 278.15 to 293.15 K
srf	0.04	N/m	277.85	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.04	N/m	287.81	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.04	N/m	297.82	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.03	N/m	307.86	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.03	N/m	317.86	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.03	N/m	327.88	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.03	N/m	327.89	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.04	N/m	278.15	Thermodynamic investigation of N,N-dimethylformamide/toluene binary mixtures in the temperature range from 278.15 to 293.15 K

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.46587e+01
Coeff. B	-3.67936e+03
Coeff. C	-5.96930e+01

Temperature range (K), min.	315.72
Temperature range (K), max.	649.60

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/T + C \cdot \ln(T) + D \cdot T^2$
Coeff. A	1.59178e+02
Coeff. B	-1.14422e+04
Coeff. C	-2.15502e+01
Coeff. D	1.49998e-05
Temperature range (K), min.	212.72
Temperature range (K), max.	647.00

Datasets

Mass density, kg/m3

Temperature, K - Liquid	Pressure, kPa - Liquid	Mass density, kg/m3 - Liquid
298.15	85.90	944.53

Reference <https://www.doi.org/10.1016/j.fluid.2013.05.022>

Temperature, K	Pressure, kPa	Mass density, kg/m3
313.12	1008.00	930.41
313.12	2010.00	931.09
313.12	3012.00	931.73
313.12	4008.00	932.38
313.12	5004.00	933.04
313.12	6002.00	933.68
313.12	7002.00	934.32
313.12	8004.00	934.97
313.12	9000.00	935.62
313.12	10004.00	936.27
313.12	11004.00	936.89
313.12	12004.00	937.51
313.12	13005.00	938.14
313.12	14007.00	938.78

313.12	15002.00	939.37
313.12	16012.00	940.0
313.12	17009.00	940.59
313.12	18015.00	941.19
313.12	19010.00	941.79
313.12	20013.00	942.42
313.12	21009.00	942.99
313.12	22011.00	943.58
313.12	23019.00	944.17
313.12	24013.00	944.75
313.12	25011.00	945.35
323.06	1014.00	920.89
323.06	2007.00	921.59
323.06	3026.00	922.27
323.06	4006.00	922.95
323.06	5016.00	923.62
323.06	6010.00	924.3
323.06	7006.00	924.99
323.06	8010.00	925.64
323.06	9012.00	926.32
323.06	10014.00	926.99
323.06	11011.00	927.65
323.06	12013.00	928.31
323.06	13007.00	928.97
323.06	14011.00	929.62
323.06	15008.00	930.29
323.06	16014.00	930.92
323.06	17004.00	931.54
323.06	18006.00	932.19
323.06	19006.00	932.82
323.06	20005.00	933.44
323.06	21002.00	934.07
323.06	22013.00	934.7
323.06	23015.00	935.31
323.06	24008.00	935.92
323.06	25012.00	936.53
333.00	1008.00	911.34
333.00	2018.00	912.08
333.00	3006.00	912.78
333.00	4005.00	913.51
333.00	5005.00	914.23
333.00	6008.00	914.97
333.00	7003.00	915.68
333.00	8009.00	916.39

333.00	9010.00	917.11
333.00	10008.00	917.81
333.00	11008.00	918.51
333.00	12008.00	919.2
333.00	13013.00	919.9
333.00	14006.00	920.57
333.00	15007.00	921.24
333.00	16011.00	921.92
333.00	17019.00	922.59
333.00	18010.00	923.27
333.00	19004.00	923.91
333.00	20012.00	924.58
333.00	21005.00	925.24
333.00	22005.00	925.88
333.00	23014.00	926.52
333.00	24009.00	927.19
333.00	25009.00	927.83
342.86	1028.00	901.52
342.86	2020.00	902.3
342.86	3015.00	903.09
342.86	4002.00	903.84
342.86	5035.00	904.63
342.86	6026.00	905.39
342.86	7013.00	906.13
342.86	8017.00	906.89
342.86	9024.00	907.66
342.86	10012.00	908.38
342.86	11048.00	909.14
342.86	11999.00	909.83
342.86	13018.00	910.6
342.86	14029.00	911.32
342.86	15007.00	912.03
342.86	15994.00	912.71
342.86	17041.00	913.47
342.86	18012.00	914.16
342.86	19006.00	914.85
342.86	20042.00	915.55
342.86	21025.00	916.22
342.86	22008.00	916.9
342.86	23079.00	917.63
342.86	24008.00	918.25
342.86	25017.00	918.93
352.80	1040.00	891.76
352.80	2009.00	892.57

352.80	3011.00	893.41
352.80	4020.00	894.22
352.80	5050.00	895.06
352.80	6060.00	895.78
352.80	6996.00	896.53
352.80	8008.00	897.34
352.80	9034.00	898.16
352.80	10019.00	898.93
352.80	11043.00	899.73
352.80	11998.00	900.45
352.80	13028.00	901.24
352.80	14015.00	901.99
352.80	15028.00	902.74
352.80	16000.00	903.48
352.80	17011.00	904.23
352.80	17999.00	904.96
352.80	19044.00	905.73
352.80	20050.00	906.43
352.80	21038.00	907.16
352.80	21955.00	907.8
352.80	23009.00	908.57
352.80	23996.00	909.27
352.80	25056.00	910.04
362.67	1058.00	882.04
362.67	2038.00	882.89
362.67	3044.00	883.77
362.67	4027.00	884.62
362.67	5068.00	885.54
362.67	6036.00	886.37
362.67	7025.00	887.22
362.67	8027.00	888.03
362.67	9045.00	888.9
362.67	10021.00	889.71
362.67	11024.00	890.55
362.67	11996.00	891.3
362.67	13061.00	892.19
362.67	14027.00	892.95
362.67	15025.00	893.73
362.67	15987.00	894.49
362.67	17050.00	895.32
362.67	18009.00	896.08
362.67	19041.00	896.85
362.67	20032.00	897.62
362.67	21035.00	898.36

362.67	22014.00	899.1
362.67	23018.00	899.87
362.67	24007.00	900.58
362.67	25016.00	901.35

Reference

<https://www.doi.org/10.1021/je050050p>

Temperature, K	Pressure, kPa	Mass density, kg/m3
288.15	100.00	953.4
288.15	2100.00	954.5
288.15	4000.00	955.6
288.15	6100.00	956.8
288.15	7900.00	957.8
288.15	9900.00	958.9
288.15	12100.00	960.1
288.15	14000.00	961.2
288.15	16000.00	962.2
288.15	18000.00	963.3
288.15	19800.00	964.3
298.15	100.00	943.8
298.15	2000.00	945.0
298.15	4100.00	946.2
298.15	6100.00	947.4
298.15	8100.00	948.6
298.15	10100.00	949.8
298.15	12100.00	951.0
298.15	14100.00	952.1
298.15	16300.00	953.3
298.15	18300.00	954.3
298.15	20100.00	955.5
308.15	100.00	935.0
308.15	2000.00	936.2
308.15	4100.00	937.6
308.15	6100.00	938.9
308.15	8100.00	940.0
308.15	10100.00	941.2
308.15	12100.00	942.5
308.15	14300.00	943.7
308.15	16300.00	944.9
308.15	18300.00	946.0
308.15	20200.00	947.0
318.15	100.00	925.5
318.15	2100.00	926.9

[illegible]

<https://www.doi.org/10.1021/je900440t>
<https://www.doi.org/10.1021/je3013793>
<https://www.doi.org/10.1021/je900894x>
<https://www.doi.org/10.1021/acs.jced.5b00565>
<https://www.doi.org/10.1021/je0604479>
<https://www.doi.org/10.1021/je800428r>
<https://www.doi.org/10.1021/acs.jced.8b00732>
<https://www.doi.org/10.1021/acs.jced.9b00216>
<https://www.doi.org/10.1021/acs.jced.9b00320>
<https://www.doi.org/10.1021/acs.jced.9b00844>
<https://www.doi.org/10.1021/acs.jced.8b00288>
<https://www.doi.org/10.1016/j.jct.2019.05.004>
<https://www.doi.org/10.1021/je400803f>
<https://www.doi.org/10.1021/je801001h>
<https://www.doi.org/10.1016/j.jct.2018.09.017>
<https://www.doi.org/10.1021/acs.jced.8b00179>
<https://www.doi.org/10.1016/j.jct.2006.07.022>
<https://www.doi.org/10.1021/je700096m>
<https://www.doi.org/10.1016/j.jct.2016.09.023>
<https://www.doi.org/10.1016/j.fluid.2014.09.021>
<https://www.doi.org/10.1021/je800138b>
<https://www.doi.org/10.1021/acs.jced.9b00661>
<https://www.doi.org/10.1021/je060408x>
<https://www.doi.org/10.1021/acs.jced.9b00560>
<https://www.doi.org/10.1021/je300252d>
<https://www.doi.org/10.1016/j.jct.2017.07.016>
<https://www.doi.org/10.1021/je050440b>
<https://www.doi.org/10.1016/j.jct.2007.06.017>
<https://www.doi.org/10.1016/j.jct.2016.10.020>
<https://www.doi.org/10.1016/j.fluid.2013.07.034>
<https://www.doi.org/10.1016/j.jct.2012.10.015>
<https://www.doi.org/10.1021/je030130y>
<https://www.doi.org/10.1021/acs.jced.5b00655>
<https://www.doi.org/10.1016/j.fluid.2016.12.012>
<https://www.doi.org/10.1021/acs.jced.8b00416>
<https://www.doi.org/10.1016/j.jct.2007.02.009>
<https://www.doi.org/10.1016/j.jct.2014.05.013>
<https://www.doi.org/10.1021/acs.jced.6b00496>
<https://www.doi.org/10.1016/j.jct.2018.11.026>
<https://www.doi.org/10.1016/j.jct.2019.06.019>
<https://www.doi.org/10.1016/j.fluid.2009.01.006>
<https://www.doi.org/10.1021/acs.jced.6b00721>
<https://www.doi.org/10.1021/acs.jced.6b01071>

[illegible]

https://www.doi.org/10.1021/acs.jced.5b00002
https://www.doi.org/10.1016/j.jct.2005.07.012
https://www.doi.org/10.1016/j.jct.2017.02.008
https://www.doi.org/10.1016/j.jct.2011.06.011
https://www.doi.org/10.1016/j.jct.2007.02.007
https://www.doi.org/10.1016/j.jct.2019.06.026
https://www.doi.org/10.1016/j.jct.2016.02.006
https://www.doi.org/10.1021/jc900733j
https://www.doi.org/10.1016/j.jct.2018.06.006
https://www.doi.org/10.1016/j.jct.2006.01.015
https://www.doi.org/10.1016/j.jct.2018.02.002
https://www.doi.org/10.1021/acs.jced.6b00009
https://www.doi.org/10.1016/j.fluid.2014.01.008
https://www.doi.org/10.1016/j.jct.2006.07.017
https://www.doi.org/10.1021/jc050428j
https://www.doi.org/10.1021/acs.jced.7b00002
https://www.doi.org/10.1021/jc500035r
https://www.doi.org/10.1021/jc201349k
https://www.doi.org/10.1016/j.jct.2012.08.008
https://www.doi.org/10.1016/j.fluid.2007.03.010
https://www.doi.org/10.1021/jc500447r
https://www.doi.org/10.1021/jc700426k
http://pubs.acs.org/doi/abs/10.1021/ci990307l
https://www.doi.org/10.1016/j.jct.2016.12.002
https://www.doi.org/10.1016/j.jct.2018.08.001
https://www.doi.org/10.1016/j.jct.2013.01.013
https://www.doi.org/10.1016/j.jct.2006.08.007
https://www.doi.org/10.1021/jc201014c
https://www.doi.org/10.1021/jc050050p
https://www.doi.org/10.1016/j.fluid.2014.01.020
https://www.doi.org/10.1021/jc030101n
https://www.doi.org/10.1021/acs.jced.5b00753
https://www.doi.org/10.1021/jc060300h
https://www.doi.org/10.1021/jc300105q
https://www.doi.org/10.1021/jc3005112
https://www.doi.org/10.1021/jc300783e
https://www.doi.org/10.1016/j.fluid.2014.12.020
https://www.doi.org/10.1021/jc0201323
https://www.doi.org/10.1021/acs.jced.8b01051
https://www.doi.org/10.1021/acs.jced.6b00646
https://www.doi.org/10.1016/j.jct.2016.02.016
https://www.doi.org/10.1021/acs.jced.7b00444

[illegible]

<https://www.doi.org/10.1021/je8001249>

**1-Chloro-2-ethylhexane and
2-Ethyl-1-hexanol:**

[illegible]

https://www.doi.org/10.1016/j.jct.2016.07.032
https://www.doi.org/10.1016/j.fluid.2014.08.006
https://www.doi.org/10.1021/acs.jced.6b00664
https://www.doi.org/10.1021/je1011295
axazaisowurtziane
https://www.doi.org/10.1021/je030163d
https://www.doi.org/10.1021/je2000292
https://www.doi.org/10.1016/j.fluid.2013.05.022
https://www.doi.org/10.1021/je034062r
https://www.doi.org/10.1021/je400754e
https://www.doi.org/10.1016/j.jct.2018.11.021
https://www.doi.org/10.1021/je049610v
https://www.doi.org/10.1021/acs.jced.9b00172
https://www.doi.org/10.1021/acs.jced.9b00065
https://www.doi.org/10.1021/acs.jced.9b00385
https://www.doi.org/10.1016/j.fluid.2016.04.007
https://www.doi.org/10.1021/acs.jced.8b00902
https://www.doi.org/10.1021/acs.jced.9b00258
https://www.doi.org/10.1021/je060113j
https://www.doi.org/10.1016/j.fluid.2013.07.010
https://www.doi.org/10.1016/j.jct.2019.04.001
https://www.doi.org/10.1016/j.jct.2011.12.002
https://www.doi.org/10.1021/acs.jced.8b01181
https://www.doi.org/10.1016/j.jct.2018.09.008
https://www.doi.org/10.1021/acs.jced.9b00362
https://www.doi.org/10.1021/je301149f
https://www.doi.org/10.1021/je501026m
nidazolium]
https://www.doi.org/10.1016/j.jct.2012.06.023
https://www.doi.org/10.1021/je1008813
https://www.doi.org/10.1016/j.fluid.2015.12.052
https://www.doi.org/10.1016/j.jct.2012.04.001
https://www.doi.org/10.1021/je700671t
https://www.doi.org/10.1016/j.fluid.2006.08.018
https://www.doi.org/10.1016/j.tca.2012.09.030
https://www.doi.org/10.1016/j.fluid.2019.04.036
https://www.doi.org/10.1016/j.tca.2005.11.035
https://www.doi.org/10.1016/j.tca.2009.05.007
https://www.doi.org/10.1016/j.tca.2011.10.009
https://www.doi.org/10.1021/acs.jced.9b00353
oethane(BPIE)
https://www.doi.org/10.1016/j.jct.2016.08.021
https://www.doi.org/10.1021/acs.jced.8b00009
https://www.doi.org/10.1016/j.jct.2007.05.015
https://www.doi.org/10.1021/acs.jced.8b01126
https://www.doi.org/10.1021/acs.jced.8b00719

[illegible]

<https://www.doi.org/10.1016/j.jct.2016.07.013>
<https://www.doi.org/10.1016/j.jct.2014.02.021>
<https://www.doi.org/10.1021/je900367v>
<https://www.doi.org/10.1016/j.fluid.2014.01.046>
<http://webbook.nist.gov/cgi/cbook.cgi?ID=C68122&Units=SI>
<https://www.doi.org/10.1021/je700339f>
<https://www.doi.org/10.1016/j.jct.2016.09.012>
<https://www.doi.org/10.1021/acs.jced.6b00575>
<https://www.doi.org/10.1021/acs.jced.7b00518>
<https://www.doi.org/10.1016/j.fluid.2013.06.038>
<https://www.doi.org/10.1016/j.fluid.2016.08.033>
<https://www.doi.org/10.1016/j.fluid.2015.03.039>
<https://www.doi.org/10.1021/je300941v>
<https://www.doi.org/10.1016/j.jct.2019.01.026>
<https://www.doi.org/10.1021/je9006234>
<https://www.doi.org/10.1021/acs.jced.9b00201>
<https://www.doi.org/10.1016/j.jct.2006.10.004>
<https://www.doi.org/10.1021/je500442m>
<https://www.doi.org/10.1016/j.jct.2014.06.030>
<https://www.doi.org/10.1016/j.jct.2015.10.016>
<https://www.doi.org/10.1016/j.tca.2011.03.016>
<https://www.doi.org/10.1021/je0342015>
<https://www.doi.org/10.1016/j.fluid.2005.12.006>
<https://www.doi.org/10.1021/acs.jced.9b00294>
<https://www.doi.org/10.1016/j.tca.2019.178309>
<https://www.doi.org/10.1016/j.jct.2012.09.013>
<https://www.doi.org/10.1016/j.jct.2015.02.002>
<https://www.doi.org/10.1016/j.fluid.2010.01.002>
<https://www.doi.org/10.1021/acs.jced.9b00028>
<https://www.doi.org/10.1021/acs.jced.8b00176>
<https://www.doi.org/10.1016/j.jct.2018.08.018>
<https://www.doi.org/10.1016/j.fluid.2013.09.042>
<https://www.doi.org/10.1021/je700013g>
<https://www.doi.org/10.1021/acs.jced.7b00316>
<https://www.doi.org/10.1021/je100975b>
<https://www.doi.org/10.1016/j.fluid.2010.08.010>
<https://www.doi.org/10.1016/j.fluid.2014.04.019>
<https://www.doi.org/10.1016/j.jct.2019.03.004>
<https://www.doi.org/10.1016/j.fluid.2006.12.010>
<https://www.doi.org/10.1016/j.jct.2013.12.006>
<https://www.doi.org/10.1021/je600564q>
<https://www.doi.org/10.1021/je0501989>
<https://www.doi.org/10.1016/j.jct.2016.10.019>

Solubility Data for Roflumilast and Maraviroc in Various Solvents between 278.15 and 333.15 K and Surface Properties of Binary Mixtures of Propionic and N,N-Dimethylformamide in Industrial Aliphatic Solvents by Means of Conductometric and Surface Tension Methods

Thermodynamic Properties of Binary Mixtures of N,N-Dimethylformamide and Ethanol at Elevated Temperatures and Dissolution Properties of 5-phenyltetrazole in Range of Different Solvents and Liquid Mixtures of (methanol + ethyl acetate) at Elevated Temperatures and Chain Length on the Viscosity and Surface Tension of Solid-Liquid Equilibria for Benzoic Acid + N,N-Dimethylformamide, Chloroform + Benzoic Acid, and Tetrahydrofuran + Benzoic Acid, and Tetrahydrofuran + Benzoic Acid + N,N-Dimethylformamide

Solubility of 5-Morpholinyl-2-aminopropane in Different Solvents (n-Butyl Ketone), at Various Temperatures of 15 K: (N,N-dimethylformamide + aliphatic solvents) and Viscosities of Binary Mixtures of N,N-Dimethylformamide + Formic Acid, and of Benzyl Alcohol + N,N-Dimethylformamide at 353.15 K: N,N-Dimethylformamide, dimethyl sulfoxide, N-methyl-2-pyrrolidone and Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents: Apparent Molar Volumes and Compressibilities in (Ethyl Acetate + Methanol), DMF + n-Butanol, and Dimethyl Sulfoxide + Methanol in different solvents; Excess Enthalpies and Densities of Binary Mixtures of Thermodynamic Properties of Salts in Solvents: Ion-Liquid with Formic Acid, N,N-Dimethylformamide, Tetrahydrofuran, and 2,2,2-Trifluoroethanol and Differential Solvation of Acetates in Aqueous Solutions for N,N-Dimethylformamide, N-methyl-2-pyrrolidone, DMF, and an Organic Solvent: Ethyl Acetate + N,N-Dimethylformamide

Modeling of Hydrogen Sulfate in Formic Acid + N,N-Dimethylformamide and Properties of Binary and Ternary Mixtures: Volumes, Viscosities, and Excess Gibbs Energy of Activation for Viscosity Flow in the Mixture of N,N-Dimethylformamide and Water: Solubilities of dimethylformamide + chloroform at different temperatures (bis(oxo-1,2-ethanediyloxy)bis-[3-methyl-1H-imidazolium-1-yl])

Densities of N,N-Dimethylformamide and Water in the Ternary Solid-Liquid Phase Diagram of N,N-Dimethylformamide + Water + Ethanol at 278.15, 298.15, and 323.15 K and Viscosities of Binary and Ternary Mixtures of N,N-Dimethylformamide + Water + Ethanol at 278.15, 298.15, and 323.15 K

Hydrochloride in Different Solvents: (Vapor + liquid) equilibrium of binary mixtures formed by N,N-dimethylformamide with some compounds and spectroscopic properties in different solvents and correlation of solubility of formamide: Primary aliphatic amine: Pure Organic Solvents between (278 and 333) K: Phase equilibria in the systems isobutyl alcohol

Apparent Molar Volumes and Electrical Conductance of N,N-Dimethylformamide and Isobutyl Alcohol in 1,2-Dichloroethane and 1,2-Dichloroethane + N,N-Dimethylformamide at 278.15, 298.15, and 323.15 K

Acetamide and Methylamine from T 278.15 to 323.15 K: N,N-Dimethylformamide + Water: Solubility of N,N-Dimethylformamide with Tetrahydrofuran and Methyl Benzoate at 278.15, 308.15, and 323.15 K: Viscosities of Binary Mixtures of N,N-Dimethylformamide with Tetrahydrofuran and Methyl Benzoate in Twelve Neat Solvents from 283.15 to 323.15 K: N,N-Dimethylformamide, N,N-Dibutylformamide, and N,N-Dimethylacetamide from (293.15 to 323.15) K:

<https://www.doi.org/10.1021/acs.jced.9b00710>

<https://www.doi.org/10.1021/je9002114>

<https://www.doi.org/10.1016/j.tca.2013.02.022>

<https://www.doi.org/10.1021/je700430g>

<https://www.doi.org/10.1016/j.jct.2017.04.019>

https://en.wikipedia.org/wiki/Joback_method

<https://www.doi.org/10.1016/j.jct.2014.03.022>

<https://www.doi.org/10.1021/je049801y>

<https://www.doi.org/10.1021/je800991v>

<https://www.doi.org/10.1021/acs.jced.8b00120>

<https://www.doi.org/10.1021/je3001188>

<https://www.doi.org/10.1016/j.jct.2005.01.002>

<https://www.doi.org/10.1021/je700755t>

<https://www.doi.org/10.1016/j.jct.2019.07.001>

<http://link.springer.com/article/10.1007/BF02311772>

<https://www.doi.org/10.1021/je8001877>

<https://www.doi.org/10.1021/acs.jced.8b00989>

<https://www.doi.org/10.1016/j.jct.2014.12.002>

<https://www.doi.org/10.1021/je500696p>

<https://www.doi.org/10.1021/je200872n>

<https://www.doi.org/10.1016/j.jct.2017.07.023>

<https://www.doi.org/10.1016/j.fluid.2008.01.020>

<https://www.doi.org/10.1021/je060224i>

<https://www.doi.org/10.1021/je201128n>

<https://www.doi.org/10.1021/je500113q>

<https://www.doi.org/10.1016/j.tca.2014.05.004>

<https://www.doi.org/10.1021/je300608v>

<https://www.doi.org/10.1021/je5004466>

<https://www.doi.org/10.1016/j.jct.2018.07.025>

<https://www.doi.org/10.1021/acs.jced.9b00471>

<https://www.doi.org/10.1021/je700453v>

<https://www.doi.org/10.1016/j.fluid.2007.02.026>

<https://www.doi.org/10.1016/j.jct.2005.09.001>

<https://www.doi.org/10.1016/j.jct.2016.10.046>

<https://www.doi.org/10.1021/je1002016>

<https://www.doi.org/10.1016/j.fluid.2005.03.014>

<https://www.doi.org/10.1021/je9002306>

<https://www.doi.org/10.1016/j.fluid.2016.08.014>

<https://www.doi.org/10.1016/j.jct.2015.08.033>

<https://www.doi.org/10.1021/je040012q>

<https://www.doi.org/10.1021/je5002945>

<https://www.doi.org/10.1021/je300358u>

<https://www.doi.org/10.1021/acs.jced.9b00593>

KDB Vapor Pressure Data:

<https://www.thermofisher.com/research/kdb/hcprop/showprop.php?cmpid=1377>

Solubility modelling and thermodynamic aspect of d-aspartic acid in aqueous co-solvent mixtures of N,N-dimethylformamide and dimethyl sulfoxide. *Journal of Chemical Thermodynamics* 2019, 125, 105-115.
Solubility, Density, and Model Correlation of 2,2,4,4-tetrafluorobutane in N,N-dimethylformamide, dimethyl sulfoxide, and 1,4-dioxane at 298.15 K. *Journal of Chemical Thermodynamics* 2016, 96, 105-115.
Solubility and Solvent Effect of 1,2,4-Triazole in Different Pure Solvents. *Journal of Chemical Thermodynamics* 2015, 85, 105-115.
Solubility and Solvent Effect of 1,1-Diamino-2,2-dinitroethylene in N,N-dimethylformamide, dimethyl sulfoxide, and 1,4-dioxane at 298.15 K. *Journal of Chemical Thermodynamics* 2014, 74, 105-115.
Enthalpies of Dilution of L-Alanine in Dimethylsulfoxide + Water and Dimethylsulfoxide + 2-Octanone. *Journal of Chemical Thermodynamics* 2013, 65, 105-115.
Enthalpies of Dilution of L-Alanine in Dimethylsulfoxide + Water and Dimethylsulfoxide + 2-Octanone. *Journal of Chemical Thermodynamics* 2013, 65, 105-115.
Solubility Modelling and Solvent Effect of 2,2,4,4-Tetrafluorobutane in Twelve Binary Systems Comprising Formic Acid, N,N-Dimethylformamide, 1-Chloro-2-ethylhexane, and 2-Ethyl-1-hexanol.

<https://www.doi.org/10.1016/j.jct.2019.06.025>

<https://www.doi.org/10.1016/j.jct.2016.10.040>

<https://www.doi.org/10.1021/acs.jced.9b00229>

<https://www.doi.org/10.1021/je900370q>

<https://www.doi.org/10.1021/acs.jced.8b01265>

<https://www.doi.org/10.1021/acs.jced.7b01085>

<https://www.doi.org/10.1021/je900235s>

<https://www.doi.org/10.1016/j.jct.2012.03.020>

<https://www.doi.org/10.1021/je9005322>

<https://www.doi.org/10.1016/j.jct.2011.07.018>

<https://www.doi.org/10.1021/je049721u>

<https://www.doi.org/10.1021/acs.jced.8b01014>

<https://www.doi.org/10.1021/je800123c>

Legend

affp:	Proton affinity
basg:	Gas basicity
chl:	Standard liquid enthalpy of combustion
cpg:	Ideal gas heat capacity
cpl:	Liquid phase heat capacity
dvisc:	Dynamic viscosity
ea:	Electron affinity
econd:	Electrical conductivity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfl:	Liquid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
nfpaf:	NFPA Fire Rating
nfpah:	NFPA Health Rating
pc:	Critical Pressure
pvap:	Vapor pressure
rfi:	Refractive Index

rhoc:	Critical density
rhoL:	Liquid Density
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
sfust:	Entropy of fusion at a given temperature
speedsl:	Speed of sound in fluid
srf:	Surface Tension
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/34-806-9/Formamide-N-N-dimethyl.pdf>

Generated by Cheméo on 2024-04-28 21:47:22.911568641 +0000 UTC m=+16630091.832145951.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.