

# Cyclopropyl radical

**Inchi:** InChI=1S/C3H5/c1-2-3-1/h1H,2-3H2  
**InchiKey:** XIPUIGNIDKXJU-UHFFFAOYSA-N  
**Formula:** C3H5  
**SMILES:** [CH]1CC1  
**Mol. weight [g/mol]:** 41.07  
**CAS:** 2417-82-5

## Physical Properties

| Property code | Value       | Unit                 | Source         |
|---------------|-------------|----------------------|----------------|
| affp          | 738.90      | kJ/mol               | NIST Webbook   |
| basg          | 702.00      | kJ/mol               | NIST Webbook   |
| ea            | 0.40 ± 0.07 | eV                   | NIST Webbook   |
| ea            | 0.51 ± 0.21 | eV                   | NIST Webbook   |
| ea            | 0.36 ± 0.09 | eV                   | NIST Webbook   |
| gf            | 87.51       | kJ/mol               | Joback Method  |
| hf            | 23.36       | kJ/mol               | Joback Method  |
| hfpi          | 1070.00     | kJ/mol               | NIST Webbook   |
| hfus          | 3.34        | kJ/mol               | Joback Method  |
| hvap          | 22.04       | kJ/mol               | Joback Method  |
| ie            | 8.68 ± 0.02 | eV                   | NIST Webbook   |
| ie            | 8.18 ± 0.03 | eV                   | NIST Webbook   |
| log10ws       | -0.58       |                      | Crippen Method |
| logp          | 0.984       |                      | Crippen Method |
| mcvol         | 40.120      | ml/mol               | McGowan Method |
| pc            | 5636.27     | kPa                  | Joback Method  |
| tb            | 274.08      | K                    | Joback Method  |
| tc            | 446.36      | K                    | Joback Method  |
| tf            | 157.88      | K                    | Joback Method  |
| vc            | 0.151       | m <sup>3</sup> /kmol | Joback Method  |

## Temperature Dependent Properties

| Property code | Value | Unit    | Temperature [K] | Source        |
|---------------|-------|---------|-----------------|---------------|
| cpg           | 40.47 | J/mol×K | 274.08          | Joback Method |

|       |           |         |        |               |
|-------|-----------|---------|--------|---------------|
| cpg   | 48.33     | J/molxK | 302.79 | Joback Method |
| cpg   | 55.61     | J/molxK | 331.51 | Joback Method |
| cpg   | 62.33     | J/molxK | 360.22 | Joback Method |
| cpg   | 68.53     | J/molxK | 388.93 | Joback Method |
| cpg   | 74.24     | J/molxK | 417.65 | Joback Method |
| cpg   | 79.49     | J/molxK | 446.36 | Joback Method |
| dvisc | 0.0000364 | Paxs    | 157.88 | Joback Method |
| dvisc | 0.0000473 | Paxs    | 177.25 | Joback Method |
| dvisc | 0.0000583 | Paxs    | 196.61 | Joback Method |
| dvisc | 0.0000693 | Paxs    | 215.98 | Joback Method |
| dvisc | 0.0000800 | Paxs    | 235.35 | Joback Method |
| dvisc | 0.0000903 | Paxs    | 254.71 | Joback Method |
| dvisc | 0.0001003 | Paxs    | 274.08 | Joback Method |

## Sources

|                        |   |
|------------------------|---|
| <b>Joback Method:</b>  | <a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>                                       |
| <b>McGowan Method:</b> | <a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>                       |
| <b>NIST Webbook:</b>   | <a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C2417825&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C2417825&amp;Units=SI</a> |
| <b>Crippen Method:</b> | <a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>                                   |
| <b>Crippen Method:</b> | <a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>                           |

## Legend

|                 |  |
|-----------------|--|
| <b>affp:</b>    | Proton affinity  |
| <b>basg:</b>    | Gas basicity   |
| <b>cpg:</b>     | Ideal gas heat capacity                                      |
| <b>dvisc:</b>   | Dynamic viscosity  |
| <b>ea:</b>      | Electron affinity  |
| <b>gf:</b>      | Standard Gibbs free energy of formation                      |
| <b>hf:</b>      | Enthalpy of formation at standard conditions                 |
| <b>hfpi:</b>    | Enthalpy of formation of positive ion at standard conditions |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions                    |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions              |
| <b>ie:</b>      | Ionization energy  |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l                           |
| <b>logp:</b>    | Octanol/Water partition coefficient                          |
| <b>mcvol:</b>   | McGowan's characteristic volume                              |

|            |                                  |
|------------|----------------------------------|
| <b>pc:</b> | Critical Pressure                |
| <b>tb:</b> | Normal Boiling Point Temperature |
| <b>tc:</b> | Critical Temperature             |
| <b>tf:</b> | Normal melting (fusion) point    |
| <b>vc:</b> | Critical Volume                  |

Latest version available from:

<https://www.chemeo.com/cid/37-611-2/Cyclopropyl-radical.pdf>

Generated by Cheméo on 2024-04-23 09:49:51.686273362 +0000 UTC m=+16155040.606850694.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.