

6-Methyluracil

Other names:	2(1H)-Pyrimidinone, 4-hydroxy-6-methyl- 2,4(1H,3H)-Pyrimidinedione, 6-methyl- 2,4-Dihydroxy-6-methylpyrimidine 2,4-Pyrimidinediol, 6-methyl- 4-(6)-Methyluracil 4-Methyluracil 6-Methyl-1H-pyrimidine-2,4-dione AWD 23-15 NSC 9456 Pseudothymine Uracil, 6-methyl-
Inchi:	InChI=1S/C5H6N2O2/c1-3-2-4(8)7-5(9)6-3/h2H,1H3,(H2,6,7,8,9)
InchiKey:	SHVCSCWHWMSGTE-UHFFFAOYSA-N
Formula:	C5H6N2O2
SMILES:	<chem>Cc1cc(=O)[nH]c(=O)[nH]1</chem>
Mol. weight [g/mol]:	126.11
CAS:	626-48-2

Physical Properties

Property code	Value	Unit	Source
chs	-2356.90 ± 0.25	kJ/mol	NIST Webbook
chs	-2374.00	kJ/mol	NIST Webbook
chs	-2372.70	kJ/mol	NIST Webbook
hsub	131.00	kJ/mol	NIST Webbook
log10ws	-1.26		Aqueous Solubility Prediction Method
logp	-1.592		Crippen Method
mcvol	89.250	ml/mol	McGowan Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
---------------	-------	------	-----------------	--------

cps	162.50	J/mol×K	298.15	Heat Capacities of Uracil, Thymine, and Its Alkylated, Cyclooligomethylenated, and Halogenated Derivatives by Differential Calorimetry
cps	167.20	J/mol×K	303.15	Heat Capacities of Uracil, Thymine, and Its Alkylated, Cyclooligomethylenated, and Halogenated Derivatives by Differential Calorimetry
cps	170.20	J/mol×K	308.15	Heat Capacities of Uracil, Thymine, and Its Alkylated, Cyclooligomethylenated, and Halogenated Derivatives by Differential Calorimetry
cps	172.20	J/mol×K	313.15	Heat Capacities of Uracil, Thymine, and Its Alkylated, Cyclooligomethylenated, and Halogenated Derivatives by Differential Calorimetry
cps	176.90	J/mol×K	318.15	Heat Capacities of Uracil, Thymine, and Its Alkylated, Cyclooligomethylenated, and Halogenated Derivatives by Differential Calorimetry
cps	181.40	J/mol×K	323.15	Heat Capacities of Uracil, Thymine, and Its Alkylated, Cyclooligomethylenated, and Halogenated Derivatives by Differential Calorimetry
cps	183.00	J/mol×K	328.15	Heat Capacities of Uracil, Thymine, and Its Alkylated, Cyclooligomethylenated, and Halogenated Derivatives by Differential Calorimetry

cps	187.30	J/molxK	333.15	Heat Capacities of Uracil, Thymine, and Its Alkylated, Cyclooligomethylenated, and Halogenated Derivatives by Differential Calorimetry
cps	190.40	J/molxK	338.15	Heat Capacities of Uracil, Thymine, and Its Alkylated, Cyclooligomethylenated, and Halogenated Derivatives by Differential Calorimetry
cps	193.00	J/molxK	343.15	Heat Capacities of Uracil, Thymine, and Its Alkylated, Cyclooligomethylenated, and Halogenated Derivatives by Differential Calorimetry

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Thermochemical study of 5-methyluracil, 6-methyluracil, and Heat Capacities of Uracil, Thymine, and Its Alkylated, Cyclooligomethylenated, and Halogenated Derivatives by Differential Calorimetry: McGowan Method:	https://www.doi.org/10.1016/j.jct.2011.06.023
Aqueous Solubility Prediction Method:	https://www.doi.org/10.1021/je060257y
Differential Calorimetry:	http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDataset002.xlsx
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C626482&Units=SI

Legend

chs:	Standard solid enthalpy of combustion
cps:	Solid phase heat capacity
hsub:	Enthalpy of sublimation at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume

Latest version available from:

<https://www.chemeo.com/cid/57-525-6/6-Methyluracil.pdf>

Generated by Cheméo on 2024-05-07 00:22:53.732250091 +0000 UTC m=+17330622.652827403.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.